

# Package ‘DecomposeR’

December 2, 2022

**Type** Package

**Title** Empirical Mode Decomposition for Cyclostratigraphy

**Version** 1.0.5

**Author** Sebastien Wouters [aut, cre]

**Maintainer** Sebastien Wouters <wouterseb@gmail.com>

**Description** Tools to apply Ensemble Empirical Mode

Decomposition (EEMD) for cyclostratigraphy purposes. Mainly: a new algorithm, extricate, that performs EEMD in seconds, a linear interpolation algorithm using the greatest rational common divisor of depth or time, different algorithms to compute instantaneous amplitude, frequency and ratios of frequencies, and functions to verify and visualise the outputs. The functions were developed during the CRASH project (Checking the Reproducibility of Astrochronology in the Hauterivian). When using for publication please cite Wouters, S., Da Silva, A.C. Crucifix, M., Sinnesael, M., Zivanovic, M., Boulvain, F., Devleeschouwer, X., 2019, ``Litholog generation with the 'StratigrapheR' package and signal decomposition for cyclostratigraphic purposes". Geophysical Research Abstracts Vol. 21, EGU2019-5520, 2019, EGU General Assembly 2019.  
<<http://hdl.handle.net/2268/234402>>.

**License** GPL-3

**Depends** R (>= 4.0.0)

**Encoding** UTF-8

**LazyData** TRUE

**RoxygenNote** 7.1.2

**Imports** graphics, stats, utils, usethis, tictoc, StratigrapheR (>= 1.1.1), grid, hexbin, colorRamps, dplyr (>= 1.0.0)

**Suggests** EMD, Rssa, astrochron, tidyverse

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2022-12-02 22:00:09 UTC

**R topics documented:**

approx.cor . . . . .	3
as.emd . . . . .	4
as.pulse . . . . .	6
check.emd . . . . .	7
condense . . . . .	8
DecomposeR . . . . .	9
DecomposeR.Datasets . . . . .	10
dq.algorithm . . . . .	11
extremist . . . . .	12
extricate . . . . .	13
gzc . . . . .	16
gzc.algorithm . . . . .	18
gzc.departure . . . . .	19
HilbertEnvelope . . . . .	21
HilbertTransform . . . . .	22
inst.pulse . . . . .	23
inst.ratio . . . . .	25
InstantaneousFrequency . . . . .	27
integrity . . . . .	28
is.ratio . . . . .	29
is.simp.emd . . . . .	30
mode.in . . . . .	30
n.extrema . . . . .	32
normalise . . . . .	33
oscillate . . . . .	35
parsimony . . . . .	37
pile.down . . . . .	38
pile.up . . . . .	40
plot_emd . . . . .	41
plot_hex . . . . .	44
plot_hist . . . . .	47
plot_imf . . . . .	49
plot_pulse . . . . .	51
plot_ratio . . . . .	53
PrecisionTester . . . . .	54
ratios . . . . .	57
repl.out . . . . .	58
respace . . . . .	59
simp.emd . . . . .	60
simple.ssa . . . . .	61
symmetry . . . . .	63

**Description**

Allows to correlate time-series having different sampling rate, if they have a comparable depth or time scale

**Usage**

```
approx.cor(xy1, dt1, xy2, dt2, plot = T, output = T, type = "p", ...)
```

**Arguments**

xy1	intensity values for the first data set
dt1	depth or time scale for the first data set
xy2	intensity values for the second data set
dt2	depth or time scale for the second data set
plot	whether to plot
output	whether to output
type	type of points in the plot (see help page of lines() for details)
...	additional parameters to feed to the lines() function

**Value**

a list of correlation (`$cor`), slope (`$slope`), intercept (`$intercept`) (two values for each: interpolation to fit `dt1` and `dt2` respectively), and of the `xy1` and `xy2` values, interpolated for `dt1` (`$df1`) and `df2` (`$df2`)

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy.pure <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2)

xy <- xy.pure + rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt.pure <- cumsum(inter_dt)
```

```
keep <- runif(length(dt.pure)) < 0.5

xy <- xy[keep]
dt <- dt.pure[keep] + rnorm(sum(keep), -0.2, 0.2)

par(mfrow = c(1,2))

plot(xy, dt, type = "o", pch = 19)

plot(xy.pure, dt.pure, type = "o", pch = 19)

par(mfrow = c(1,1))

out <- approx.cor(xy, dt, xy.pure, dt.pure)

out$cor
out$slope
out$intercept
```

---

as.emd

*Create / Check emd objects*

---

## Description

Allows to convert the result of a decomposition into a standard list. The warnings of the `is.emd` checking function allow to identify the problems.

## Usage

```
as.emd(  
  xy,  
  dt,  
  imf,  
  residue = NULL,  
  ini = NULL,  
  mode = NULL,  
  repl = 1,  
  order = NA  
)  
  
is.emd(emd)
```

## Arguments

<code>xy</code>	a vector of length <code>n</code> for the original signal at each <code>dt</code>
<code>dt</code>	a vector of length <code>n</code> for the depth or time reference

imf	a data.frame or matrix of n rows of the IMFs
residue	a vector of length n for the residue of the decomposition
ini	an optional vector of length n of the eventual initial Intrinsic Mode Function xy would be a demodulation of, if it is a demodulation.
mode	the mode sequence index to give to each replicated IMFs
repl	the id of each replicates. The length of unique(repl) defines the amount of replicates.
order	the order of the imf, typically from higher frequency to lower frequency
emd	an emd object to check

### Value

a list made of \$xy (original signal), \$dt (depth/time), \$m (a matrix of the decomposition), \$repl (the replicate id of each point) and \$mode (the mode id of each point).

### Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

s30 <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1)
s240 <- 2 * sin(t*2*pi/p2)
sn <- rnorm(n, sd = 0.5)

xy <- s30 + s240 + sn

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- as.emd(xy = xy, dt = dt, imf = matrix(c(sn, s30, s240), ncol = 3))

plot_emd(dec, pdf = FALSE)

is.emd(dec)

## Not run:
dec$xy <- 1
is.emd(dec)
## End(Not run)
```

---

as.pulse

*Create / Check pulse objects*


---

### Description

Allows to convert instantaneous frequency determination results into a single 'pulse' object. This is the format generated by inst.pulse (and gzc if output = 2)

### Usage

```
as.pulse(
  dt,
  f,
  a = NULL,
  m = NULL,
  idt = NULL,
  mode = NULL,
  repl = 1,
  order = NA
)

is.pulse(pulse)
```

### Arguments

dt	a vector of length n for the depth or time reference
f	a data.frame or matrix of n rows of the instantaneous frequencies
a	a data.frame or matrix of n rows of the instantaneous amplitudes
m	a data.frame or matrix of n rows of the components from which the frequencies and amplitudes were computed from
idt	data.frame or matrix of n rows of identity tuning: new dt coordinates to remove the frequency modulation
mode	the mode sequence index to give to each replicated IMFs
repl	a vector for the number of replicates or a matrix, indicating in which replicate set each point is
order	the order of the imf, typically from higher frequency to lower frequency
pulse	a pulse object to check

### Value

a list made of \$dt (depth/time), \$f (instantaneous frequency), \$a (instantaneous amplitude) if a is provided, \$repl (the replicate id of each point) and \$mode (the mode id of each point).

## Examples

```
set.seed(42)

n <- 600
dt <- seq_len(n)

p1 <- 30
p2 <- 240

s30 <- (1 + 0.6 * sin(dt*2*pi/p2)) * sin(dt*2*pi/p1)
s240 <- 2 * sin(dt*2*pi/p2)

xy <- s30 + s240

dec <- as.emd(xy = xy, dt = dt, imf = matrix(c(s30, s240), ncol = 2))

plot_emd(dec, pdf = FALSE, style = 1)

pulse <- inst.pulse(dec, last = TRUE, breaks = 200, bins = 40, cut = 10)

is.pulse(pulse)

simp.pulse <- as.pulse(pulse$dt, pulse$f)

str(simp.pulse)
```

---

check.emd

*Check an EMD object*

---

## Description

Provides an ensemble of check on the quality of a decomposition presented as an emd object (see [as.emd](#) for more information)

## Usage

```
check.emd(emd, xy = NULL, timelimit = 15)
```

## Arguments

emd	an amd object to test
xy	the original signal that was decomposed: this parameter is simply to insure that you are indeed comparing the decomposition to the original signal, and not cheating by providing the sum of your decomposition
timelimit	a time limit for the computation of the greatest common rational divisor. A too long time may be indicative of a problem, typically depth/time values that are not rounded adequately.

**Examples**

```

set.seed(50)

h <- rnorm(n = 1000)

dt <- seq_len(length(h))

alpha <- 0.95

for(i in dt[-1]) h[i] <- alpha * h[i-1] + h[i]

set.seed(42)

em <- extricate(h, dt, nimf = 7, repl = 1, comb = 100, sifting = 4,
               factor_noise = 20, unit_noise = "native", speak = TRUE)

## Not run:
plot_emd(em, adapt.axis = TRUE)
## End(Not run)

check.emd(em, h)

```

---

condense

*Condenses columns of matrix*


---

**Description**

Condenses columns of a matrix by averaging or summing them. The condensing can be done partially: a multiple of the repetitions can be averaged or summed to keep some repetitions.

**Usage**

```
condense(m, n, fun = "mean")
```

**Arguments**

m	matrix of repeated signal, each column being a repetition
n	the number of repetitions that will be averaged/summed
fun	the function to apply to each repetition: "mean" or "sum".

**Value**

a matrix with n times less columns



**Examples**

```
m <- matrix(rep(seq(100, 800, 100), each = 10) + rep(1:10, 8), ncol = 8)

m

condense(m, 4)
```

---

DecomposeR

*DecomposeR: Empirical Mode Decomposition for Cyclostratigraphy*

---

**Description**

This package provides tools to apply Ensemble Empirical Mode Decomposition (EEMD) for cyclostratigraphy purposes. It proposes a new algorithm, that performs EEMD in seconds, a linear interpolation algorithm using the greatest rational common divisor of depth or time, different algorithms to compute instantaneous amplitude, frequency and ratios of frequencies, and functions to verify and visualise the outputs.

**Details**

Package: DecomposeR

Type: R package

Version: 1.0.5 (End of 2022)

License: GPL-3

**Note**

If you want to use this package for publication or research purposes, please cite Wouters, S., Da Silva, A.C. Crucifix, M., Sinnesael, M., Zivanovic, M., Boulvain, F., Devleeschouwer, X., 2019, Litholog generation with the StratigrapherR package and signal decomposition for cyclostratigraphic purposes. Geophysical Research Abstracts Vol. 21, EGU2019-5520, 2019, EGU General Assembly 2019. <<http://hdl.handle.net/2268/234402>>

**Author(s)**

Sebastien Wouters

Maintainer: Sebastien Wouters <[sebastien.wouters@doct.uliege.be](mailto:sebastien.wouters@doct.uliege.be)>

## Description

Datasets for testing DecomposeR: the ace dataset is from from Sinnesael et al. (2016), the cip2 and cip3 data sets are from the signals 2 and 3 of the CIP project (Sinnesael et al., 2019), respectively, and cip1 was derived from cip1\_raw which is a rasterisation of the .tif image provided as signal 1 of the CIP project. A real case study is also provided, out of ODP 926 in Ceara Rise, limited between 5 & 9 Millions of years ago (Ma): the data sets z13 and z13amp are from Zeeden et al., 2013, and are respectively the greyscale, and its amplitude modulation for the eccentricity; w17 is from Wilkens et al., 2017, which proposes a revised splice for magnetic susceptibility; sc97amp is the amplitude modulation of eccentricity as it was calculated on the magnetic susceptibility by Shackleton & Crowhurst (1997). Excerpts from the Laskar et al., 2004 solution are further provided from <http://vo.imcce.fr/insola/earth/online/earth/online/index.php>: they are the insolation input for the CIP1 signal (cip1\_imput), and various solutions for precession, eccentricity and obliquity for given time intervals (in millions of years ago): La04\_pre\_0\_20, La04\_ecc\_6\_8, La04\_obl\_6\_8 & La04\_pre\_obl\_5\_9.

## Details

- xy** Values of the signal
- pre** Values of the signal
- dt** Depth or time of the signal
- age** Tuned age of the signal

## References

- Laskar, J., Robutel, P., Joutel, F., Gastineau, M. Correia, A. C. M., & Levrard, B. (2004). A long-term numerical solution for the insolation of the Earth. *Astronomy & Astrophysics*. 428. 261-285. [doi:10.1051/00046361:20041335](https://doi.org/10.1051/00046361:20041335)
- Shackleton, N. J., & Crowhurst, S. (1997). Sediment fluxes based on an orbitally tuned time scale 5 Ma to 14 Ma, site 926. *Proceedings of the Ocean Drilling Program, Scientific Results*. 154. [doi:10.2973/odp.proc.sr.154.102.1997](https://doi.org/10.2973/odp.proc.sr.154.102.1997)
- Sinnesael, M., Zivanovic, M., De Vleeschouwer, D., Claeys, P. & Schoukens, J. (2016). Astronomical component estimation (ACE v.1) by time-variant sinusoidal modeling. *Geoscientific Model Development*. 9. 3517-3531. [doi:10.5194/gmd935172016](https://doi.org/10.5194/gmd935172016)
- Sinnesael, M., De Vleeschouwer, D., Zeeden, C., et al. (2019). The Cyclostratigraphy Intercomparison Project (CIP): consistency, merits and pitfalls. *Earth-Science Reviews*. 199. 102965. [doi:10.1016/j.earscirev.2019.102965](https://doi.org/10.1016/j.earscirev.2019.102965)
- Wilkens, R. H., Westerhold, T., Drury A. D., Lyle, M., Gorgas, T., Tian, J. (2017). Revisiting the Ceara Rise, equatorial Atlantic Ocean: isotope stratigraphy of ODP Leg 154 from 0 to 5Ma. *Climate of the Past*. 13. 779-793. [doi:10.5194/cp137792017](https://doi.org/10.5194/cp137792017)
- Zeeden, C., Hilgen, F., Westerhold, T., Lourens, L., Röhl, U. & Bickert, T. (2013). Revised Miocene splice, astronomical tuning and calcareous plankton biochronology of ODP Site 926 between 5

and 14.4 Ma. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 369. 430–451. doi:10.1016/j.palaeo.2012.11.009

---

dq.algorithm	<i>Calculates instantaneous frequency of frequency carriers using the DQ method</i>
--------------	---

---

## Description

Calculates instantaneous frequency of frequency carriers using the direct quadrature method from Huang et al., 2009.

## Usage

```
dq.algorithm(fc, dt)
```

## Arguments

fc	a matrix of amplitude between -1 and 1, making up the frequency carrier
dt	a vector of depth or time values

## Value

a list of the depth/time (dt), frequency (f), and identity tuning (idt), i.e. depths adapted to transform the frequency carrier into a cosine of period 1.

## References

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. "On Instantaneous Frequency". *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

## Examples

```
n <- 600
t <- seq_len(n)
p1 <- 30
xy <- sin(t*2*pi/p1 + 50)
int <- c(rep(1, 99 + 100), seq(1,3,2/100), seq(3,1,-2/100), rep(1,100 + 99))
dt <- cumsum(int)
cond <- dt < 75
xy <- xy[!cond]
```

```

dt <- dt[!cond]/1.2 - 62.5

res <- dq.algorithm(xy, dt)

opar <- par("mfrow")

par(mfrow = c(3,1))

plot(dt, xy, type = "o", pch = 19, main = "Frequency carrier")

plot(dt, 1/res$f, pch = 19, type = "l", log = "y", lwd = 2, ylim = c(25,80),
      main = "Period (Direct Quadrature method)", ylab = "Period")

plot(res$idt[,1], xy, type = "o", pch = 19,
      main = "Identity tuning", axes = FALSE, ylab = "xy", xlab = "dt")

ap <- approx(x = dt, y = res$idt[,1], xout = seq(0,600, by = 20))

axis(1, at = ap$y, labels = ap$x)
axis(2)
box()

par(mfrow = opar)

```

---

extremist

*Gives local extrema and zero crossings intervals*


---

### Description

Gives local minimas, maximas and zero crossings. Optimised for large data sets; the sky is the limit (and by the sky I mean the ability of R and your computer to memorise large data sets; but within this limit the algorithm can handle millions of points quickly).

### Usage

```
extremist(xy, bound = FALSE, local = TRUE, zc = TRUE)
```

### Arguments

xy	the values where to find the local extremas
bound	whether to consider the first and last points as both minima and maxima, for special purposes. Default is F, has it should be.
local	whether to consider the first and last points as local minima and maxima, if TRUE by default, otherwise these first and last points will be ignored
zc	whether to return the zero crossings

**Value**

a list of the indexes of the left (l) and right (r) boundaries for the minima (minindex), maxima (maxindex) and zero crossing (cross), along with the number of extrema and zero crossings

**Examples**

```
# Function script ----

xy <- c(1,0,0,0,4,5,5,0.5,-0.5,0.5,0,2,2,1,-1,-1,1,1,0,0,-4,-2,2,1,0,0.5,0,
      NA, 0.5,0,-0.5,3,2,3,0,0.5,4,4,0)

impressme <- 0 # Increase up to 5 or 6 to be impressed (bugs if your system
              # can't handle the size of the data).
              # If you increase it, do not run the plot script.

xy <- rep(xy, round(10^impressme))

print(paste("You are running ", length(xy), " points", sep = ""))

res <- extremist(xy)

# Plot script: do not run if you increase the impressme parameter ----

mini <- unique(c(res$minindex[[1]], res$minindex[[2]]))
maxi <- unique(c(res$maxindex[[1]], res$maxindex[[2]]))
zeri <- unique(c(res$cross[[1]], res$cross[[2]]))

l <- length(xy)

opar <- par("mfrow")

par(mfrow = c(3,1))

plot(1:l, xy, type = "o", pch = 19)
points(mini, xy[mini], pch = 19, col = "blue")

plot(1:l, xy, type = "o", pch = 19)
points(maxi, xy[maxi], pch = 19, col = "red")

plot(1:l, xy, type = "o", pch = 19)
points(zeri, xy[zeri], pch = 19, col = "green")
abline(h = 0, col = "grey")

par(mfrow = opar)
```

**Description**

Performs EEMD

**Usage**

```
extricate(
  xy,
  dt,
  nimf,
  ini = NULL,
  repl = 1,
  comb = 100,
  mirror_noise = TRUE,
  factor_noise = 3,
  unit_noise = "1stdiff",
  sifting = 1,
  output_sifting = FALSE,
  remove = "lin.trend",
  bind = FALSE,
  speak = FALSE,
  plot_process = FALSE,
  pdf = TRUE,
  name = "extricate",
  ext = ".pdf",
  dir = tempdir(),
  width = 10,
  height = 20,
  track = TRUE,
  openfile = TRUE
)
```

**Arguments**

<code>xy</code>	signal, maybe linearly interpolated to have regular sampling interval
<code>dt</code>	depth/time
<code>nimf</code>	number of modes/components/intrinsic mode functions to decompose the signal into
<code>ini</code>	an optional vector of length <code>n</code> of the eventual initial Intrinsic Mode Function <code>xy</code> would be a demodulation of, if it is a demodulation. In that case the mode indexes will start at 2.
<code>repl</code>	the amount of decompositions to output
<code>comb</code>	the amount of decompositions each output decomposition will be a combination of. Has to be a multiple of 2 (even and odd extension stacks have to be combined in any case)
<code>mirror_noise</code>	whether to generate a mirrored noise signal (for even and odd extension) that will cancel perfectly when combining the decompositions

factor_noise	a factor for the amplitude of white noise (finite amplitude obtained via <code>runif</code> ). By default it will be multiplied with the mean of the lagged-one difference to define the noise amplitude
unit_noise	whether to multiply factor_noise by the mean of the lagged-one difference ( <code>unit_noise = "1stdiff"</code> ) or not ( <code>unit_noise = "native"</code> )
sifting	amount of iterations of the sifting process
output_sifting	whether to output each sifting
remove	whether to remove the linear trend ( <code>remove = "lin.trend"</code> ) or the mean ( <code>remove = "mean"</code> ) prior to decomposition. The removed part will be added back after the decomposition. If remove is anything else, nothing will be removed, which can be problematic for the even and odd extension scheme used.
bind	whether to bind the removed linear trend or mean to the last component (T), or to add it as another component (F)
speak	whether to print a sentence at each sifting: it gives the stack (even or odd), the mode number and sifting number
plot_process	whether to have a plot of the entire sifting process. This slows down the algorithm, use with low 'repl' and 'comb' values for visualisation purposes
pdf	whether the plot be directly set as a pdf file
name, ext, dir, width, height, track, openfile	arguments to provide to pdfDisplay if plot_process and pdf are TRUE

### Value

a list made of \$xy (original signal), \$dt (depth/time), \$m (a matrix of the decomposition), \$repl (the replicate id of each point) and \$mode (the mode id of each point). If output\_sifting is TRUE, additional \$even\_sifting and \$odd\_sifting data.tables are provided, giving the condensed siftings for the even and odd extensions.

### Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, repl = 1, comb = 40, factor_noise = 10,
  sifting = 10, speak = TRUE, output_sifting = TRUE)
```

```

integrity(xy, dec)

parsimony(dec)

plot_emd(dec, select = c(4, 6), pdf = FALSE)
## Not run:
plot_emd(dec, li = list(v = 0), dir = tempdir())
## End(Not run)

```

---

gzc

*Calculates instantaneous frequency using the GZC method*


---

### Description

Calculates instantaneous frequency using the Generalised Zero-Crossing method from Huang et al., 2009. General wrapper for the [gzc.algorithm](#) function that does all the actual work.

### Usage

```

gzc(
  emd = NULL,
  ini = NULL,
  m = NULL,
  dt = NULL,
  repl = 1,
  mode = NULL,
  dtout = NULL,
  output = 1,
  warn = TRUE
)

```

### Arguments

emd	emd-type object
ini	an optional vector of length n of the eventual initial Intrinsic Mode Function xy would be a demodulation of, if it is a demodulation. It will be integrated to the results as mode 1.
m	a matrix of the amplitude values (xy) of the components, each column being a component. Each column should have the same number of non NA values. Vectors, for 1 component, are accepted. Is overridden by emd.
dt	the depth or time value. Is overridden by emd.
repl	the amount of replicates in m. Is overridden by emd.
mode	the mode sequence index to give to each replicated IMFs
dtout	the dt values to sample the frequency and amplitude from if output = 2.



output	the style of the output, whether 0, 1 or 2. 0 provides the raw output of <code>gzc.algorithm</code> , 1 and 2 provides a matrix with \$dt (depth/time), \$f (frequency) and \$a (amplitude), but with output = 1 the matrix provides the dt only at the extremas and zero-crossings, whereas with output = 2 the dt values are the ones provided with the dtout parameter. 1 is better for plots, 2 allows easier calculations to be performed downstream.
warn	whether to warn if the sampling interval defined by the dtout parameter is to small (redirected from <code>Stratigrapher::tie.lim</code> )

### Value

depending on the output parameter:

output = 0 provides the raw output of `gzc.algorithm`, with \$ldt and \$rdt (the left and right boundaries of the depth/time intervals), \$f (frequency) and \$a (amplitude). To that are added \$repl (the replicate id) and \$mode (the mode id)

output = 1 or 2 provides a matrix with \$dt, \$f and \$a, but with output = 1 the matrix provides the dt only at the extremas and zero-crossings, whereas with output = 2 the dt values are the ones provided with the out parameter. 1 is better for plots, 2 allows easier calculations to be performed downstream.

### References

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. "On Instantaneous Frequency". *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

### Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)
dec <- extricate(xy, dt, nimf = 7, repl = 1, comb = 50,
  factor_noise = 10, sifting = 10, speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
```

```

parsimony(dec)

res <- gzc(dec)

numb <- 4

opar <- par('mfrow')

par(mfrow = c(1,2))

plot(dec$m[,numb], dec$dt, type = "l",
      main = paste("Mode", numb, " + Amplitude"),
      xlab = "xy", ylab = "dt", ylim = c(0, 600))
lines(res$a[,numb], res$dt[,numb], col = "red", lwd = 2)

plot(1/res$f[,numb], res$dt[,numb], ylim = c(0,600),
      xlab = "Period", ylab = "dt", log = "x",
      type = "l", col = "red", lwd = 2, main = "Period")

par(mfrow = opar)

```

---

gzc.algorithm	<i>Calculates instantaneous frequency of simplified IMF using the GZC method</i>
---------------	--

---

### Description

Calculates instantaneous frequency of simplified IMF using the Generalised Zero-Crossing method from Huang et al., 2009.

### Usage

```
gzc.algorithm(xy, dt)
```

### Arguments

xy	a matrix of amplitude
dt	a vector of depth or time values

### Details

the GZC method is precise to 1/4th of a period, so the results are provided between left and right points, i.e. either an extrema or a zero-crossing.

### Value

a list of \$ldt (left position), \$rdt (right position), \$f (frequency) and \$a (amplitude)

## References

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. 'On Instantaneous Frequency'. *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

## Examples

```
xyi <- c(0.5,0,-0.5,0,0.5,0,-0.5,0,0.5,0,-0.5,0,0.5,0,-0.5,0,
        1,1,0,-1,-1,0,1,1,0,-1,-1,0,1,1,0,-1,-1)

dti <- 1:length(xy)

d <- simp.emd(m = xyi, dt = dti)

xy <- d$xy
dt <- d$dt

res <- gzc.algorithm(xy, dt)

opar <- par('mfrow')

par(mfrow = c(2,1))

plot(dti, xyi, pch = 19, type = "o", ylab = "xy", xlab = "dt")
points(dt, xy, pch = 19, col = "green")
points(res$ldt, res$a, pch = 19, col = "red")
points(res$rdt, res$a, pch = 19, col = "red")

plot(dt, rep(max(res$f, na.rm = TRUE), length(dt)), type = "n",
      ylab = "Frequency", xlab = "dt",
      ylim = c(0, 2 * max(res$f, na.rm = TRUE)))
points(res$ldt, res$f, pch = 19)
points(res$rdt, res$f, pch = 19)

par(mfrow = opar)
```

---

gzc.departure

*departure of instantaneous frequency to generalized zero-crossing*

---

## Description

departure of instantaneous frequency to generalized zero-crossing of instantaneous frequency. The departure is calculated as the exponential of the absolute difference of logarithms of frequencies obtained using a robust generalized zero-crossing method through the [gzc](#) function (where the components are simplified into extrema separated by zero-crossings) and instantaneous frequency computed from another method

**Usage**

```
gzc.departure(
  pulse = NULL,
  dt = NULL,
  m = NULL,
  f = NULL,
  repl = 1,
  mode = NULL,
  simplify = TRUE
)
```

**Arguments**

<code>pulse</code>	a pulse object object
<code>dt</code>	the depth or time. Is overridden by <code>pulse</code> .
<code>m</code>	a matrix of the modes to calculate the gzc frequency from. Is overridden by <code>pulse</code> .
<code>f</code>	a matrix of the frequencies to compare to gzc.
<code>repl</code>	the amount of replicates in <code>m</code> . Is overridden by <code>emd</code> .
<code>mode</code>	the mode sequence index to give to each replicated IMFs. Is overridden by <code>emd</code> .
<code>simplify</code>	whether to average the value for each component of each replicate

**Value**

If `simplify` is `TRUE`, the function returns the average gzc departure as a data frame where the columns stand for the modes and the rows for the replicates. If `simplify` is `FALSE`, the function returns the functions returns local gzc departure.

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec1 <- extricate(xy, dt, nimf = 5, repl = 1, comb = 10, sifting = 1,
  factor_noise = 10, bind = TRUE, speak = TRUE)
```

```
dec2 <- extricate(xy, dt, nimf = 6, repl = 1, comb = 100, sifting = 5,
                 factor_noise = 50, bind = TRUE, speak = TRUE)

## Not run:
plot_emd(dec1, name = "EMD 1", dir = tempdir())
plot_emd(dec2, name = "EMD 2", dir = tempdir())
## End(Not run)

parsimony(dec1)
parsimony(dec2)

f1 <- inst.pulse(dec1, plot = FALSE)
f2 <- inst.pulse(dec2, plot = FALSE)

gzc.departure(f1)
gzc.departure(f2)
```

---

HilbertEnvelope	<i>Instantaneous amplitude</i>
-----------------	--------------------------------

---

## Description

Generates the instantaneous amplitude of an analytic signal given by [HilbertTransform](#)

## Usage

```
HilbertEnvelope(asig)
```

## Arguments

`asig`            The analytic signal returned by [HilbertTransform](#)

## Value

envelope Instantaneous amplitude

## Author(s)

Daniel C. Bowman (in the hht package)

## See Also

[HilbertTransform](#), [InstantaneousFrequency](#)

**Examples**

```
tt <- seq(1000) * 0.01
sig <- sin(4 * pi * tt) + sin(3.4 * pi * tt)
asig <- HilbertTransform(sig)
env <- HilbertEnvelope(asig)
plot(tt, sig, type = "l")
lines(tt, env, col = "red")
lines(tt, -env, col = "red")
```

---

HilbertTransform	<i>The Hilbert transform</i>
------------------	------------------------------

---

**Description**

Creates the analytic signal using the Hilbert transform.

**Usage**

```
HilbertTransform(sig)
```

**Arguments**

sig                   Signal to transform.

**Details**

Creates the real and imaginary parts of a signal.

**Value**

asig Analytic signal

**Author(s)**

Daniel C. Bowman (in the hht package)

**See Also**

[HilbertEnvelope](#), [InstantaneousFrequency](#)

**Examples**

```
tt <- seq(1000) * 0.01
sig <- sin(pi * tt)
asig <- HilbertTransform(sig)

plot(tt, sig, xlim = c(0, 12))

lines(tt, Re(asig), col = "green")
lines(tt, Im(asig), col = "red")
legend("topright", col = c("black", "green", "red"),
      lty = c(NA, 1, 1), pch = c(1, NA, NA),
      legend = c("Signal", "Real", "Imaginary"))
```

---

inst.pulse

*Computes instantaneous frequency using the Hilbert transform*

---

**Description**

Calculates instantaneous frequency using the Hilbert transform (HT), normalised Hilbert transform (NHT) or the direct quadrature (DQ) methods. Normalisation is done for NHT and DQ using Huang et al., 2009 algorithm, but the empirical normalisation scheme can fail due to overshoot or undershoot of the spline. Additional research is necessary for that last feature.

**Usage**

```
inst.pulse(
  emd = NULL,
  imf = NULL,
  m = NULL,
  dt = NULL,
  ini = NULL,
  repl = 1,
  mode = NULL,
  last = FALSE,
  plot = TRUE,
  method = "HT",
  delta = NULL,
  tolerance = 8,
  relative = TRUE,
  breaks = 500,
  bins = 100,
  cut = 18,
  lines = NULL
)
```

**Arguments**

emd	an emd object
imf	a matrix of same frequency modes to calculate the frequency from. Is overridden by emd. This allows to calculate and visualise the results for single IMFs more clearly than in a population plot.
m	a matrix of the modes to calculate the frequency from. Is overridden by emd and imf.
dt	the depth or time. Is overridden by emd.
ini	an optional vector of length n of the eventual initial Intrinsic Mode Function xy would be a demodulation of, if it is a demodulation. It will be integrated to the results as mode 1.
repl	the amount of replicates in m. Is overridden by emd.
mode	the mode sequence index to give to each replicated IMFs. Is overridden by emd.
last	whether to use the last mode (trend/residue).
plot	whether to have a plot summary of the output.
method	the IF calculation method: "HT" for Hilbert transform (default), "NHT" for normalised Hilbert transform, and "DQ" for direct quadrature. The two last require normalisation, which can sometimes fail.
delta, tolerance, relative	parameters to feed to <a href="#">respace</a> for interpolation
breaks, bins, cut	parameter for the plots: breaks is fed to <a href="#">plot_hist</a> , bins is fed to <a href="#">plot_hex</a> , and cut defines the number of color cuts for <a href="#">plot_hex</a> . For better control use <a href="#">plot_hist</a> and <a href="#">plot_hex</a> directly.
lines	the period of lines to be added to the plots for better visualisation

**Value**

a list made of \$dt (depth/time), \$f (instantaneous frequency), \$a (instantaneous amplitude), \$repl (the replicate id of each point) and \$mode (the mode id of each point)

**References**

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. "On Instantaneous Frequency". *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240
```



```

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)
dec <- extricate(xy, dt, nimf = 7, repl = 10, comb = 10,
  factor_noise = 10, sifting = 10, speak = FALSE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, lines = c(30, 240))
gzcr <- gzc(dec)

imf <- dec$m[,4]

inst.pulse(imf = imf, dt = dt, method = "DQ")

```

---

inst.ratio

*Computes instantaneous ratio of frequency*


---

### Description

Computes instantaneous ratio of frequency

### Usage

```

inst.ratio(
  pulse = NULL,
  dt = NULL,
  f = NULL,
  a = NULL,
  repl = 1,
  plot = TRUE,
  sqrt.rpwr = TRUE,
  style = "b",
  select = NA,
  bins = 100,
  cut = 18,
  lines = NULL,
  width = 10,
  height = 10,
  name = "Ratio",

```

```

    ext = ".pdf",
    dir = tempdir(),
    track = TRUE,
    openfile = TRUE
  )

```

### Arguments

pulse	a pulse object (created by <code>inst.pulse</code> for instance)
dt	depth/time. Is overridden by pulse.
f	instantaneous frequency. Is overridden by pulse.
a	instantaneous amplitude. Is overridden by pulse.
repl	number of replicates in f
plot	whether to plot an output
sqrt.rpwr, style, select, bins, cut, lines, width, height	parameters to feed to <code>plot_ratio</code> for the plots
name, ext, dir, track, openfile	parameters to feed to <code>pdfDisplay</code> in <code>plot_ratio</code> for pdf plot.

### Value

a list of depth/time ( $\$dt$ ), frequency ( $\$f$ ), ratio of frequency ( $\$ratio$ ), if  $a$  is provided; the ratio power ( $\$rpwr$ ) i.e. the multiplication of the instantaneous amplitudes of the modes two by two, the replicates id ( $\$repl$ ) and id for the first and second frequency modes used for the ratio ( $\$l$  for the first,  $\$r$  for the second, or  $\$lr$  for the two combined)

### Examples

```

set.seed(42)

n <- 600
time <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(time * 2*pi/p2)) * sin(time * 2*pi/p1) +
  2 * sin(time * 2*pi/p2) + rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5), 1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 10, comb = 10, factor_noise = 10,
  speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())

```

```
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, lines = c(30, 240))
ratio <- inst.ratio(ht, style = "s", lines = 8)
```

---

## InstantaneousFrequency

*Derive instantaneous frequency*

---

### Description

Calculates instantaneous frequency from an analytic signal.

### Usage

```
InstantaneousFrequency(asig, tt, method = "arctan", lag = 1)
```

### Arguments

asig	Analytic signal produced by <a href="#">HilbertTransform</a>
tt	Sample times
method	How the instantaneous frequency is calculated. "arctan" uses the arctangent of the real and imaginary parts of the Hilbert transform, taking the numerical derivative of phase for frequency. "chain" uses the analytical derivative of the arctangent function prior to performing the numerical calculation.
lag	Differentiation lag, see the <code>diff</code> function in the base package.

### Value

instfreq Instantaneous frequency in 1/time

### Note

The "arctan" method was adapted from the `hilbertspec` function in the EMD package.

!!IMPORTANT!! The numeric differentiation may be unstable for certain signals. For example, high frequency sinusoids near the Nyquist frequency can give inaccurate results when using the "chain" method. When in doubt, use the [PrecisionTester](#) function to check your results!

### Author(s)

Daniel C. Bowman (in the `hht` package)

### See Also

[PrecisionTester](#)

---

integrity

*Integrity of a decomposition*


---

### Description

The function adds each component of a decomposition by depth/time, subtract it with the original signal, and provides the absolute of this subtraction. This allows to verify if the decomposition is computed correctly.

The bulk value is the cumulated value of this proxy. If the decomposition is done right the value should be very small, but non-zero due to the floating-point arithmetics used by computers that generate tiny errors. Its actually interesting: the first computations of the orbital solutions were strongly affected by this error, as the chaotic behaviour of the equations enhanced the effect of these tiny errors.

### Usage

```
integrity(xy, emd = NULL, m = NULL, repl = 1, bulk = TRUE)
```

### Arguments

xy	the signal
emd	an emd object to test. The emd\$xy original signal is not used, to avoid confusion: you always have to provide the xy signal yourself.
m	a matrix with columns of same length that xy, made of the decomposition of the signal. Is overridden by emd.
repl	the replication of decompositions in m. Is overridden by emd.
bulk	whether to have a bulk value each decomposition replication, or for each dt of each replication

### Value

a matrix with each column being a replication, or a list of bulk values for each replication

### Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)
```

```
dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, repl = 10, comb = 10, factor_noise = 10,
               sifting = 10, speak = TRUE, output_sifting = TRUE)

integrity(xy, dec)
```

---

is.ratio	<i>Check ratio objects</i>
----------	----------------------------

---

### Description

Check ratio objects

### Usage

```
is.ratio(ratio)
```

### Arguments

ratio            a ratio object to check

### Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
      rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
               repl = 10, comb = 10, factor_noise = 10,
               speak = TRUE)

ht <- inst.pulse(dec, plot = FALSE)
ratio <- inst.ratio(ht, plot = FALSE)

is.ratio(ratio)
```

---

 is.simp.emd

*Tests for simplified EMD*


---

### Description

Tests whether each column of a matrix is an alternation of -minima zero-crossing maxima zero-crossing-

### Usage

```
is.simp.emd(xy)
```

### Arguments

xy                    a vector or matrix of values to test

### Examples

```
xytest1 <- c(0.5, 1, -1, -0.85, -0.5, -1, -0.5, -1, 1, 0.5, 0, -1, 0,
            1, -1, 0, 1, 2, -2, 1, 2, 1, 3, 0, -1, -1, 3, 0)
```

```
xytest2 <- c(0, 1, -1, -0.85, -0.5, -1, -0.5, -1, 1, 0.5, 0, 0,
            1, 1, 1, 1, 2, -2, 1, 2, 1, 3, 0, -1, -1, 3, 0)
```

```
dat1 <- simp.emd(m = xytest1, dt = 1:length(xytest1))
```

```
dat2 <- simp.emd(m = xytest2, dt = 1:length(xytest2))
```

```
is.simp.emd(dat1$xy)
```

```
is.simp.emd(dat2$xy)
```

```
# There is a problem when two maxima or minima are separated by a point at 0
# that does not cross any further, creating a false simplified IMF. This is
# not considered as a simplified IMF by this function. However this scenario
# should be very rare in EMDs, but you never really know.
```

---

 mode.in

*Add / Remove / Bind modes in emd objects*


---

### Description

Add / Remove / Bind modes in emd objects

**Usage**

```
mode.in(emd, xy, mode = NA, adjust = TRUE, name = "Added")

mode.out(obj, keep = NULL, lose = NULL, adjust = F, reorder = F)

mode.bind(emd, mode = NA, xy = NULL, adjust = T, name = "bound")
```

**Arguments**

emd	emd-type object
xy	an Intrinsic Mode Function to add
mode, keep, lose	[mode.in] the position where to add the mode / [mode.out] the modes to keep or lose / [mode.bind] the modes to merge
adjust	whether to adapt the initial signal of an emd object (\$xy in the emd object) when adding or removing a mode
name	the name of the new mode
obj	emd or pulse type object
reorder	whether to reinitialise the index of modes when suppressing one

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 10, comb = 10, factor_noise = 10,
  speak = TRUE)

opar <- par('mfrow')

par(mfrow = c(2,1))

integrity(xy, dec)

ht <- inst.pulse(dec, plot = FALSE)
```

```

plot_hist(x = 1/ht$f, breaks = 500, id = ht$mode,
          xlog = TRUE, text = TRUE, xlab = "Period",
          main = "Initial Decomposition")

bound <- mode.bind(dec, mode = c(6,7))

ht2 <- inst.pulse(bound, plot = FALSE)

plot_hist(x = 1/ht2$f, breaks = 500, id = ht2$mode,
          xlog = TRUE, text = TRUE, xlab = "Period",
          main = "Binding of modes 6 and 7")

par(mfrow = opar)

## Not run:
plot_emd(bound, dir = tempdir(), adapt.axis = TRUE)
## End(Not run)

```

---

n.extrema

*Number of extrema/zero-crossings*


---

### Description

Computes the number of extrema and zero-crossings for different groups of data, by their id or separated by NA values

### Usage

```

n.extrema(
  xy,
  id = NULL,
  use.names = TRUE,
  bound = FALSE,
  local = FALSE,
  zc = TRUE
)

```

### Arguments

xy	signal or decomposed signal
id	the id for different groups. If any NA value is in xy, it will also separate two groups of data
use.names	whether to use the names in id
bound, local, zc	parameters to feed to <a href="#">extremist</a>



**Value**

a list of the number of minima ( $\$n.min$ ), maxima ( $\$n.max$ ), and, if `zc = TRUE`, zero-crossings ( $\$n.cross$ )

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

xy <- xy - mean(xy)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 1, comb = 40, factor_noise = 10,
  speak = TRUE)

integrity(xy, dec)
parsimony(dec)

n.extrema(dec$m, dec$mode)

plot_emd(dec, select = c(6,8,9), pdf = FALSE, adapt.axis = TRUE)
## Not run:
plot_emd(dec, li = list(v = 0), adapt.axis = TRUE, dir = tempdir())
## End(Not run)
```

---

normalise

*Empirical AM and FM decomposition*


---

**Description**

Applies the normalisation scheme of Huang et al., 2009 to decompose any Intrinsic Mode Functions obtained (usually via Empirical Mode Decomposition) into an Frequency Modulated component of amplitude 1, also called carrier, and its Amplitude Modulated envelope. The carrier can then be used to compute the instantaneous frequency via the Normalised Hilbert Transform (NHT) or by calculating its Direct Quadrature (DQ) (Huang et al., 2009). **HOWEVER THIS FUNCTION CAN FAIL** due to overshoot or undershoot of the spline fitting. Additional research is necessary.

**Usage**

```
normalise(emd = NULL, m = NULL, dt = NULL, repl = 1, last = TRUE, speak = TRUE)
```

```
normalize(emd = NULL, m = NULL, dt = NULL, repl = 1, last = TRUE, speak = TRUE)
```

**Arguments**

emd	an emd object
m	a matrix of the modes to calculate the amplitude and the frequency carrier from. Is overridden by emd.
dt	the depth or time. Is overridden by emd.
repl	the amount of replicates in m. Is overridden by emd.
last	whether to use the last mode (trend/residue).
speak	whether to print a sentence at each iteration

**Value**

a list of two matrices: \$fc (frequency carrier) and \$a (instantaneous amplitude)

**References**

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. 'On Instantaneous Frequency'. *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
      rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
                repl = 1, comb = 100, factor_noise = 10,
                speak = TRUE)

plot_emd(dec, pdf = FALSE, select = 4)

integrity(xy, dec)
```

```

parsimony(dec)

m <- dec$m

res <- normalise(dt = dt, m = m, last = FALSE)

numb <- 4

opar <- par('mfrow')

par(mfrow = c(1,2))

plot(m[,numb], dt, type = "l", xlab = "xy",
      main = paste("Mode", numb, "and AM envelope"))
lines(res$a[,numb], dt, col = "red", lty = 5, lwd = 2)

plot(res$fc[,numb], dt, type = "l", xlab = "xy",
      main = "FM carrier")

par(mfrow = opar)

```

---

oscillate

---

*Modify a signal using a Van der Pol oscillator*


---

### Description

Modify a signal using a Van der Pol oscillator

### Usage

```

oscillate(
  xy,
  dt,
  period,
  delta = 0.05,
  damp = 5e-05,
  f.noise = 5,
  f.signal = 0.95,
  dx = function(x, y, beta, damp) beta * y - x * (x^2 + y^2 - 1) * damp,
  dy = function(x, y, beta, damp) -beta * x - y * (x^2 + y^2 - 1) * damp,
  xi = if (length(xy) != 0) xy[1] else 0.5,
  yi = if (length(xy) != 0) xy[1] else 0.5,
  normalise = TRUE,
  limit = TRUE
)

```

**Arguments**

<code>xy</code>	initial signal (vector or matrix)
<code>dt</code>	depth/time (same length than length/rows of <code>xy</code> )
<code>period</code>	the period of the oscillator (length 1 or <code>n</code> )
<code>delta</code>	the sampling interval for iteration (length 1 or <code>n</code> )
<code>damp</code>	damping parameter
<code>f.noise</code>	a factor of the amount of noise (length 1 or <code>n</code> )
<code>f.signal</code>	a factor of the amount of signal (length 1 or <code>n</code> )
<code>dx, dy</code>	the differentials used in the oscillator. They should be provided as functions needing <code>x, y, beta</code> ( $2\pi/\text{period}$ ) and <code>damp</code> (damping) parameters
<code>xi</code>	the initial <code>x</code> value
<code>yi</code>	the initial <code>y</code> value
<code>normalise</code>	whether to recenter the output signal on the initial signal
<code>limit</code>	whether to warn when parameters are unrealistic (subjective)

**Examples**

```

set.seed(42)

n <- 800

dt <- seq(0, n, 1)

p1 <- 100
p2 <- 40

xy <- (1 + 0.6 * sin(dt*2*pi/p1)) * sin(dt*2*pi/p2) + 2 * sin(dt*2*pi/p1) + 1

xyout <- oscillate(xy, dt, period = 30)

opar <- par("mfrow")

par(mfrow = c(1,1))

plot(xy, dt, type = "l",
      main = "Initial signal (bold) & oscillated signal (dashed)",
      lwd = 2, xlim = c(-4, 6))
lines(xyout, dt, type = "l", col = "grey50", lwd = 2, lty = 5)

par(mfrow = opar)

```

---

 parsimony

*Parsimony of a decomposition*


---

### Description

The function adds the absolute values of each component of a decomposition by depth/time, and computes the ratio of that with the absolute values of the signal. This is done either by depth/time or on the time/depth-cumulated signal (i.e. the bulk signal).

This is a proxy for parsimony: it is the factor of amplitude added by the decomposition. A perfect decomposition, that does not 'invent' wiggles, should approach 1, but will logically always be higher. However it is influenced by the absolute value of the initial signal: if the original signal is not centered around 0, the parsimony is not significant (it will artificially be closer to 1). To correct for that, the residue (part of the decomposition that is not centered around zero) has to be removed from the original signal.

### Usage

```

parsimony(
  emd = NULL,
  xy = NULL,
  m = NULL,
  mode = NULL,
  repl = 1,
  bulk = TRUE,
  correct = NA
)

```

### Arguments

emd	an emd object
xy	the signal
m	a matrix with columns of same length that xy, made of the decomposition of the signal
mode	the mode sequence index to give to each replicated IMFs
repl	the replication of decompositions in m
bulk	whether to have a bulk value each decomposition replication, or for each dt of each replication
correct	the modes to remove from the original signal and decomposition for a significant parsimony calculation. If NA, it removes the last mode, considered as the residue. Can be a vector of several integers, standing for the columns of m. If NULL, no mode is removed

### Value

a matrix with each column being a replication, or a list of bulk values for each replication

**Examples**

```

set.seed(42)

n <- 500

dt <- seq_len(n)
xy <- rnorm(n, mean = 0, sd = 1) + 10

dec <- extricate(xy, dt, nimf = 7, comb = 10, sifting = 10,
                factor_noise = 1, speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

parsimony(dec, correct = NULL)

parsimony(dec)

```

---

pile.down

*Destacks a pile.up() signal*


---

**Description**

Destacks a signal stacked by [pile.up](#) by averaging each repetition back to  $n$  multiples.

**Usage**

```
pile.down(x, stack, even, n = length(unique(stack$id)) - 2)
```

**Arguments**

<code>x</code>	Treated signal
<code>stack</code>	Initial stack from which the <code>x</code> signal is from
<code>even</code>	Whether the <code>x</code> signal comes from even extension part of the initial stack (if FALSE, it would come from the odd extension part)
<code>n</code>	The multiple of destacking (has to be a multiple of $n/2$ ( $n$ being the parameter used in <a href="#">pile.up</a> ), in other words a multiple of $\text{length}(\text{unique}(\text{stack}\$id)) - 2$ (minus 2 as the upper and lower extension are to be removed)

**Value**

a matrix or a vector of the destacked signal

**Examples**

```

set.seed(42)

n <- 200
t <- seq_len(n)

p1 <- 25
p2 <- 75

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)
inter_dt[20] <- 20

dt <- cumsum(inter_dt)

opar <- par()$mfrow
par(mfrow = c(1,1))

res <- pile.up(xy, dt, 4)

par(mfrow = c(2,1))
plot(res$ndt, res$even, type = "l", col = "blue")
plot(res$ndt, res$odd, type = "l", col = "red")

par(mfrow = c(opar))

# Small number of repetitions ----

opar <- par("mfrow")
par(mfrow = c(1,2))

stack <- pile.up(xy, dt, 10)

signal <- stack$even + runif(length(stack$even), -3, 3)

res <- pile.down(signal, stack, even = TRUE, n = 5)

plot(xy, dt, type = "l", lwd = 2, main = "Low number of repetitions")
lines(res, dt, type = "l", lty = 5, col = "red")

# High number of repetitions ----

stack <- pile.up(xy, dt, 1000)

signal <- stack$even + runif(length(stack$even), -3, 3)

res <- pile.down(signal, stack, even = TRUE, n = 500)

plot(xy, dt, type = "l", lwd = 2, main = "High number of repetitions")
lines(res, dt, type = "l", lty = 5, col = "red")

```

```
par(mfrow = c(opar))
```

---

```
pile.up
```

---

*Repeat and stack a signal in central and line symmetry*

---

## Description

Repeats and stacks a signal duplicated in central (even) and line (odd) symmetry to apply Ensemble Empirical Mode Decomposition (EEMD) on one single vector following the simple boundary rule of Zeng and He (2004). This allows to avoid the iterations that are typical of EEMD. A complete set of signal is added by default at the upper and lower part of the stack, to be removed in the end process.

## Usage

```
pile.up(xy, dt, n, warn = TRUE)
```

## Arguments

xy	the signal
dt	the depth/time positions of each xy
n	the number of replicates you want. It has to be a multiple of two, as you will generate two stacks: the even and the odd one.
warn	whether you want to be annoyed

## Value

a dataframe of the original dt (odt), the stack-modified dt (ndt), the inversion factor to change the even stack into the odd one and vice-versa (invert), the even xy stack (even) and the odd one (odd)

## Examples

```
set.seed(42)

n <- 200
t <- seq_len(n)

p1 <- 25
p2 <- 75

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)
inter_dt[20] <- 20
```



```

dt <- cumsum(inter_dt)

opar <- par()$mfrow
par(mfrow = c(1,1))

res <- pile.up(xy, dt, 4)

par(mfrow = c(2,1))
plot(res$ndt, res$even, type = "l", col = "blue")
plot(res$ndt, res$odd, type = "l", col = "red")

par(mfrow = c(opar))

```

---

plot\_emd

*Plot a decomposition*


---

### Description

General plot for a complete decomposition (that can be summed back to the original signal)

### Usage

```

plot_emd(
  emd = NULL,
  xy = NULL,
  ini = NULL,
  dt = NULL,
  m = NULL,
  mode = NULL,
  repl = 1,
  size.xy = 5,
  size.dt = 25,
  style = 2,
  xlim = NULL,
  ylim = NULL,
  dtlim = NULL,
  inilim = NULL,
  vertical = TRUE,
  adapt.axis = FALSE,
  adapt.last = TRUE,
  select = NULL,
  over = NULL,
  s = list(type = "o", pch = 19, cex = 0.5),
  o = list(type = "l", col = "blue", lwd = 2),
  i = list(type = "o", pch = 19, cex = 0.5),
  e = list(type = "l", col = "red", lwd = 2),
  la = list(h = c(), v = c(), col = "red", xpd = FALSE),
  ls = list(),

```

```

li = list(col = "grey", lty = 5),
box = TRUE,
ax = list(),
ay = list(),
parg = list(),
title = TRUE,
t1 = "Signal",
t2 = "Mode",
pdf = TRUE,
name = "EMD",
ext = ".pdf",
dir = tempdir(),
track = TRUE,
openfile = TRUE
)

```

### Arguments

emd	an emd object
xy	the original signal. Is overridden by emd.
ini	an optional vector of length n of the eventual initial Intrinsic Mode Function xy would be a demodulation of, if it is a demodulation.
dt	the depth/time. Is overridden by emd.
m	a matrix with columns of same length that xy, made of the decomposition of the signal. Is overridden by emd.
mode	which modes/decompositions to plot
repl	the replication of decompositions in m. Is overridden by emd.
size.xy, size.dt	the size i inches of each individual plot in pdf
style	whether to not plot the original signal (style = 0), to plot it as the first signal (style = 1), or to plot it before each individual mode (style = 2, is the default)
xylim, dtlim, inilim	the boundaries for the plots (inilim stands for the xy boundaries of the plot of the initial IMF xy is a demodulation of, if applicable)
vertical	whether to have the depth/time [dt] axis vertically (geologist convention) or horizontally (climatologist convention)
adapt.axis	whether to let the plot adapt the axis to see the variability of the decompositions. The default os to have a comparable x axis for each plots
adapt.last	whether to adapt the last plot as a residue (if TRUE the x axis will be identical to the one of the signal, not centered on 0)
select	the components to plot
over	which modes/decompositions will be cumulated and added to the signal plotted at their left or above them (if style = 2)

s, o, i, e	lists of parameters to feed lines, for the original signal, the cumulated modes/decompositions overlapping it, the modes/decompositions themselves, and the envelope of the initial signal used for demodulation if it applies, respectively.
la, ls, li	lists of parameters to provide the abline function (makes personalised lines for you to have a better grasp of the data). la will plot on all panels, ls on the signal ones, and li on the modes ones.
box	whether to draw boxes around the plots
ax, ay	lists of parameters to feed minorAxis, the function making the axes, for the x and y axes
parg	list of parameters to feed par
title	whether to write titles
t1	the title for the signal
t2	the title for the modes
pdf	whether to plot as a pdf
name, ext, dir, track, openfile	parameters for the pdfDisplay function, namely the name of the pdf file, its extension (if you want to make a .svg file you can), the directory of the file, whether to track the changes (if you use sumatrapdf as a default pdf reader you can set it to F and it will avoid creating too many pdf files), and whether to directly open the file

## Examples

```

set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + 0.01 * t

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7,
  repl = 10, comb = 10, factor_noise = 10,
  speak = TRUE)

plot_emd(dec, select = c(4,6), pdf = FALSE)
## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

```

---

`plot_hex`*Group and/or log-scale hexagonal binning*

---

**Description**

Group and/or log-scale hexagonal binning. Provides a legend indicating the count representations. USES THE GRID GRAPHICAL SYSTEM, BASE GRAPHICS NOT SUPPORTED. To add lines, polygons or text, use the `l`, `g` and `t` arguments.

**Usage**

```
plot_hex(  
  x,  
  y,  
  id = NA,  
  select = NA,  
  uniform = TRUE,  
  bins = 60,  
  xbnds = range(x, na.rm = TRUE),  
  ybnds = range(y, na.rm = TRUE),  
  xlim = xbnds,  
  ylim = ybnds,  
  log = "",  
  shape = 1,  
  mincnt = 1,  
  maxcnt = NA,  
  colorcut = seq(0, 1, length = 17),  
  colramp = function(n) matlab.like(length(colorcut) - 1),  
  trans = NULL,  
  inv = NULL,  
  border = NULL,  
  lwd = 0.1,  
  cex = 1,  
  main = "",  
  xlab = "x",  
  ylab = "y",  
  xaxis = TRUE,  
  yaxis = TRUE,  
  xaxs = "r",  
  yaxs = "r",  
  box = TRUE,  
  mar = c(0.15, 0.125, 0.15, 0.2),  
  legend = TRUE,  
  leg_sep = 0.1,  
  xpd_hex = 0.75,  
  xpd_leg = 1.5,  
  l = list(x = NULL, y = NULL, default.units = "native"),
```

```

    g = list(x = NULL, y = NULL, default.units = "native"),
    t = list(label = NULL, default.units = "native"),
    plot = TRUE
  )

```

### Arguments

x, y	vectors giving the coordinates of the bivariate data points to be binned.
id	a vector of ids for each x value, to separate different groups of data
select	the groups of ids to plot
uniform	whether to keep the creaks defined by the entire matrixes when selecting only a part of it
bins	the number of bins partitioning the range of xbnds.
xbnds, ybnds	horizontal and vertical limits of the binning region in x or y units respectively; must be numeric vector of length 2.
xlim, ylim	the limits of the plot
log	a character string which contains "x" if the x axis is to be logarithmic, "y" if the y axis is to be logarithmic and "xy" or "yx" if both axes are to be logarithmic.
shape	the theoretical shape = yheight/xwidth of the plotting. This adapts the form of the hexagons accordingly.
mincnt, maxcnt	fraction of cell area for the lowest and largest count, respectively
colorcut	vector of values covering [0, 1] that determine hexagon color class boundaries and hexagon legend size boundaries. Alternatively, an integer ( $\leq$ maxcnt) specifying the number of equispaced colorcut values in [0,1].
colramp	function accepting an integer n as an argument and returning n colors.
trans	a transformation function for the counts such as <code>log10</code>
inv	the inverse transformation function (if trans = <code>log10</code> , inv should for instance be <code>function(x) 10^x</code> ).
border	the color of the border of the hexagons. By default it will be the color of the filling
lwd	the width of the border of the hexagons.
cex	the magnification of text.
main	main title.
xlab, ylab	x and y axis labels respectively.
xaxis, yaxis	whether to plot the x and y axes respectively.
xaxs, yaxs	The style of axis interval calculation to be used for the axes. By default the style "r" (regular) first extends the data range by 4 percent at each end and then finds an axis with pretty labels that fits within the extended range. Style "i" (internal) just finds an axis with pretty labels that fits within the original data range.
box	whether to plot a box.
mar	a numerical vector of the form <code>c(bottom, left, top, right)</code> which gives the room the give to the margins in Normalised Parent Coordinates (see <code>grid</code> package for more information)

legend	whether to plot the legend.
leg_sep	the distance between hexagons and text of the legend in Normalised Parent Coordinates left on the right margin
xpd_hex	factor to expand the legend hexagons
xpd_leg	factor to expand the height of the legend
l	a list of arguments to feed to <code>grid::grid.polyline</code> ATTENTION the grid package has to be loaded
g	a list of arguments to feed to <code>grid::grid.polygon</code> ATTENTION the grid package has to be loaded
t	a list of arguments to feed to <code>grid::grid.text</code> ATTENTION the grid package has to be loaded
plot	whether to plot. If FALSE, returns a grob.

### Examples

```

library(grid) # To use the gpar function

set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
      rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
                repl = 10, comb = 10, factor_noise = 10,
                speak = FALSE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, plot = FALSE)

plot_hex(x = 1/ht$f, y = ht$a, bins = 100, ybnds = c(0,2),
         log = "x", trans = log10, inv = function(x) 10^x,
         main = "Spectral Population", xlab = "Period", ylab = "Amplitude")

plot_hex(x = 1/ht$f, y = ht$a, bins = 100, ybnds = c(0,2),

```

```

log = "x", trans = log10, inv = function(x) 10^x,
main = "Spectral Population", xlab = "Period", ylab = "Amplitude",
id = ht$mode, select = c(4,6,7),
l = list(x = c(30, 30, 240, 240), y = unit(c(0,1,0,1), "npc"),
        id = c(1,1,2,2), gp = gpar(col = c("red", "blue"), lwd = 2)),
g = list(x = c(18, 50, 50, 18, 18, 50, 50, 18),
        y = c(0, 0, 1.9, 1.9, 2.05, 2.05, 1.95, 1.95),
        id = c(1,1,1,1,2,2,2,2),
        gp = gpar(col = c("red", NA), fill = c(NA, "white"), lwd = 2)),
t = list(label = "Mode 4", x = 30, y = 2, gp = gpar(col = "red"))

```

---

plot\_hist

*Group and/or log-scale histogram*


---

### Description

Specialised histogram: allows to work in log-scale (for x) and to distinguish different groups of data

### Usage

```

plot_hist(
  x,
  breaks = 100,
  id = NA,
  select = NA,
  pile = TRUE,
  line = FALSE,
  mids = FALSE,
  xlim = NA,
  ylim = NA,
  xlog = FALSE,
  axes = TRUE,
  xa = list(),
  ya = list(),
  main = "",
  xlab = "X",
  ylab = "Counts",
  col = NA,
  border = NA,
  text = FALSE,
  labels = NA,
  t = list(adj = c(0.5, -2), font = 2),
  add = FALSE
)

```

**Arguments**

x	vector or matrix
breaks	one of: <ul style="list-style-type: none"> <li>• a vector giving the breakpoints between histogram cells,</li> <li>• a function to compute the vector of breakpoints,</li> <li>• a single number giving the number of cells for the histogram,</li> <li>• a character string naming an algorithm to compute the number of cells (see ‘Details’ in <a href="#">hist</a>),</li> <li>• a function to compute the number of cells.</li> </ul> <p>In the last three cases the number is a suggestion only; as the breakpoints will be set to pretty values, the number is limited to 1e6 (with a warning if it was larger). If breaks is a function, the x vector is supplied to it as the only argument (and the number of breaks is only limited by the amount of available memory).</p>
id	a vector of ids for each x value, to separate different groups of data
select	a vector of id values identifying the groups of data to plot and their order
pile	whether to cumulate the different one on the other
line	whether to plot as lines or rectangles
mids	if lines is TRUE, whether the nodes of the lines are the middle positions or the upper corner of the rectangles.
xlim, ylim	the boundaries for the plots. If ylim = NA the upper ylim will be increased by 10% to allow for text (see ‘text’ parameter)
xlog	whether to set the x axis in log scale
axes	whether to plot the axes
xa, ya	list of arguments to feed minorAxis for the x and y axes respectively
main, xlab, ylab	the main title and the labels of the x and y axes
col	a function or a character vector defining the colors of the different modes
border	the colour of the borders, by default identical to col
text	if there are different groups, whether to add a number above each of them to distinguish them
labels	the labels to put on top of each group
t	a list of parameters to feed text()
add	whether to add the plot to a preexisting plot

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
```



```

p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 10, comb = 10, factor_noise = 10,
  speak = FALSE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, plot = FALSE)

opar <- par('mfrow')

par(mfrow = c(2,1))

plot_hist(x = 1/ht$f, breaks = 500,
  xlog = TRUE, xlab = "Period")

plot_hist(x = 1/ht$f, breaks = 500, id = ht$mode,
  xlog = TRUE, text = TRUE, add = TRUE, line = TRUE, pile = FALSE)

abline(v = c(p1, p2), col = "red", lwd = 2, lty = 5)

plot_hist(x = 1/ht$f, breaks = 500, id = ht$mode,
  xlog = TRUE, text = TRUE, xlab = "Period")

abline(v = c(p1, p2), col = "red", lwd = 2, lty = 5)

par(mfrow = opar)

```

---

plot\_imf

*Plot IMFs characteristics*


---

### Description

General plot for the envelope, instantaneous frequency (period) and identity tuning of an intrinsic mode function (IMF)

**Usage**

```

plot_imf(
  pulse,
  dtlim = NULL,
  xlim = NULL,
  flim = NULL,
  fclim = NULL,
  dtline = NULL,
  fline = NULL,
  fcline = NULL,
  vertical = FALSE,
  n = 10,
  at.maj = NULL,
  ls = list(type = "o", pch = 19),
  le1 = list(lwd = 2),
  le2 = list(lty = 2),
  lid = list(type = "p", pch = 19),
  lcos = list(),
  ldt = list(lty = 5, lwd = 2),
  lf = list(lty = 5),
  lfc = list(lty = 5),
  box = TRUE
)

```

**Arguments**

<code>pulse</code>	a pulse object
<code>dtlim, xlim, flim, fclim</code>	the boundaries for the plots, respectively for the depth/time, amplitude, frequency and frequency carrier
<code>dtline, fline, fcline</code>	coordinates to add vertical/horizontal lines
<code>vertical</code>	whether to have the depth/time [dt] axis vertically
<code>n</code>	the the number of intervals defined by minor ticks (geologist convention) or horizontally (climatologist convention)
<code>at.maj</code>	the positions at which major tick-marks are to be drawn.
<code>ls, le1, le2, lid, lcos</code>	lists of parameters to feed lines, for the original signal, the upper and lower envelope, the identity tuning, and the cosine line in the identity tuning
<code>ldt, lf, lfc</code>	lists of parameters to provide the abline function (makes personalised lines for you to have a better grasp of the data).
<code>box</code>	whether to draw boxes around the plots

**Details**

the line in the identity tuning plot is a genuine cosine, independent from the signal. This is evident when riding waves generate dephasing.

**Examples**

```
n <- 600

t <- seq_len(n)

p1 <- 30
p2 <- 40 * 21

am <- sin(t*2*pi/p2 + 50) + 0.03

xy <- sin(t*2*pi/p1 + 50) * 3 * am

int <- c(rep(1, 99 + 100), seq(1,3,2/100), seq(3,1,-2/100), rep(1,100 + 99))

dt <- cumsum(int)

samp <- approx(dt, xy, xout = seq(1,802, by = 2))

xy <- samp$y
dt <- samp$x

e <- normalise(m = xy, dt = dt)$a

cond <- dt < 75

xy <- xy[!cond]
dt <- (dt[!cond] - 75) / 1.2
e <- e[!cond]

dq <- dq.algorithm(xy/e, dt)

pulse <- as.pulse(dt = dt, m = xy, f = dq$f, a = e, idt = dq$idt,
                 repl = 1)

plot_imf(pulse, fline = 25, dtline = c(222, 489))
```

---

plot\_pulse

*Visualise the instantaneous frequencies and amplitudes of a decomposition*

---

**Description**

Visualise the instantaneous frequencies and amplitudes of a decomposition

**Usage**

```
plot_pulse(
  pulse,
```

```

    style = "b",
    breaks = 500,
    bins = 100,
    cut = 18,
    lines = NULL,
    keep = NULL,
    lose = NULL
  )

```

### Arguments

pulse	a pulse object (created by <a href="#">inst.pulse</a> or <a href="#">as.pulse</a> )
style	whether to plot the distribution of frequency ('d'), the spectral population ('p') or both ('b', is the default)
breaks, bins, cut	parameter for the plots: breaks is fed to <a href="#">plot_hist</a> , bins is fed to <a href="#">plot_hex</a> , and cut defines the number of color cuts for <a href="#">plot_hex</a> . For better control use <a href="#">plot_hist</a> and <a href="#">plot_hex</a> directly.
lines	the period of lines to be added to the plots for better visualisation
keep, lose	which modes to plot or to not (keep overrides lose)

### Examples

```

set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)
dec <- extricate(xy, dt, nimf = 7, sifting = 10, repl = 10, comb = 10,
  factor_noise = 10, speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, plot = FALSE)

```

```
plot_pulse(ht, lines = c(30, 240))
```

---

plot_ratio	<i>Visualise the instantaneous frequencies ratios of a decomposition</i>
------------	--

---

## Description

Visualise the instantaneous frequencies ratios of a decomposition

## Usage

```
plot_ratio(
  ratio,
  sqrt.rpwr = TRUE,
  style = "b",
  select = NA,
  bins = 100,
  cut = 18,
  lines = NULL,
  plot = TRUE,
  width = 10,
  height = 10,
  name = "Ratio",
  ext = ".pdf",
  dir = tempdir(),
  track = TRUE,
  openfile = TRUE
)
```

## Arguments

ratio	a ratio object (created by <a href="#">inst.ratio</a> )
sqrt.rpwr	whether to use the square root of ratio power (i.e. the square root of the multiplication of the instantaneous amplitudes of the modes two by two) rather than the ratio power itself.
style	whether to plot a single plot in the graphics device ('s'), the to plot an ensemble of all the ratios combinations in a pdf ('e'), or both ('b', is the default)
select	the groups of ratios combinations to plot in the single plot (in the "1/2" form)
bins, cut	parameter for the plots: bins is fed to <a href="#">plot_hex</a> , and cut defines the number of color cuts for <a href="#">plot_hex</a> . For better control use <a href="#">plot_hex</a> directly.
lines	the ratio of lines to be added to the plots for better visualisation
plot	whether to plot. Otherwise output a grob of the single plot.
width, height	the width and height in inches of each separate plot in the ensemble of all the ratios combinations

name, ext, dir, track, openfile

parameters for the pdfDisplay function, namely the name of the pdf file, its extension (if you want to make a .svg file you can), the directory of the file, whether to track the changes (if you use sumatrapdf as a default pdf reader you can set it to F and it will avoid creating too many pdf files), and whether to directly open the file

## Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)
dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 10, comb = 10,
  factor_noise = 10, speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, plot = FALSE)
ratio <- inst.ratio(ht, plot = FALSE)

plot_ratio(ratio, lines = c(8), style = "s")
plot_ratio(ratio, lines = c(8), style = "s", select = c("4/6"))
## Not run:
plot_ratio(ratio, lines = c(8), style = "e", dir = tempdir())
## End(Not run)
```

**Description**

This function compares the performance of [InstantaneousFrequency](#) against signals of known instantaneous frequency. The known signal is of the form

$$x(t) = a \sin(\omega_1 + \varphi_1) + b \sin(\omega_2 + \varphi_2) + c$$

One can create quite complicated signals by choosing the various amplitude, frequency, and phase constants.

**Usage**

```
PrecisionTester(
  tt = seq(0, 10, by = 0.01),
  method = "arctan",
  lag = 1,
  a = 1,
  b = 1,
  c = 1,
  omega.1 = 2 * pi,
  omega.2 = 4 * pi,
  phi.1 = 0,
  phi.2 = pi/6,
  plot.signal = TRUE,
  plot.instfreq = TRUE,
  plot.error = TRUE,
  new.device = TRUE,
  ...
)
```

**Arguments**

tt	Sample times.
method	How the numeric instantaneous frequency is calculated, see <a href="#">InstantaneousFrequency</a>
lag	Differentiation lag, see the <code>diff</code> function in the base package
a	Amplitude coefficient for the first sinusoid.
b	Amplitude coefficient for the second sinusoid.
c	DC shift
omega.1	Frequency of the first sinusoid.
omega.2	Frequency of the second sinusoid.
phi.1	Phase shift of the first sinusoid.
phi.2	Phase shift of the second sinusoid.
plot.signal	Whether to show the time series.
plot.instfreq	Whether to show the instantaneous frequencies, comparing the numerical and analytical result.
plot.error	Whether to show the difference between the numerical and analytical result.

`new.device` Whether to open each plot as a new plot window (defaults to TRUE). However, Sweave doesn't like `dev.new()`. If you want to use `PrecisionTester` in Sweave, be sure that `new.device = FALSE`

... Plotting parameters

**Value**

`instfreq$sig` The time series

`instfreq$analytic` The exact instantaneous frequency

`instfreq$numeric` The numerically-derived instantaneous frequency from [InstantaneousFrequency](#)

**Author(s)**

Daniel C. Bowman (in the `hht` package)

**See Also**

[InstantaneousFrequency](#)

**Examples**

```
#Simple signal

tt <- seq(0, 10, by = 0.01)
a <- 1
b <- 0
c <- 0
omega.1 <- 30 * pi
omega.2 <- 0
phi.1 <- 0
phi.2 <- 0

PrecisionTester(tt, method = "arctan", lag = 1, a, b, c,
               omega.1, omega.2, phi.1, phi.2, new.device = FALSE)

#That was nice - what happens if we use the "chain" method...?

PrecisionTester(tt, method = "chain", lag = 1, a, b, c,
               omega.1, omega.2, phi.1, phi.2, new.device = FALSE)

#Big problems! Let's increase the sample rate

tt <- seq(0, 10, by = 0.0005)
PrecisionTester(tt, method = "chain", lag = 1, a, b, c,
               omega.1, omega.2, phi.1, phi.2, new.device = FALSE)

#That's better

#Frequency modulations caused by signal that is not symmetric about 0
```



```
tt <- seq(0, 10, by = 0.01)
a <- 1
b <- 0
c <- 0.25
omega.1 <- 2 * pi
omega.2 <- 0
phi.1 <- 0
phi.2 <- 0

PrecisionTester(tt, method = "arctan", lag = 1, a, b, c,
                omega.1, omega.2, phi.1, phi.2, new.device = FALSE)

#Non-uniform sample rate
set.seed(628)
tt <- sort(runif(500, 0, 10))
a <- 1
b <- 0
c <- 0
omega.1 <- 2 * pi
omega.2 <- 0
phi.1 <- 0
phi.2 <- 0

PrecisionTester(tt, method = "arctan", lag = 1, a, b, c,
                omega.1, omega.2, phi.1, phi.2, new.device = FALSE)
```

---

ratios

*Computes ratios of numerical values*

---

### Description

Computes ratios of numerical values

### Usage

```
ratios(x)
```

### Arguments

x                    values to compute the ratio from

### Value

a dataframe of \$ratio, \$x1 and \$x2

### Examples

```
ratios(c(20,40,100,400))
```

---

repl.out	<i>Remove / Bind replicates in emd objects</i>
----------	--

---

### Description

Remove / Bind replicates in emd objects

### Usage

```
repl.out(emd, keep = NULL, lose = NULL, reorder = FALSE)
```

```
repl.bind(emd, comb)
```

### Arguments

emd	emd-type object
keep, lose	the modes to keep or lose
reorder	whether to reinitialise the index of replicates when suppressing one
comb	the number of replicates that have to be bound together

### Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 20, comb = 2, factor_noise = 10,
  speak = TRUE, output_sifting = TRUE)

reduced <- repl.out(dec, keep = c(3,4))

parsimony(reduced)

plot_emd(reduced, pdf = FALSE, select = c(4,6))

combined <- repl.bind(dec, 10)
```

```
parsimony(combined)
plot_emd(combined, pdf = FALSE, select = c(4,6))
```

---

respace	<i>Interpolate with even spacing</i>
---------	--------------------------------------

---

### Description

Interpolate with even spacing. Can determine on its own the most conservative sampling interval (using the Greatest Common Rational Divisor)

### Usage

```
respace(
  dt,
  xy = NULL,
  delta = NULL,
  tolerance = 8,
  relative = TRUE,
  n.warn = 100
)
```

### Arguments

dt	depth/time (same length than length/rows of xy)
xy	signal (vector or matrix)
delta	the new sampling interval. If NULL, uses the Greatest Common Rational Divisor
tolerance, relative	parameters for the divisor function (StratigrapherR package), to compute the Greatest Common Rational Divisor
n.warn	the amount of interpolated points in between the largest interval above which a warning is provided. This warning can be useful to avoid needlessly long outputs, which might make any subsequent computation take too much time.

### Value

a list of interpolated xy and dt values (\$xy and \$dt), plus a vector of logicals indicating whether each point was part of the initial input or was added by interpolation

**Examples**

```

set.seed(42)

n <- 50
t <- seq_len(n)

xy <- (1 + 0.6 * sin(t*0.025)) * sin(t*0.2) + 2 * sin(t*0.025) +
      rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5), 1)

dt <- cumsum(inter_dt)

res <- respace(xy = xy, dt = dt)

opar <- par("mfrow")

par(mfrow = c(1,1))

plot(res$xy, res$dt, type = "l")
points(res$xy[res$initial], res$dt[res$initial], pch = 19, col = "green")
points(res$xy[!res$initial], res$dt[!res$initial],
       pch = 19, col = "red", cex = 0.5)

par(mfrow = opar)

```

---

simp.emd

*Simplifies the components of an EMD*


---

**Description**

Simplifies the component of an EMD to only extremas and zero-crossings, and outputs problematic extrema: multiple extrema (extrema not separated by zero-crossings) and crossing extrema (extrema at zero).

**Usage**

```
simp.emd(emd = NULL, m = NULL, dt = NULL, repl = 1, use.names = FALSE)
```

**Arguments**

emd	emd-type object
m	a matrix of the amplitude values (xy) of the components, each column being a component. Each column should have the same number of non NA values. Vectors, for 1 component, are accepted. Is overridden by emd.
dt	the depth or time value. Is overridden by emd.
repl	the amount of replicates in m. Is overridden by emd.
use.names	whether to use the column names to identify problematic extrema

**Value**

a list of the depth or time values ( $\$dt$ ) of the simplified IMF (Intrinsic Mode Function), of their amplitude ( $\$xy$ ), and of the position and component of problematic multiple extrema ( $\$multiple\_extrema$ ) and crossing extrema ( $\$crossing\_extrema$ )

**Examples**

```
xytest <- c(0.5, 1, -1, -0.85, -0.5, -1, -0.5, -1, 1, 0.5, 0, 0,
           1, -1, 0, 1, 2, -2, 1, 2, 1, 3, 0, -1, -1, 3, 0)

repeatafterme <- 2

m <- matrix(rep(xytest, repeatafterme), ncol = repeatafterme)
dt <- 1:length(xytest)

res <- simp.emd(m = m, dt = dt, repl = repeatafterme)

opar <- par("mfrow")

par(mfrow = c(1,1))

plot(dt, xytest, type = "o", pch = 19)
abline(h = 0, col = "grey")

me <- res$multiple_extrema$dt[res$multiple_extrema$repl == 1]
ce <- res$crossing_extrema$dt[res$multiple_extrema$repl == 1]

abline(v = me, col = "orange")
abline(v = ce, col = "darkred")

points(res$dt[,1], res$xy[,1], col = "red", pch = 19)

par(mfrow = opar)
```

---

simple.ssa

*Simple SSA decomposition*


---

**Description**

Simple wrapper for Singular Spectrum Analysis, using the functions of the Rssa package (which is not installed by default by the DecomposeR package, you should install it independently). This function allows unevenly sampled data.

**Usage**

```
simple.ssa(xy, dt, n = 10, remove = "trend", groups = list(), plot = T, ...)
```

**Arguments**

<code>xy</code>	signal to be decomposed
<code>dt</code>	depth/time
<code>n</code>	maximum amount of components
<code>remove</code>	whether to remove a linear trend ("trend", is the default), a mean value ("mean"), or to decompose as is (any other value)
<code>groups</code>	which components to regroup (list of the indices of elementary components to be regrouped, the entries of the list can be named, see the <code>reconstruct()</code> function in the <code>Rssa</code> package for more information)
<code>plot</code>	whether to show a visualisation of the importance of each component
<code>...</code>	any arguments to be given to the <code>ssa()</code> function (see <code>Rssa</code> package for more information)

**Value**

a list made of `$xy` (original signal), `$dt` (depth/time), `$m` (a matrix of the decomposition), `$repl` (the replicate id of each point) and `$mode` (the mode id of each point).

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + 0.01 * t

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

res <- simple.ssa(xy, dt, groups = list(c(1,2), c= 3:10))

parsimony(res)

integrity(xy, res)

## Not run:
plot_emd(res, style = 1)
## End(Not run)
```

---

symmetry	<i>Symmetry of components</i>
----------	-------------------------------

---

**Description**

The function returns the highest factor of amplitude either in negative or positive values. This quantifies the symmetry of components.

**Usage**

```
symmetry(xy, names = "num")
```

**Arguments**

xy	signal (vector or matrix)
names	the names to use for the resulting vector. If NULL no names are provided, if NA its the names of the columns of the xy matrix, if "num" it the column index of the matrix xy

**Examples**

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 1, comb = 40, factor_noise = 10,
  speak = TRUE, output_sifting = TRUE)

symmetry(dec$m)

plot_emd(dec, select = c(6,8,9), pdf = FALSE, adapt.axis = TRUE)
```

# Index

ace (DecomposeR.Datasets), 10  
approx.cor, 3  
as.emd, 4, 7  
as.pulse, 6, 52

check.emd, 7  
cip1 (DecomposeR.Datasets), 10  
cip1\_input (DecomposeR.Datasets), 10  
cip1\_raw (DecomposeR.Datasets), 10  
cip2 (DecomposeR.Datasets), 10  
cip3 (DecomposeR.Datasets), 10  
condense, 8

DecomposeR, 9  
DecomposeR.Datasets, 10  
dq.algorithm, 11

extremist, 12, 32  
extricate, 13

gzc, 16, 19  
gzc.algorithm, 16, 17, 18  
gzc.departure, 19

HilbertEnvelope, 21, 22  
HilbertTransform, 21, 22, 27  
hist, 48

inst.pulse, 23, 52  
inst.ratio, 25, 53  
InstantaneousFrequency, 21, 22, 27, 55, 56  
integrity, 28  
is.emd (as.emd), 4  
is.pulse (as.pulse), 6  
is.ratio, 29  
is.simp.emd, 30

La04\_ecc\_6\_8 (DecomposeR.Datasets), 10  
La04\_obl\_6\_8 (DecomposeR.Datasets), 10  
La04\_pre\_0\_20 (DecomposeR.Datasets), 10

La04\_pre\_obl\_5\_9 (DecomposeR.Datasets), 10  
log10, 45

mode.bind (mode.in), 30  
mode.in, 30  
mode.out (mode.in), 30

n.extrema, 32  
normalise, 33  
normalize (normalise), 33

oscillate, 35

parsimony, 37  
pdfDisplay, 26  
pile.down, 38  
pile.up, 38, 40  
plot\_emd, 41  
plot\_hex, 24, 44, 52, 53  
plot\_hist, 24, 47, 52  
plot\_imf, 49  
plot\_pulse, 51  
plot\_ratio, 26, 53  
PrecisionTester, 27, 54

ratios, 57  
repl.bind (repl.out), 58  
repl.out, 58  
respace, 24, 59  
runif, 15

sc97amp (DecomposeR.Datasets), 10  
simp.emd, 60  
simple.ssa, 61  
symmetry, 63

w17 (DecomposeR.Datasets), 10

z13 (DecomposeR.Datasets), 10  
z13amp (DecomposeR.Datasets), 10