

Package ‘PrettyCols’

October 12, 2022

Title Pretty Colour Palettes

Version 1.0.0

Description Defines aesthetically pleasing colour palettes.

License CC0

Encoding UTF-8

RoxygenNote 7.2.1

Depends R (>= 3.6)

Imports ggplot2, graphics, grDevices, purrr

Suggests covr, knitr, markdown, rmarkdown, testthat (>= 3.0.0)

Config/Needs/website nrennie/nrenniepkgdown

URL <https://nrennie.github.io/PrettyCols/>

VignetteBuilder knitr

Config/testthat/edition 3

NeedsCompilation no

Author Nicola Rennie [aut, cre]

Maintainer Nicola Rennie <nrennie35@gmail.com>

Repository CRAN

Date/Publication 2022-08-31 08:10:02 UTC

R topics documented:

prettycols	2
PrettyColsPalettes	2
scale_color_pretty_c	3
scale_color_pretty_d	3
scale_colour_pretty_c	4
scale_colour_pretty_d	5
scale_fill_pretty_c	5
scale_fill_pretty_d	6
view_all_palettes	7
Index	8

```
prettycols
```

Generates the colour palettes

Description

Generates the colour palettes

Usage

```
prettycols(name, n, type = "discrete", direction = 1)
```

Arguments

name	Name of Palette. Run names(PrettyColsPalettes) to view options.
n	Number of desired colors. If number of requested colors is beyond the scope of the palette, colors are automatically interpolated. If n is not provided, the length of the palette is used.
type	Either "continuous" or "discrete". Use continuous if you want to automatically interpolate between colors. Default "discrete"
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed

Value

A character vector of hex colour codes.

Examples

```
prettycols("Blues")
```

```
PrettyColsPalettes
```

Complete list of palettes.

Description

Use names(PrettyColsPalettes) to return all palette names.

Usage

```
PrettyColsPalettes
```

Format

An object of class list of length 20.

scale_color_pretty_c *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_color_pretty_c(name, direction = 1, ...)
```

Arguments

name	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
...	Other arguments passed on to scale_color_gradientn

Value

A ggproto object defining a continuous colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data=iris, aes(x=Petal.Width, y=Petal.Length, color=Petal.Width)) +
  geom_point() +
  scale_color_pretty_c("Tangerines")
```

scale_color_pretty_d *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_color_pretty_d(name, direction = 1, ...)
```

Arguments

name	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
...	Other arguments passed on to discrete_scale

Value

A ggproto object defining a discrete colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data=iris, aes(x=Species, y=Petal.Length, color=Species)) +
  geom_jitter() +
  scale_color_pretty_d("Relax")
```

scale_colour_pretty_c *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_colour_pretty_c(name, direction = 1, ...)
```

Arguments

name	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
...	Other arguments passed on to scale_colour_gradientn

Value

A ggproto object defining a continuous colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data=iris, aes(x=Petal.Width, y=Petal.Length, colour=Petal.Width)) +
  geom_point() +
  scale_colour_pretty_c("Tangerines")
```

scale_colour_pretty_d *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_colour_pretty_d(name, direction = 1, ...)
```

Arguments

name	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
...	Other arguments passed on to discrete_scale

Value

A ggproto object defining a discrete colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data=iris, aes(x=Species, y=Petal.Length, colour=Species)) +
  geom_jitter() +
  scale_colour_pretty_d("Relax")
```

scale_fill_pretty_c *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_fill_pretty_c(name, direction = 1, ...)
```

Arguments

name	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
...	Other arguments passed on to scale_fill_gradientn

Value

A ggproto object defining a continuous fill scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data=iris, aes(x=Petal.Width, y=Petal.Length, fill=Petal.Width)) +
  geom_point(pch = 21) +
  scale_fill_pretty_c("Greens")
```

scale_fill_pretty_d *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_fill_pretty_d(name, direction = 1, ...)
```

Arguments

name	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
...	Other arguments passed on to discrete_scale

Value

A ggproto object defining a discrete fill scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data=iris, aes(x=Species, y=Petal.Length, fill=Species)) +
  geom_col() +
  scale_fill_pretty_d("Relax")
```

view_all_palettes *Prints all available colour palettes*

Description

Prints all available colour palettes

Usage

```
view_all_palettes(type = "all")
```

Arguments

type Type of colour palettes to view. Either all palettes, sequential palettes, diverging palettes, or qualitative palettes. One of c("all", "seq", "div", "qual"). Default "all".

Value

A plot of all colour palettes available in the package.

Examples

```
view_all_palettes(type = "seq")
```

Index

* datasets

PrettyColsPalettes, 2

discrete_scale, 3, 5, 6

prettycols, 2

PrettyColsPalettes, 2

scale_color_gradientn, 3

scale_color_pretty_c, 3

scale_color_pretty_d, 3

scale_colour_gradientn, 4

scale_colour_pretty_c, 4

scale_colour_pretty_d, 5

scale_fill_gradientn, 5

scale_fill_pretty_c, 5

scale_fill_pretty_d, 6

view_all_palettes, 7