

Package ‘RDP’

October 12, 2022

Title The Ramer-Douglas-Peucker Algorithm

Version 0.2.3

Description Pretty fast implementation of the Ramer-Douglas-Peucker algorithm for reducing the number of points on a 2D curve.
Urs Ramer (1972), ``An iterative procedure for the polygonal approximation of plane curves'' <[doi:10.1016/S0146-664X\(72\)80017-0](https://doi.org/10.1016/S0146-664X(72)80017-0)>.
David H. Douglas and Thomas K. Peucker (1973), ``Algorithms for the Reduction of the Number of Points Required to Represent a Digitized Line or its Caricature'' <[doi:10.3138/FM57-6770-U75U-7727](https://doi.org/10.3138/FM57-6770-U75U-7727)>.

License GPL-3

URL <https://github.com/robertdj/RDP>

Encoding UTF-8

RoxygenNote 7.1.2

LinkingTo Rcpp

Imports Rcpp

Suggests testthat, withr, zeallot

NeedsCompilation yes

Author Robert Dahl Jacobsen [aut, cre]

Maintainer Robert Dahl Jacobsen <cran@dahl-jacobsen.dk>

Repository CRAN

Date/Publication 2022-03-17 20:00:02 UTC

R topics documented:

RDP-package	2
RamerDouglasPeucker	2

Index	4
--------------	---

RDP-package

RDP package

Description

Implementation of the [Ramer-Douglas-Peucker algorithm](#).

Author(s)

Maintainer: Robert Dahl Jacobsen <cran@dahl-jacobsen.dk>

References

Urs Ramer (1972), "An iterative procedure for the polygonal approximation of plane curves". *Computer Graphics and Image Processing* **1**, 244–256. doi: [10.1016/S0146-664X\(72\)800170](https://doi.org/10.1016/S0146-664X(72)800170).

David H. Douglas and Thomas K. Peucker (1973), "Algorithms for the Reduction of the Number of Points Required to Represent a Digitized Line or its Caricature". *Cartographica* **10**, 112–122. doi: [10.3138/FM576770U75U7727](https://doi.org/10.3138/FM576770U75U7727).

See Also

Useful links:

- <https://github.com/robertdj/RDP>

RamerDouglasPeucker

Ramer-Douglas-Peucker

Description

The [Ramer-Douglas-Peucker algorithm](#) for reducing the number of points on a curve.

Usage

```
RamerDouglasPeucker(x, y, epsilon)
```

Arguments

- | | |
|---------|---|
| x | The x values of the curve as a vector. |
| y | The y values of the curve as a vector. |
| epsilon | The threshold for filtering outliers from the simplified curve. |

Details

If there are no more than two points it does not make sense to simplify. In this case the input is returned without further checks of x and y.

Value

A `data.frame` with `x` and `y` values of the simplified curve.

Examples

```
RDP::RamerDouglasPeucker(x = c(0, 1, 3, 5), y = c(2, 1, 0, 1), epsilon = 0.5)
```

Index

RamerDouglasPeucker, [2](#)

RDP (RDP-package), [2](#)

RDP-package, [2](#)