# Package 'RGIFT'

October 12, 2022

Version 0.1-5
Encoding latin1
<b>Date</b> 2014-04-15
Title Create quizzes in GIFT Format
<b>Author</b> María José Haro-Delicado, Virgilio Gómez-Rubio and Francisco Parreño-Torres
Maintainer Virgilio Gómez-Rubio <virgilio.gomez@uclm.es></virgilio.gomez@uclm.es>
<b>Depends</b> R (>= $2.10.0$ )
Suggests foreign
<b>Description</b> This package provides some functions to create quizzes in the GIFT format. This format is used by several Virtual Learning Environments such as Moodle.
License GPL (>= 2)
<pre>URL http://docs.moodle.org/21/en/GIFT_format</pre>
NeedsCompilation no
Repository CRAN
<b>Date/Publication</b> 2014-04-15 18:41:00
R topics documented:  GIFT GIFTD GIFTE GIFTM
GIFTMC
GIFTMW GIFTNQ GIFTSA GIFTTF
Index

2 GIFT

GIFT

Some functions to create questionnaires in the GIFT format.

# Description

Functions to add comments, category and names to questions in GIFT format.

# Usage

```
GIFTcomment(txt)
GIFTcategory(catname)
GIFTQName(qname)
```

# Arguments

txt Text for the comment.

catname Category name. qname Question name.

# **Details**

These functions use the cat() function to format the comment, category or question name in GIFT format and print them. Use of the sink() function is adviced to send the ouput to a text file.

# Value

No value is returned but some text in printed.

# Author(s)

Virgilio Gómez-Rubio <virgilio.gomez@uclm.es>

# See Also

```
http://docs.moodle.org/21/en/GIFT_format
```

```
GIFTcomment("Some examples")
GIFTcategory("Example")
GIFTQName("Question Name")
```

GIFTD 3

GIFTD

Description in GIFT format

# Description

This function prints a Description text in GIFT format.

# Usage

```
GIFTD(qtxt)
```

# **Arguments**

qtxt

Text of the description.

#### **Details**

This function uses the cat() function to print a Description in the GIFT format. No question is made but a text is printed. Use of the sink() function is adviced to send the ouput to a text file.

#### Value

No value is returned but some text in printed.

# **Examples**

```
#Description 1
GIFTD("R is a language for data analysis.")
```

GIFTE

Essay in GIFT format

# Description

This function prints an Essay in GIFT format.

# Usage

```
GIFTE(qtxt)
```

# Arguments

qtxt

Text of the question.

4 GIFTM

#### **Details**

This function uses the cat() function to print an Essay in the GIFT format. In this question, the user is asked to write down an essay in a text box. Use of the sink() function is adviced to send the ouput to a text file.

#### Value

No value is returned but some text in printed.

# Examples

```
#Question 1
GIFTE("Write a few words about the R programming language.")
```

GIFTM

Matching Question in GIFT format

# Description

This function prints a Matching Question in GIFT format.

# Usage

```
GIFTM(qtxt, group1, group2)
```

# **Arguments**

qtxt Text of the question.

group1 First group of words to match.
group2 Second group of words to match.

# **Details**

These functions use the cat() function to print a Matching Question in the GIFT format. In this questions, the user is given two list of words to be matched. Use of the sink() function is adviced to send the ouput to a text file.

#### Value

No value is returned but some text in printed.

```
#Question 1
GIFTM("Match the following operations to their respective R commands:",
    c("mean", "variance", "standard deviation"), c("mean()", "var()", "sd()"))
```

**GIFTMC** 5

GIFTMC	Multiple Choice Question in GIFT format

# **Description**

This function prints a Multiple Choice Question in GIFT format.

# Usage

```
GIFTMC(qtxt, anstxt, rightans=1, wright=NULL, wwrong=NULL)
```

#### **Arguments**

qtxt	Text of the question.
anstxt	Vector of short answers.
rightans	Position of right answers in anstxt.
wright	Vector of weights for the right answer.
wwrong	Vector of weights for the wrong answers.

#### **Details**

These functions use the cat() function to print a Multiple Choice Question in the GIFT format. In this questions, the user is asked to select one or more answers. Use of the sink() function is adviced to send the ouput to a text file.

If there are more than one right answer the length of anstxt and wright must be the same. In addition, it one of the elements in wright is "100" then only one answer can be chosen. Otherwise, the user can select several right answers (in this case remember to use negative weights for the wrong answers!).

# Value

No value is returned but some text in printed.

```
#Question 1
GIFTMC("What's the mean of 1, 2, and 3?", c("1", "2", "3"), rightans=2,
  wwrong="-33.333")
```

6 GIFTNQ

Missing Word Question in GIFT format

#### **Description**

This function prints a Missing Word Question in GIFT format.

# Usage

```
GIFTMW(qtxt1, qtxt2, anstxt, rightans)
```

#### **Arguments**

qtxt1	First part of the text of the question.
qtxt2	Second part of the text of the question.
anstxt	Vector of short answers.

rightans Position of the right answer in anstxt.

#### **Details**

These functions use the cat() function to print a Missing Word Question in the GIFT format. In this question, the user is asked to select a missing word which should go between 'qtxt1' and 'qtxt2'. Use of the sink() function is adviced to send the ouput to a text file.

#### Value

No value is returned but some text in printed.

# **Examples**

```
#Question 1
GIFTMW("With the command ", " we can compute the mean of a vector of values",
    c("mean()", "sd()", "var()"), rightans=1)
```

GIFTNQ

Numeric Question in GIFT format

# **Description**

This function prints a Numeric Question in GIFT format.

# Usage

```
GIFTNQ(qtxt, ans, err=0)
```

GIFTSA 7

#### **Arguments**

qtxt	Text of the question.
ans	Numeric answer.
err	Error allowed.

#### **Details**

These functions use the cat() function to print a Numerical Question in the GIFT format. In this question, the user is asked to write down a number. Use of the sink() function is adviced to send the ouput to a text file.

The range of answers allows is 'ans' plus/minus 'err' unless 'ans' is of length 2. In that case, the range of valid answers is ans[1] to ans[2].

#### Value

No value is returned but some text in printed.

#### **Examples**

```
#Question 1
GIFTNQ("What's the mean of vector c(.4, .4, .5, .3)",
    as.character(mean(c(.4, .4, .5, .3))), .01)
```

GIFTSA

Short Answer Question in GIFT format

#### **Description**

This function prints a Short Answer Question in GIFT format.

# Usage

```
GIFTSA(qtxt, anstxt, wright="100")
```

#### Arguments

qtxt Text of the question.
anstxt Vector of short answers.

wright Vector of weights for the right questions.

#### **Details**

These functions use the cat() function to print a Short Answer Question in the GIFT format. In this questions, the user is asked to write a short anwser down. Use of the sink() function is adviced to send the outut to a text file.

If there are more than one right answer the length of anstxt and wright must be the same and one of the weights should be equal to "100" (i.e., completely right answer).

8 GIFTTF

#### Value

No value is returned but some text in printed.

#### **Examples**

```
#Question 1
GIFTSA("The mean of 1, 2, and 3 is", c("Three", "3"))

#Question 2
GIFTSA("Compute the mean of 1, 2 and 3",
    c("mean(c(1,2,3))", "sum(c(1,2,3))/3", "sum(c(1,2,3))/length(c(1,2,3))", "(1+2+3)/3"),
    wright=c("100", "75", "75", "50"))
```

**GIFTTF** 

True-False Question in GIFT format

# Description

This function prints a True-False Question in GIFT format.

# Usage

```
GIFTTF(qtxt, ans)
```

#### **Arguments**

qtxt Text of the question.

ans Either TRUE or FALSE depending on wether the question is true or false.

#### **Details**

These functions use the cat() function to print a True-False Question in the GIFT format. In this question, the user is asked to select whether the statement in the question is true or false. Use of the sink() function is adviced to send the ouput to a text file.

#### Value

No value is returned but some text in printed.

```
#Question 1
GIFTTF("The mean of 1, 2, and 3 is 3?", TRUE)
#Question 2
GIFTTF("The command to compute the mean is sd()", FALSE)
```

# **Index**

```
* misc
    GIFT, 2
    GIFTD, 3
    GIFTE, 3
    GIFTM, 4
    GIFTMC, 5
    GIFTMW, 6
    GIFTNQ, 6
    GIFTSA, 7
    GIFTTF, 8
GIFT, 2
GIFTcategory (GIFT), 2
GIFTcomment (GIFT), 2
GIFTD, 3
GIFTE, 3
GIFTM, 4
GIFTMC, 5
GIFTMW, 6
GIFTNQ, 6
GIFTparse (GIFT), 2
GIFTQName (GIFT), 2
GIFTSA, 7
GIFTTF, 8
```