

# Package ‘Seurat’

November 19, 2022

**Version** 4.3.0

**Date** 2022-11-18

**Title** Tools for Single Cell Genomics

**Description** A toolkit for quality control, analysis, and exploration of single cell RNA sequencing data. 'Seurat' aims to enable users to identify and interpret sources of heterogeneity from single cell transcriptomic measurements, and to integrate diverse types of single cell data. See Satija R, Farrell J, Gennert D, et al (2015) <[doi:10.1038/nbt.3192](https://doi.org/10.1038/nbt.3192)>, Macosko E, Basu A, Satija R, et al (2015) <[doi:10.1016/j.cell.2015.05.002](https://doi.org/10.1016/j.cell.2015.05.002)>, Stuart T, Butler A, et al (2019) <[doi:10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031)>, and Hao, Hao, et al (2020) <[doi:10.1101/2020.10.12.335331](https://doi.org/10.1101/2020.10.12.335331)> for more details.

**URL** <https://satijalab.org/seurat>, <https://github.com/satijalab/seurat>

**BugReports** <https://github.com/satijalab/seurat/issues>

**Depends** R (>= 4.0.0), methods

**Imports** cluster, cowplot, fitdistrplus, future, future.apply, ggplot2 (>= 3.3.0), ggrepel, ggridges, graphics, grDevices, grid, httr, ica, igraph, irlba, jsonlite, KernSmooth, leiden (>= 0.3.1), lmtest, MASS, Matrix (>= 1.5-0), matrixStats, miniUI, patchwork, pbapply, plotly (>= 4.9.0), png, progressr, RANN, RColorBrewer, Rcpp (>= 1.0.7), RcppAnnoy (>= 0.0.18), reticulate, rlang, ROCR, Rtsne, scales, scattermore (>= 0.7), sctransform (>= 0.3.5), SeuratObject (>= 4.1.3), shiny, spatstat.explore, spatstat.geom, stats, tibble, tools, utils, uwot (>= 0.1.14)

**LinkingTo** Rcpp (>= 0.11.0), RcppEigen, RcppProgress

**License** MIT + file LICENSE

**LazyData** true

**Collate** 'RcppExports.R' 'reexports.R' 'generics.R' 'clustering.R' 'visualization.R' 'convenience.R' 'data.R' 'differential\_expression.R' 'dimensional\_reduction.R' 'integration.R' 'mixscape.R' 'objects.R' 'preprocessing.R' 'tree.R' 'utilities.R' 'zzz.R'

**RoxygenNote** 7.2.2

**Encoding** UTF-8

**Suggests** ape, rsvd, testthat, hdf5r, S4Vectors, SummarizedExperiment, SingleCellExperiment, MAST, DESeq2, BiocGenerics, GenomicRanges, GenomeInfoDb, IRanges, rtracklayer, Rfast2, monocle, Biobase, VGAM, limma, metap, enrichR, mixtools, ggrastr, data.table, R.utils

**NeedsCompilation** yes

**Author** Andrew Butler [ctb] (<<https://orcid.org/0000-0003-3608-0463>>), Saket Choudhary [ctb] (<<https://orcid.org/0000-0001-5202-7633>>), Charlotte Darby [ctb] (<<https://orcid.org/0000-0003-2195-5300>>), Jeff Farrell [ctb], Christoph Hafemeister [ctb] (<<https://orcid.org/0000-0001-6365-8254>>), Yuhan Hao [ctb] (<<https://orcid.org/0000-0002-1810-0822>>), Austin Hartman [ctb] (<<https://orcid.org/0000-0001-7278-1852>>), Paul Hoffman [aut, cre] (<<https://orcid.org/0000-0002-7693-8957>>), Jaison Jain [ctb] (<<https://orcid.org/0000-0002-9478-5018>>), Madeline Kowalski [ctb] (<<https://orcid.org/0000-0002-5655-7620>>), Efthymia Papalexi [ctb] (<<https://orcid.org/0000-0001-5898-694X>>), Patrick Roelli [ctb], Rahul Satija [ctb] (<<https://orcid.org/0000-0001-9448-8833>>), Karthik Shekhar [ctb], Avi Srivastava [ctb] (<<https://orcid.org/0000-0001-9798-2079>>), Tim Stuart [ctb] (<<https://orcid.org/0000-0002-3044-0897>>), Kristof Torkency [ctb] (<<https://orcid.org/0000-0002-4869-7957>>), Shiwei Zheng [ctb] (<<https://orcid.org/0000-0001-6682-6743>>), Satija Lab and Collaborators [fnd]

**Maintainer** Paul Hoffman <[seurat@nygenome.org](mailto:seurat@nygenome.org)>

**Repository** CRAN

**Date/Publication** 2022-11-18 23:30:08 UTC

**R topics documented:**

Seurat-package . . . . .	6
AddAzimuthResults . . . . .	8
AddAzimuthScores . . . . .	9
AddModuleScore . . . . .	9
AggregateExpression . . . . .	11
AnchorSet-class . . . . .	12
AnnotateAnchors . . . . .	13
as.CellDataSet . . . . .	14
as.Seurat.CellDataSet . . . . .	15
as.SingleCellExperiment . . . . .	16
as.sparse.H5Group . . . . .	16
Assay-class . . . . .	17
AugmentPlot . . . . .	17
AutoPointSize . . . . .	18

AverageExpression	19
BarcodeInflectionsPlot	20
BGTextColor	21
BlackAndWhite	22
BuildClusterTree	23
CalcPerturbSig	24
CalculateBarcodeInflections	25
CaseMatch	27
cc.genes	27
cc.genes.updated.2019	28
CellCycleScoring	29
Cells.SCTModel	30
CellsByImage	31
CellScatter	31
CellSelector	33
CollapseEmbeddingOutliers	34
CollapseSpeciesExpressionMatrix	35
ColorDimSplit	36
CombinePlots	38
contrast-theory	39
CreateSCTAssayObject	39
CustomDistance	40
DEenrichRPlot	41
DietSeurat	43
DimHeatmap	44
DimPlot	45
DimReduc-class	48
DiscretePalette	48
DoHeatmap	49
DotPlot	50
ElbowPlot	52
ExpMean	53
ExpSD	53
ExpVar	54
FastRowScale	54
FeaturePlot	55
FeatureScatter	58
FilterSlideSeq	59
FindAllMarkers	60
FindClusters	63
FindConservedMarkers	65
FindIntegrationAnchors	66
FindMarkers	69
FindMultiModalNeighbors	76
FindNeighbors	77
FindSpatiallyVariableFeatures	81
FindSubCluster	82
FindTransferAnchors	83

FindVariableFeatures . . . . .	87
FoldChange . . . . .	89
GetAssay . . . . .	92
GetImage.SlideSeq . . . . .	93
GetIntegrationData . . . . .	93
GetResidual . . . . .	94
GetTissueCoordinates.SlideSeq . . . . .	95
GetTransferPredictions . . . . .	96
Graph-class . . . . .	97
GroupCorrelation . . . . .	97
GroupCorrelationPlot . . . . .	98
HoverLocator . . . . .	98
HTODemux . . . . .	99
HTOHeatmap . . . . .	100
HVInfo.SCTAssay . . . . .	102
IFeaturePlot . . . . .	103
ImageDimPlot . . . . .	103
ImageFeaturePlot . . . . .	105
IntegrateData . . . . .	107
IntegrateEmbeddings . . . . .	110
IntegrationAnchorSet-class . . . . .	113
IntegrationData-class . . . . .	113
ISpatialDimPlot . . . . .	113
ISpatialFeaturePlot . . . . .	114
JackStraw . . . . .	115
JackStrawData-class . . . . .	116
JackStrawPlot . . . . .	116
L2CCA . . . . .	117
L2Dim . . . . .	118
LabelClusters . . . . .	118
LabelPoints . . . . .	119
LinkedPlots . . . . .	120
Load10X_Spatial . . . . .	122
LoadAnnoyIndex . . . . .	123
LoadSTARmap . . . . .	123
LoadXenium . . . . .	124
LocalStruct . . . . .	125
LogNormalize . . . . .	126
LogVMR . . . . .	127
MappingScore . . . . .	127
MapQuery . . . . .	129
merge.SCTAssay . . . . .	131
MetaFeature . . . . .	131
MinMax . . . . .	132
MixingMetric . . . . .	133
MixscapeHeatmap . . . . .	134
MixscapeLDA . . . . .	136
ModalityWeights-class . . . . .	137

MULTIseqDemux . . . . .	138
Neighbor-class . . . . .	139
NNPlot . . . . .	139
NormalizeData . . . . .	140
PCASigGenes . . . . .	142
PercentAbove . . . . .	143
PercentageFeatureSet . . . . .	143
PlotClusterTree . . . . .	144
PlotPerturbScore . . . . .	145
PolyDimPlot . . . . .	146
PolyFeaturePlot . . . . .	147
PredictAssay . . . . .	148
PrepLDA . . . . .	149
PrepSCTFindMarkers . . . . .	150
PrepSCTIntegration . . . . .	151
ProjectDim . . . . .	152
ProjectUMAP . . . . .	153
Radius.SlideSeq . . . . .	156
Read10X . . . . .	156
Read10X_h5 . . . . .	157
Read10X_Image . . . . .	158
ReadAkoya . . . . .	159
ReadMtx . . . . .	160
ReadNanostring . . . . .	161
ReadParseBio . . . . .	164
ReadSlideSeq . . . . .	164
ReadSTARsolo . . . . .	165
ReadVitesse . . . . .	165
ReadVizgen . . . . .	167
RegroupIdents . . . . .	169
RelativeCounts . . . . .	169
RenameCells.SCTAssay . . . . .	170
RidgePlot . . . . .	171
RunCCA . . . . .	172
RunICA . . . . .	174
RunLDA . . . . .	176
RunMarkVario . . . . .	177
RunMixscape . . . . .	178
RunMoransI . . . . .	179
RunPCA . . . . .	180
RunSLSI . . . . .	182
RunSPCA . . . . .	183
RunTSNE . . . . .	185
RunUMAP . . . . .	187
SampleUMI . . . . .	192
SaveAnnoyIndex . . . . .	193
ScaleData . . . . .	193
ScaleFactors . . . . .	195

ScoreJackStraw . . . . .	196
SCTAssay-class . . . . .	197
SCTTransform . . . . .	199
SCTResults . . . . .	201
SelectIntegrationFeatures . . . . .	202
SetIntegrationData . . . . .	203
SetQuantile . . . . .	204
Seurat-class . . . . .	204
SeuratCommand-class . . . . .	205
SeuratTheme . . . . .	205
SlideSeq-class . . . . .	207
SpatialImage-class . . . . .	207
SpatialPlot . . . . .	208
SplitObject . . . . .	211
STARmap-class . . . . .	212
subset.AnchorSet . . . . .	212
SubsetByBarcodeInflections . . . . .	213
TopCells . . . . .	214
TopFeatures . . . . .	215
TopNeighbors . . . . .	216
TransferAnchorSet-class . . . . .	216
TransferData . . . . .	216
UpdateSCTAssays . . . . .	219
UpdateSymbolList . . . . .	220
VariableFeaturePlot . . . . .	221
VisiumV1-class . . . . .	223
VizDimLoadings . . . . .	223
VlnPlot . . . . .	224
<b>Index</b>	<b>227</b>

**Description**

A toolkit for quality control, analysis, and exploration of single cell RNA sequencing data. 'Seurat' aims to enable users to identify and interpret sources of heterogeneity from single cell transcriptomic measurements, and to integrate diverse types of single cell data. See Satija R, Farrell J, Gennert D, et al (2015) doi: [10.1038/nbt.3192](https://doi.org/10.1038/nbt.3192), Macosko E, Basu A, Satija R, et al (2015) doi: [10.1016/j.cell.2015.05.002](https://doi.org/10.1016/j.cell.2015.05.002), Stuart T, Butler A, et al (2019) doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031), and Hao, Hao, et al (2020) doi: [10.1101/2020.10.12.335331](https://doi.org/10.1101/2020.10.12.335331) for more details.

## Package options

Seurat uses the following [options()] to configure behaviour:

`Seurat.memsafe` global option to call `gc()` after many operations. This can be helpful in cleaning up the memory status of the R session and prevent use of swap space. However, it does add to the computational overhead and setting to `FALSE` can speed things up if you're working in an environment where RAM availability is not a concern.

`Seurat.warn.umap.uwot` Show warning about the default backend for [RunUMAP](#) changing from Python UMAP via `reticulate` to UWOT

`Seurat.checkdots` For functions that have `...` as a parameter, this controls the behavior when an item isn't used. Can be one of `warn`, `stop`, or `silent`.

`Seurat.limma.wilcox.msg` Show message about more efficient Wilcoxon Rank Sum test available via the `limma` package

`Seurat.Rfast2.msg` Show message about more efficient Moran's I function available via the `Rfast2` package

`Seurat.warn.vlnplot.split` Show message about changes to default behavior of `split/multi violin` plots

## Author(s)

**Maintainer:** Paul Hoffman <[seurat@nygenome.org](mailto:seurat@nygenome.org)> ([ORCID](#))

Other contributors:

- Andrew Butler <[abutler@nygenome.org](mailto:abutler@nygenome.org)> ([ORCID](#)) [contributor]
- Saket Choudhary <[schoudhary@nygenome.org](mailto:schoudhary@nygenome.org)> ([ORCID](#)) [contributor]
- Charlotte Darby <[cdarby@nygenome.org](mailto:cdarby@nygenome.org)> ([ORCID](#)) [contributor]
- Jeff Farrell <[jfarrell@harvard.edu](mailto:jfarrell@harvard.edu)> [contributor]
- Christoph Hafemeister <[chafemeister@nygenome.org](mailto:chafemeister@nygenome.org)> ([ORCID](#)) [contributor]
- Yuhan Hao <[yhao@nygenome.org](mailto:yhao@nygenome.org)> ([ORCID](#)) [contributor]
- Jaison Jain <[jjain@nygenome.org](mailto:jjain@nygenome.org)> ([ORCID](#)) [contributor]
- Efthymia Papalexi <[epapalexi@nygenome.org](mailto:epapalexi@nygenome.org)> ([ORCID](#)) [contributor]
- Patrick Roelli <[proelli@nygenome.org](mailto:proelli@nygenome.org)> [contributor]
- Rahul Satija <[rsatija@nygenome.org](mailto:rsatija@nygenome.org)> ([ORCID](#)) [contributor]
- Karthik Shekhar <[kshekhar@berkeley.edu](mailto:kshekhar@berkeley.edu)> [contributor]
- Avi Srivastava <[asrivastava@nygenome.org](mailto:asrivastava@nygenome.org)> ([ORCID](#)) [contributor]
- Tim Stuart <[tstuart@nygenome.org](mailto:tstuart@nygenome.org)> ([ORCID](#)) [contributor]
- Kristof Torkenczy ([ORCID](#)) [contributor]
- Shiwei Zheng <[szheng@nygenome.org](mailto:szheng@nygenome.org)> ([ORCID](#)) [contributor]
- Satija Lab and Collaborators [funder]

**See Also**

Useful links:

- <https://satijalab.org/seurat>
- <https://github.com/satijalab/seurat>
- Report bugs at <https://github.com/satijalab/seurat/issues>

---

AddAzimuthResults      *Add Azimuth Results*

---

**Description**

Add mapping and prediction scores, UMAP embeddings, and imputed assay (if available) from Azimuth to an existing or new [Seurat](#) object

**Usage**

```
AddAzimuthResults(object = NULL, filename)
```

**Arguments**

object	A <a href="#">Seurat</a> object
filename	Path to Azimuth mapping scores file

**Value**

object with Azimuth results added

**Examples**

```
## Not run:  
object <- AddAzimuthResults(object, filename = "azimuth_results.Rds")  
  
## End(Not run)
```



---

AddAzimuthScores	<i>Add Azimuth Scores</i>
------------------	---------------------------

---

**Description**

Add mapping and prediction scores from Azimuth to a [Seurat](#) object

**Usage**

```
AddAzimuthScores(object, filename)
```

**Arguments**

object	A <a href="#">Seurat</a> object
filename	Path to Azimuth mapping scores file

**Value**

object with the mapping scores added

**Examples**

```
## Not run:  
object <- AddAzimuthScores(object, filename = "azimuth_pred.tsv")  
  
## End(Not run)
```

---

AddModuleScore	<i>Calculate module scores for feature expression programs in single cells</i>
----------------	--

---

**Description**

Calculate the average expression levels of each program (cluster) on single cell level, subtracted by the aggregated expression of control feature sets. All analyzed features are binned based on averaged expression, and the control features are randomly selected from each bin.

**Usage**

```
AddModuleScore(  
  object,  
  features,  
  pool = NULL,  
  nbin = 24,  
  ctrl = 100,
```

```

    k = FALSE,
    assay = NULL,
    name = "Cluster",
    seed = 1,
    search = FALSE,
    ...
  )

```

### Arguments

object	Seurat object
features	A list of vectors of features for expression programs; each entry should be a vector of feature names
pool	List of features to check expression levels against, defaults to rownames(x = object)
nbin	Number of bins of aggregate expression levels for all analyzed features
ctrl	Number of control features selected from the same bin per analyzed feature
k	Use feature clusters returned from DoKMeans
assay	Name of assay to use
name	Name for the expression programs; will append a number to the end for each entry in features (eg. if features has three programs, the results will be stored as name1, name2, name3, respectively)
seed	Set a random seed. If NULL, seed is not set.
search	Search for symbol synonyms for features in features that don't match features in object? Searches the HGNC's gene names database; see <a href="#">UpdateSymbolList</a> for more details
...	Extra parameters passed to <a href="#">UpdateSymbolList</a>

### Value

Returns a Seurat object with module scores added to object meta data; each module is stored as name# for each module program present in features

### References

Tirosh et al, Science (2016)

### Examples

```

## Not run:
data("pbmc_small")
cd_features <- list(c(
  'CD79B',
  'CD79A',
  'CD19',
  'CD180',
  'CD200',

```

```
'CD3D',
'CD2',
'CD3E',
'CD7',
'CD8A',
'CD14',
'CD1C',
'CD68',
'CD9',
'CD247'
))
pbmc_small <- AddModuleScore(
  object = pbmc_small,
  features = cd_features,
  ctrl = 5,
  name = 'CD_Features'
)
head(x = pbmc_small[])

## End(Not run)
```

---

AggregateExpression    *Aggregated feature expression by identity class*

---

## Description

Returns aggregated (summed) expression values for each identity class

## Usage

```
AggregateExpression(
  object,
  assays = NULL,
  features = NULL,
  return.seurat = FALSE,
  group.by = "ident",
  add.ident = NULL,
  slot = "data",
  verbose = TRUE,
  ...
)
```

## Arguments

object	Seurat object
assays	Which assays to use. Default is all assays
features	Features to analyze. Default is all features in the assay

<code>return.seurat</code>	Whether to return the data as a Seurat object. Default is FALSE
<code>group.by</code>	Categories for grouping (e.g, ident, replicate, celltype); 'ident' by default
<code>add.ident</code>	(Deprecated) Place an additional label on each cell prior to pseudobulking (very useful if you want to observe cluster pseudobulk values, separated by replicate, for example)
<code>slot</code>	Slot(s) to use; if multiple slots are given, assumed to follow the order of 'assays' (if specified) or object's assays
<code>verbose</code>	Print messages and show progress bar
<code>...</code>	Arguments to be passed to methods such as <a href="#">CreateSeuratObject#</a> '

### Details

If `slot` is set to 'data', this function assumes that the data has been log normalized and therefore feature values are exponentiated prior to aggregating so that sum is done in non-log space. Otherwise, if `slot` is set to either 'counts' or 'scale.data', no exponentiation is performed prior to aggregating. If `return.seurat = TRUE` and `slot` is not 'scale.data', aggregated values are placed in the 'counts' slot of the returned object and the log of aggregated values are placed in the 'data' slot. For the [ScaleData](#) is then run on the default assay before returning the object. If `return.seurat = TRUE` and `slot` is 'scale.data', the 'counts' slot is left empty, the 'data' slot is filled with NA, and 'scale.data' is set to the aggregated values.

### Value

Returns a matrix with genes as rows, identity classes as columns. If `return.seurat` is TRUE, returns an object of class [Seurat](#).

### Examples

```
data("pbmc_small")
head(AggregateExpression(object = pbmc_small))
```

---

AnchorSet-class

*The AnchorSet Class*


---

### Description

The AnchorSet class is an intermediate data storage class that stores the anchors and other related information needed for performing downstream analyses - namely data integration ([IntegrateData](#)) and data transfer ([TransferData](#)).

**Slots**

`object.list` List of objects used to create anchors  
`reference.cells` List of cell names in the reference dataset - needed when performing data transfer.  
`reference.objects` Position of reference object/s in `object.list`  
`query.cells` List of cell names in the query dataset - needed when performing data transfer  
`anchors` The anchor matrix. This contains the cell indices of both anchor pair cells, the anchor score, and the index of the original dataset in the `object.list` for `cell1` and `cell2` of the anchor.  
`offsets` The offsets used to enable cell look up in downstream functions  
`anchor.features` The features used when performing anchor finding.  
`neighbors` List containing Neighbor objects for reuse later (e.g. mapping)  
`command` Store log of parameters that were used

---

AnnotateAnchors	<i>Add info to anchor matrix</i>
-----------------	----------------------------------

---

**Description**

Add info to anchor matrix

**Usage**

```

AnnotateAnchors(anchors, vars, slot, ...)

## Default S3 method:
AnnotateAnchors(
  anchors,
  vars = NULL,
  slot = NULL,
  object.list,
  assay = NULL,
  ...
)

## S3 method for class 'IntegrationAnchorSet'
AnnotateAnchors(
  anchors,
  vars = NULL,
  slot = NULL,
  object.list = NULL,
  assay = NULL,
  ...
)
  
```

```
## S3 method for class 'TransferAnchorSet'
AnnotateAnchors(
  anchors,
  vars = NULL,
  slot = NULL,
  reference = NULL,
  query = NULL,
  assay = NULL,
  ...
)
```

### Arguments

anchors	An <a href="#">AnchorSet</a> object
vars	Variables to pull for each object via <code>FetchData</code>
slot	Slot to pull feature data for
...	Arguments passed to other methods
object.list	List of Seurat objects
assay	Specify the Assay per object if annotating with expression data
reference	Reference object used in <a href="#">FindTransferAnchors</a>
query	Query object used in <a href="#">FindTransferAnchors</a>

### Value

Returns the anchor dataframe with additional columns for annotation metadata

---

as.CellDataSet	<i>Convert objects to CellDataSet objects</i>
----------------	---

---

### Description

Convert objects to CellDataSet objects

### Usage

```
as.CellDataSet(x, ...)
```

```
## S3 method for class 'Seurat'
as.CellDataSet(x, assay = NULL, reduction = NULL, ...)
```

### Arguments

x	An object to convert to class CellDataSet
...	Arguments passed to other methods
assay	Assay to convert
reduction	Name of DimReduc to set to main reducedDim in cds

---

as.Seurat.CellDataSet *Convert objects to Seurat objects*

---

### Description

Convert objects to Seurat objects

### Usage

```
## S3 method for class 'CellDataSet'  
as.Seurat(x, slot = "counts", assay = "RNA", verbose = TRUE, ...)  
  
## S3 method for class 'SingleCellExperiment'  
as.Seurat(  
  x,  
  counts = "counts",  
  data = "logcounts",  
  assay = NULL,  
  project = "SingleCellExperiment",  
  ...  
)
```

### Arguments

x	An object to convert to class Seurat
slot	Slot to store expression data as
assay	Name of assays to convert; set to NULL for all assays to be converted
verbose	Show progress updates
...	Arguments passed to other methods
counts	name of the SingleCellExperiment assay to store as counts; set to NULL if only normalized data are present
data	name of the SingleCellExperiment assay to slot as data. Set to NULL if only counts are present
project	Project name for new Seurat object

### Value

A Seurat object generated from x

### See Also

[SeuratObject::as.Seurat](#)

---

```
as.SingleCellExperiment
```

*Convert objects to SingleCellExperiment objects*

---

### Description

Convert objects to SingleCellExperiment objects

### Usage

```
as.SingleCellExperiment(x, ...)
```

```
## S3 method for class 'Seurat'
```

```
as.SingleCellExperiment(x, assay = NULL, ...)
```

### Arguments

x                    An object to convert to class SingleCellExperiment

...                  Arguments passed to other methods

assay                Assays to convert

---

```
as.sparse.H5Group
```

*Cast to Sparse*

---

### Description

Cast to Sparse

### Usage

```
## S3 method for class 'H5Group'
```

```
as.sparse(x, ...)
```

```
## S3 method for class 'Matrix'
```

```
as.data.frame(
```

```
  x,
```

```
  row.names = NULL,
```

```
  optional = FALSE,
```

```
  ...,
```

```
  stringsAsFactors = getOption(x = "stringsAsFactors", default = FALSE)
```

```
)
```



**Arguments**

<code>x</code>	An object
<code>...</code>	Arguments passed to other methods
<code>row.names</code>	NULL or a character vector giving the row names for the data; missing values are not allowed
<code>optional</code>	logical. If TRUE, setting row names and converting column names (to syntactic names: see <a href="#">make.names</a> ) is optional. Note that all of R's <b>base</b> package <code>as.data.frame()</code> methods use <code>optional</code> only for column names treatment, basically with the meaning of <code>data.frame(*, check.names = !optional)</code> . See also the <code>make.names</code> argument of the <code>matrix</code> method.
<code>stringsAsFactors</code>	logical: should the character vector be converted to a factor?

**Value**

`as.data.frame.Matrix`: A data frame representation of the S4 Matrix

**See Also**

[SeuratObject::as.sparse](#)

---

Assay-class

*The Assay Class*

---

**Description**

The Assay object is the basic unit of Seurat; for more details, please see the documentation in [SeuratObject](#)

**See Also**

[SeuratObject::Assay-class](#)

---

AugmentPlot

*Augments ggplot2-based plot with a PNG image.*

---

**Description**

Creates "vector-friendly" plots. Does this by saving a copy of the plot as a PNG file, then adding the PNG image with [annotation\\_raster](#) to a blank plot of the same dimensions as `plot`. Please note: original legends and axes will be lost during augmentation.

**Usage**

```
AugmentPlot(plot, width = 10, height = 10, dpi = 100)
```

**Arguments**

plot	A ggplot object
width, height	Width and height of PNG version of plot
dpi	Plot resolution

**Value**

A ggplot object

**Examples**

```
## Not run:  
data("pbmc_small")  
plot <- DimPlot(object = pbmc_small)  
AugmentPlot(plot = plot)  
  
## End(Not run)
```

---

AutoPointSize

*Automagically calculate a point size for ggplot2-based scatter plots*

---

**Description**

It happens to look good

**Usage**

```
AutoPointSize(data, raster = NULL)
```

**Arguments**

data	A data frame being passed to ggplot2
raster	If TRUE, point size is set to 1

**Value**

The "optimal" point size for visualizing these data

**Examples**

```
df <- data.frame(x = rnorm(n = 10000), y = runif(n = 10000))  
AutoPointSize(data = df)
```

---

AverageExpression	<i>Averaged feature expression by identity class</i>
-------------------	--

---

### Description

Returns averaged expression values for each identity class

### Usage

```
AverageExpression(
  object,
  assays = NULL,
  features = NULL,
  return.seurat = FALSE,
  group.by = "ident",
  add.ident = NULL,
  slot = "data",
  verbose = TRUE,
  ...
)
```

### Arguments

object	Seurat object
assays	Which assays to use. Default is all assays
features	Features to analyze. Default is all features in the assay
return.seurat	Whether to return the data as a Seurat object. Default is FALSE
group.by	Categories for grouping (e.g, ident, replicate, celltype); 'ident' by default
add.ident	(Deprecated) Place an additional label on each cell prior to pseudobulking (very useful if you want to observe cluster pseudobulk values, separated by replicate, for example)
slot	Slot(s) to use; if multiple slots are given, assumed to follow the order of 'assays' (if specified) or object's assays
verbose	Print messages and show progress bar
...	Arguments to be passed to methods such as <a href="#">CreateSeuratObject</a>

### Details

If slot is set to 'data', this function assumes that the data has been log normalized and therefore feature values are exponentiated prior to averaging so that averaging is done in non-log space. Otherwise, if slot is set to either 'counts' or 'scale.data', no exponentiation is performed prior to averaging. If `return.seurat = TRUE` and slot is not 'scale.data', averaged values are placed in the 'counts' slot of the returned object and the log of averaged values are placed in the 'data' slot. [ScaleData](#) is then run on the default assay before returning the object. If `return.seurat = TRUE` and slot is 'scale.data', the 'counts' slot is left empty, the 'data' slot is filled with NA, and 'scale.data' is set to the aggregated values.

**Value**

Returns a matrix with genes as rows, identity classes as columns. If `return.seurat` is `TRUE`, returns an object of class `Seurat`.

**Examples**

```
data("pbmc_small")
head(AverageExpression(object = pbmc_small))
```

---

BarcodeInflectionsPlot

*Plot the Barcode Distribution and Calculated Inflection Points*

---

**Description**

This function plots the calculated inflection points derived from the barcode-rank distribution.

**Usage**

```
BarcodeInflectionsPlot(object)
```

**Arguments**

`object`            Seurat object

**Details**

See [`CalculateBarcodeInflections()`] to calculate inflection points and [`SubsetByBarcodeInflections()`] to subsequently subset the Seurat object.

**Value**

Returns a 'ggplot2' object showing the by-group inflection points and provided (or default) rank threshold values in grey.

**Author(s)**

Robert A. Amezcua, <[robert.amezcua@fredhutch.org](mailto:robert.amezcua@fredhutch.org)>

**See Also**

[CalculateBarcodeInflections](#) [SubsetByBarcodeInflections](#)

**Examples**

```
data("pbmc_small")
pbmc_small <- CalculateBarcodeInflections(pbmc_small, group.column = 'groups')
BarcodeInflectionsPlot(pbmc_small)
```

---

BGTextColor                      *Determine text color based on background color*

---

### Description

Determine text color based on background color

### Usage

```
BGTextColor(  
  background,  
  threshold = 186,  
  w3c = FALSE,  
  dark = "black",  
  light = "white"  
)
```

### Arguments

background	A vector of background colors; supports R color names and hexadecimal codes
threshold	Intensity threshold for light/dark cutoff; intensities greater than threshold yield dark, others yield light
w3c	Use <b>W3C</b> formula for calculating background text color; ignores threshold
dark	Color for dark text
light	Color for light text

### Value

A named vector of either dark or light, depending on background; names of vector are background

### Source

<https://stackoverflow.com/questions/3942878/how-to-decide-font-color-in-white-or-black-depending-o>

### Examples

```
BGTextColor(background = c('black', 'white', '#E76BF3'))
```

---

**BlackAndWhite***Create a custom color palette*

---

**Description**

Creates a custom color palette based on low, middle, and high color values

**Usage**

```
BlackAndWhite(mid = NULL, k = 50)
```

```
BlueAndRed(k = 50)
```

```
CustomPalette(low = "white", high = "red", mid = NULL, k = 50)
```

```
PurpleAndYellow(k = 50)
```

**Arguments**

mid	middle color. Optional.
k	number of steps (colors levels) to include between low and high values
low	low color
high	high color

**Value**

A color palette for plotting

**Examples**

```
df <- data.frame(x = rnorm(n = 100, mean = 20, sd = 2), y = rbinom(n = 100, size = 100, prob = 0.2))  
plot(df, col = BlackAndWhite())
```

```
df <- data.frame(x = rnorm(n = 100, mean = 20, sd = 2), y = rbinom(n = 100, size = 100, prob = 0.2))  
plot(df, col = BlueAndRed())
```

```
myPalette <- CustomPalette()  
myPalette
```

```
df <- data.frame(x = rnorm(n = 100, mean = 20, sd = 2), y = rbinom(n = 100, size = 100, prob = 0.2))  
plot(df, col = PurpleAndYellow())
```

---

**BuildClusterTree**      *Phylogenetic Analysis of Identity Classes*

---

**Description**

Constructs a phylogenetic tree relating the 'average' cell from each identity class. Tree is estimated based on a distance matrix constructed in either gene expression space or PCA space.

**Usage**

```
BuildClusterTree(  
  object,  
  assay = NULL,  
  features = NULL,  
  dims = NULL,  
  reduction = "pca",  
  graph = NULL,  
  slot = "data",  
  reorder = FALSE,  
  reorder.numeric = FALSE,  
  verbose = TRUE  
)
```

**Arguments**

object	Seurat object
assay	Assay to use for the analysis.
features	Genes to use for the analysis. Default is the set of variable genes ( <code>VariableFeatures(object = object)</code> )
dims	If set, tree is calculated in dimension reduction space; overrides features
reduction	Name of dimension reduction to use. Only used if dims is not NULL.
graph	If graph is passed, build tree based on graph connectivity between clusters; overrides dims and features
slot	Slot(s) to use; if multiple slots are given, assumed to follow the order of 'assays' (if specified) or object's assays
reorder	Re-order identity classes (factor ordering), according to position on the tree. This groups similar classes together which can be helpful, for example, when drawing violin plots.
reorder.numeric	Re-order identity classes according to position on the tree, assigning a numeric value ('1' is the leftmost node)
verbose	Show progress updates

## Details

Note that the tree is calculated for an 'average' cell, so gene expression or PC scores are averaged across all cells in an identity class before the tree is constructed.

## Value

A Seurat object where the cluster tree can be accessed with [Tool](#)

## Examples

```
if (requireNamespace("ape", quietly = TRUE)) {  
  data("pbmc_small")  
  pbmc_small  
  pbmc_small <- BuildClusterTree(object = pbmc_small)  
  Tool(object = pbmc_small, slot = 'BuildClusterTree')  
}
```

---

CalcPerturbSig

*Calculate a perturbation Signature*

---

## Description

Function to calculate perturbation signature for pooled CRISPR screen datasets. For each target cell (expressing one target gRNA), we identified 20 cells from the control pool (non-targeting cells) with the most similar mRNA expression profiles. The perturbation signature is calculated by subtracting the averaged mRNA expression profile of the non-targeting neighbors from the mRNA expression profile of the target cell.

## Usage

```
CalcPerturbSig(  
  object,  
  assay = NULL,  
  features = NULL,  
  slot = "data",  
  gd.class = "guide_ID",  
  nt.cell.class = "NT",  
  split.by = NULL,  
  num.neighbors = NULL,  
  reduction = "pca",  
  ndims = 15,  
  new.assay.name = "PRTB",  
  verbose = TRUE  
)
```



**Arguments**

object	An object of class Seurat.
assay	Name of Assay PRTB signature is being calculated on.
features	Features to compute PRTB signature for. Defaults to the variable features set in the assay specified.
slot	Data slot to use for PRTB signature calculation.
gd.class	Metadata column containing target gene classification.
nt.cell.class	Non-targeting gRNA cell classification identity.
split.by	Provide metadata column if multiple biological replicates exist to calculate PRTB signature for every replicate separately.
num.neighbors	Number of nearest neighbors to consider.
reduction	Reduction method used to calculate nearest neighbors.
ndims	Number of dimensions to use from dimensionality reduction method.
new.assay.name	Name for the new assay.
verbose	Display progress + messages

**Value**

Returns a Seurat object with a new assay added containing the perturbation signature for all cells in the data slot.

---

CalculateBarcodeInflections

*Calculate the Barcode Distribution Inflection*

---

**Description**

This function calculates an adaptive inflection point ("knee") of the barcode distribution for each sample group. This is useful for determining a threshold for removing low-quality samples.

**Usage**

```
CalculateBarcodeInflections(  
  object,  
  barcode.column = "nCount_RNA",  
  group.column = "orig.ident",  
  threshold.low = NULL,  
  threshold.high = NULL  
)
```

**Arguments**

<code>object</code>	Seurat object
<code>barcode.column</code>	Column to use as proxy for barcodes ("nCount_RNA" by default)
<code>group.column</code>	Column to group by ("orig.ident" by default)
<code>threshold.low</code>	Ignore barcodes of rank below this threshold in inflection calculation
<code>threshold.high</code>	Ignore barcodes of rank above this threshold in inflection calculation

**Details**

The function operates by calculating the slope of the barcode number vs. rank distribution, and then finding the point at which the distribution changes most steeply (the "knee"). Of note, this calculation often must be restricted as to the range at which it performs, so ‘threshold’ parameters are provided to restrict the range of the calculation based on the rank of the barcodes. [BarcodeInflectionsPlot()] is provided as a convenience function to visualize and test different thresholds and thus provide more sensible end results.

See [BarcodeInflectionsPlot()] to visualize the calculated inflection points and [SubsetByBarcodeInflections()] to subsequently subset the Seurat object.

**Value**

Returns Seurat object with a new list in the ‘tools’ slot, ‘CalculateBarcodeInflections’ with values:

- \* ‘barcode\_distribution’ - contains the full barcode distribution across the entire dataset
- \* ‘inflection\_points’ - the calculated inflection points within the thresholds
- \* ‘threshold\_values’ - the provided (or default) threshold values to search within for inflections
- \* ‘cells\_pass’ - the cells that pass the inflection point calculation

**Author(s)**

Robert A. Amezcua, <robert.amezcua@fredhutch.org>

**See Also**

[BarcodeInflectionsPlot](#) [SubsetByBarcodeInflections](#)

**Examples**

```
data("pbmc_small")
CalculateBarcodeInflections(pbmc_small, group.column = 'groups')
```

---

CaseMatch	<i>Match the case of character vectors</i>
-----------	--

---

**Description**

Match the case of character vectors

**Usage**

```
CaseMatch(search, match)
```

**Arguments**

search	A vector of search terms
match	A vector of characters whose case should be matched

**Value**

Values from search present in match with the case of match

**Examples**

```
data("pbmc_small")
cd_genes <- c('Cd79b', 'Cd19', 'Cd200')
CaseMatch(search = cd_genes, match = rownames(x = pbmc_small))
```

---

cc.genes	<i>Cell cycle genes</i>
----------	-------------------------

---

**Description**

A list of genes used in cell-cycle regression

**Usage**

```
cc.genes
```

**Format**

A list of two vectors

**s.genes** Genes associated with S-phase

**g2m.genes** Genes associated with G2M-phase

**Source**

<https://www.science.org/doi/abs/10.1126/science.aad0501>

---

cc.genes.updated.2019 *Cell cycle genes: 2019 update*

---

### Description

A list of genes used in cell-cycle regression, updated with 2019 symbols

### Usage

```
cc.genes.updated.2019
```

### Format

A list of two vectors

**s.genes** Genes associated with S-phase

**g2m.genes** Genes associated with G2M-phase

### Updated symbols

The following symbols were updated from [cc.genes](#)

**s.genes**

- *MCM2*: *MCM7*
- *MLF1IP*: *CENPU*
- *RPA2*: *POLR1B*
- *BRIP1*: *MRPL36*

**g2m.genes**

- *FAM64A*: *PIMREG*
- *HNI*: *JPT1*

### Source

<https://www.science.org/doi/abs/10.1126/science.aad0501>

### See Also

[cc.genes](#)

### Examples

```
## Not run:
cc.genes.updated.2019 <- cc.genes
cc.genes.updated.2019$s.genes <- UpdateSymbolList(symbols = cc.genes.updated.2019$s.genes)
cc.genes.updated.2019$g2m.genes <- UpdateSymbolList(symbols = cc.genes.updated.2019$g2m.genes)

## End(Not run)
```

---

CellCycleScoring      *Score cell cycle phases*

---

**Description**

Score cell cycle phases

**Usage**

```
CellCycleScoring(  
  object,  
  s.features,  
  g2m.features,  
  ctrl = NULL,  
  set.ident = FALSE,  
  ...  
)
```

**Arguments**

object	A Seurat object
s.features	A vector of features associated with S phase
g2m.features	A vector of features associated with G2M phase
ctrl	Number of control features selected from the same bin per analyzed feature supplied to <a href="#">AddModuleScore</a> . Defaults to value equivalent to minimum number of features present in 's.features' and 'g2m.features'.
set.ident	If true, sets identity to phase assignments Stashes old identities in 'old.ident'
...	Arguments to be passed to <a href="#">AddModuleScore</a>

**Value**

A Seurat object with the following columns added to object meta data: S.Score, G2M.Score, and Phase

**See Also**

[AddModuleScore](#)

**Examples**

```
## Not run:  
data("pbmc_small")  
# pbmc_small doesn't have any cell-cycle genes  
# To run CellCycleScoring, please use a dataset with cell-cycle genes  
# An example is available at http://satijalab.org/seurat/cell\_cycle\_vignette.html  
pbmc_small <- CellCycleScoring(  
  object = pbmc_small,
```

```
g2m.features = cc.genes$g2m.genes,  
s.features = cc.genes$s.genes  
)  
head(x = pbmc_small@meta.data)  
  
## End(Not run)
```

---

Cells.SCTModel      *Get Cell Names*

---

### Description

Get Cell Names

### Usage

```
## S3 method for class 'SCTModel'  
Cells(x, ...)  
  
## S3 method for class 'SlideSeq'  
Cells(x, ...)  
  
## S3 method for class 'STARmap'  
Cells(x, ...)  
  
## S3 method for class 'VisiumV1'  
Cells(x, ...)
```

### Arguments

x	An object
...	Arguments passed to other methods

### See Also

[SeuratObject::Cells](#)

---

CellsByImage	<i>Get a vector of cell names associated with an image (or set of images)</i>
--------------	---

---

**Description**

Get a vector of cell names associated with an image (or set of images)

**Usage**

```
CellsByImage(object, images = NULL, unlist = FALSE)
```

**Arguments**

object	Seurat object
images	Vector of image names
unlist	Return as a single vector of cell names as opposed to a list, named by image name.

**Value**

A vector of cell names

**Examples**

```
## Not run:  
CellsByImage(object = object, images = "slice1")  
  
## End(Not run)
```

---

CellScatter	<i>Cell-cell scatter plot</i>
-------------	-------------------------------

---

**Description**

Creates a plot of scatter plot of features across two single cells. Pearson correlation between the two cells is displayed above the plot.

**Usage**

```
CellScatter(  
  object,  
  cell1,  
  cell2,  
  features = NULL,  
  highlight = NULL,  
  cols = NULL,  
  pt.size = 1,  
  smooth = FALSE,  
  raster = NULL,  
  raster.dpi = c(512, 512)  
)
```

**Arguments**

object	Seurat object
cell1	Cell 1 name
cell2	Cell 2 name
features	Features to plot (default, all features)
highlight	Features to highlight
cols	Colors to use for identity class plotting.
pt.size	Size of the points on the plot
smooth	Smooth the graph (similar to smoothScatter)
raster	Convert points to raster format, default is NULL which will automatically use raster if the number of points plotted is greater than 100,000
raster.dpi	Pixel resolution for rasterized plots, passed to geom_scattermore(). Default is c(512, 512).

**Value**

A ggplot object

**Examples**

```
data("pbmc_small")  
CellScatter(object = pbmc_small, cell1 = 'ATAGGAGAAACAGA', cell2 = 'CATCAGGATGCACA')
```



---

CellSelector	<i>Cell Selector</i>
--------------	----------------------

---

**Description**

Select points on a scatterplot and get information about them

**Usage**

```
CellSelector(plot, object = NULL, ident = "SelectedCells", ...)
```

```
FeatureLocator(plot, ...)
```

**Arguments**

plot	A ggplot2 plot
object	An optional Seurat object; if passes, will return an object with the identities of selected cells set to ident
ident	An optional new identity class to assign the selected cells
...	Ignored

**Value**

If object is NULL, the names of the points selected; otherwise, a Seurat object with the selected cells identity classes set to ident

**See Also**

[DimPlot FeaturePlot](#)

**Examples**

```
## Not run:
data("pbmc_small")
plot <- DimPlot(object = pbmc_small)
# Follow instructions in the terminal to select points
cells.located <- CellSelector(plot = plot)
cells.located
# Automatically set the identity class of selected cells and return a new Seurat object
pbmc_small <- CellSelector(plot = plot, object = pbmc_small, ident = 'SelectedCells')

## End(Not run)
```

---

`CollapseEmbeddingOutliers`*Move outliers towards center on dimension reduction plot*

---

## Description

Move outliers towards center on dimension reduction plot

## Usage

```
CollapseEmbeddingOutliers(  
  object,  
  reduction = "umap",  
  dims = 1:2,  
  group.by = "ident",  
  outlier.sd = 2,  
  reduction.key = "UMAP_"  
)
```

## Arguments

<code>object</code>	Seurat object
<code>reduction</code>	Name of DimReduc to adjust
<code>dims</code>	Dimensions to visualize
<code>group.by</code>	Group (color) cells in different ways (for example, <code>orig.ident</code> )
<code>outlier.sd</code>	Controls the outlier distance
<code>reduction.key</code>	Key for DimReduc that is returned

## Value

Returns a DimReduc object with the modified embeddings

## Examples

```
## Not run:  
data("pbmc_small")  
pbmc_small <- FindClusters(pbmc_small, resolution = 1.1)  
pbmc_small <- RunUMAP(pbmc_small, dims = 1:5)  
DimPlot(pbmc_small, reduction = "umap")  
pbmc_small[["umap_new"]] <- CollapseEmbeddingOutliers(pbmc_small,  
  reduction = "umap", reduction.key = 'umap_', outlier.sd = 0.5)  
DimPlot(pbmc_small, reduction = "umap_new")  
  
## End(Not run)
```

---

`CollapseSpeciesExpressionMatrix`

*Slim down a multi-species expression matrix, when only one species is primarily of interest.*

---

**Description**

Valuable for CITE-seq analyses, where we typically spike in rare populations of 'negative control' cells from a different species.

**Usage**

```
CollapseSpeciesExpressionMatrix(  
  object,  
  prefix = "HUMAN_",  
  controls = "MOUSE_",  
  ncontrols = 100  
)
```

**Arguments**

<code>object</code>	A UMI count matrix. Should contain rownames that start with the ensuing arguments <code>prefix.1</code> or <code>prefix.2</code>
<code>prefix</code>	The prefix denoting rownames for the species of interest. Default is "HUMAN_". These rownames will have this prefix removed in the returned matrix.
<code>controls</code>	The prefix denoting rownames for the species of 'negative control' cells. Default is "MOUSE_".
<code>ncontrols</code>	How many of the most highly expressed (average) negative control features (by default, 100 mouse genes), should be kept? All other rownames starting with <code>prefix.2</code> are discarded.

**Value**

A UMI count matrix. Rownames that started with `prefix` have this prefix discarded. For rownames starting with `controls`, only the `ncontrols` most highly expressed features are kept, and the prefix is kept. All other rows are retained.

**Examples**

```
## Not run:  
cbmc.rna.collapsed <- CollapseSpeciesExpressionMatrix(cbmc.rna)  
  
## End(Not run)
```

ColorDimSplit

*Color dimensional reduction plot by tree split***Description**

Returns a DimPlot colored based on whether the cells fall in clusters to the left or to the right of a node split in the cluster tree.

**Usage**

```
ColorDimSplit(
  object,
  node,
  left.color = "red",
  right.color = "blue",
  other.color = "grey50",
  ...
)
```

**Arguments**

object	Seurat object
node	Node in cluster tree on which to base the split
left.color	Color for the left side of the split
right.color	Color for the right side of the split
other.color	Color for all other cells
...	Arguments passed on to <a href="#">DimPlot</a>
dims	Dimensions to plot, must be a two-length numeric vector specifying x- and y-dimensions
cells	Vector of cells to plot (default is all cells)
cols	Vector of colors, each color corresponds to an identity class. This may also be a single character or numeric value corresponding to a palette as specified by <a href="#">brewer.pal.info</a> . By default, ggplot2 assigns colors. We also include a number of palettes from the pals package. See <a href="#">DiscretePalette</a> for details.
pt.size	Adjust point size for plotting
reduction	Which dimensionality reduction to use. If not specified, first searches for umap, then tsne, then pca
group.by	Name of one or more metadata columns to group (color) cells by (for example, orig.ident); pass 'ident' to group by identity class
split.by	Name of a metadata column to split plot by; see <a href="#">FetchData</a> for more details
shape.by	If NULL, all points are circles (default). You can specify any cell attribute (that can be pulled with FetchData) allowing for both different colors and different shapes on cells. Only applicable if raster = FALSE.

`order` Specify the order of plotting for the idents. This can be useful for crowded plots if points of interest are being buried. Provide either a full list of valid idents or a subset to be plotted last (on top)

`shuffle` Whether to randomly shuffle the order of points. This can be useful for crowded plots if points of interest are being buried. (default is FALSE)

`seed` Sets the seed if randomly shuffling the order of points.

`label` Whether to label the clusters

`label.size` Sets size of labels

`label.color` Sets the color of the label text

`label.box` Whether to put a box around the label text (`geom_text` vs `geom_label`)

`repel` Repel labels

`cells.highlight` A list of character or numeric vectors of cells to highlight. If only one group of cells desired, can simply pass a vector instead of a list. If set, colors selected cells to the color(s) in `cols.highlight` and other cells black (white if `dark.theme = TRUE`); will also resize to the size(s) passed to `sizes.highlight`

`cols.highlight` A vector of colors to highlight the cells as; will repeat to the length groups in `cells.highlight`

`sizes.highlight` Size of highlighted cells; will repeat to the length groups in `cells.highlight`

`na.value` Color value for NA points when using custom scale

`ncol` Number of columns for display when combining plots

`combine` Combine plots into a single [patchwork](#)ed ggplot object. If FALSE, return a list of ggplot objects

`raster` Convert points to raster format, default is NULL which automatically rasterizes if plotting more than 100,000 cells

`raster.dpi` Pixel resolution for rasterized plots, passed to `geom_scattermore()`. Default is `c(512, 512)`.

**Value**

Returns a `DimPlot`

**See Also**

[DimPlot](#)

**Examples**

```
if (requireNamespace("ape", quietly = TRUE)) {
  data("pbmc_small")
  pbmc_small <- BuildClusterTree(object = pbmc_small, verbose = FALSE)
  PlotClusterTree(pbmc_small)
  ColorDimSplit(pbmc_small, node = 5)
}
```

---

CombinePlots

*Combine ggplot2-based plots into a single plot*

---

### Description

Combine ggplot2-based plots into a single plot

### Usage

```
CombinePlots(plots, ncol = NULL, legend = NULL, ...)
```

### Arguments

plots	A list of gg objects
ncol	Number of columns
legend	Combine legends into a single legend choose from 'right' or 'bottom'; pass 'none' to remove legends, or NULL to leave legends as they are
...	Extra parameters passed to plot_grid

### Value

A combined plot

### Examples

```
data("pbmc_small")
pbmc_small[['group']] <- sample(
  x = c('g1', 'g2'),
  size = ncol(x = pbmc_small),
  replace = TRUE
)
plot1 <- FeaturePlot(
  object = pbmc_small,
  features = 'MS4A1',
  split.by = 'group'
)
plot2 <- FeaturePlot(
  object = pbmc_small,
  features = 'FCN1',
  split.by = 'group'
)
CombinePlots(
  plots = list(plot1, plot2),
  legend = 'none',
  nrow = length(x = unique(x = pbmc_small[['group'], drop = TRUE])))
)
```

---

contrast-theory      *Get the intensity and/or luminance of a color*

---

**Description**

Get the intensity and/or luminance of a color

**Usage**

Intensity(color)

Luminance(color)

**Arguments**

color      A vector of colors

**Value**

A vector of intensities/luminances for each color

**Source**

<https://stackoverflow.com/questions/3942878/how-to-decide-font-color-in-white-or-black-depending-o>

**Examples**

```
Intensity(color = c('black', 'white', '#E76BF3'))
```

```
Luminance(color = c('black', 'white', '#E76BF3'))
```

---

CreateSCTAssayObject      *Create a SCT Assay object*

---

**Description**

Create a SCT object from a feature (e.g. gene) expression matrix and a list of SCTModels. The expected format of the input matrix is features x cells.

**Usage**

```
CreateSCTAssayObject(
  counts,
  data,
  scale.data = NULL,
  umi.assay = "RNA",
  min.cells = 0,
  min.features = 0,
  SCTModel.list = NULL
)
```

**Arguments**

counts	Unnormalized data such as raw counts or TPMs
data	Prenormalized data; if provided, do not pass counts
scale.data	a residual matrix
umi.assay	The UMI assay name. Default is RNA
min.cells	Include features detected in at least this many cells. Will subset the counts matrix as well. To reintroduce excluded features, create a new object with a lower cutoff.
min.features	Include cells where at least this many features are detected.
SCTModel.list	list of SCTModels

**Details**

Non-unique cell or feature names are not allowed. Please make unique before calling this function.

---

CustomDistance	<i>Run a custom distance function on an input data matrix</i>
----------------	---

---

**Description**

Run a custom distance function on an input data matrix

**Usage**

```
CustomDistance(my.mat, my.function, ...)
```

**Arguments**

my.mat	A matrix to calculate distance on
my.function	A function to calculate distance
...	Extra parameters to my.function



**Value**

A distance matrix

**Author(s)**

Jean Fan

**Examples**

```
data("pbmc_small")
# Define custom distance matrix
manhattan.distance <- function(x, y) return(sum(abs(x-y)))

input.data <- GetAssayData(pbmc_small, assay.type = "RNA", slot = "scale.data")
cell.manhattan.dist <- CustomDistance(input.data, manhattan.distance)
```

---

DEenrichRPlot

*DE and EnrichR pathway visualization barplot*

---

**Description**

DE and EnrichR pathway visualization barplot

**Usage**

```
DEenrichRPlot(
  object,
  ident.1 = NULL,
  ident.2 = NULL,
  balanced = TRUE,
  logfc.threshold = 0.25,
  assay = NULL,
  max.genes,
  test.use = "wilcox",
  p.val.cutoff = 0.05,
  cols = NULL,
  enrich.database = NULL,
  num.pathway = 10,
  return.gene.list = FALSE,
  ...
)
```

**Arguments**

<code>object</code>	Name of object class Seurat.
<code>ident.1</code>	Cell class identity 1.
<code>ident.2</code>	Cell class identity 2.
<code>balanced</code>	Option to display pathway enrichments for both negative and positive DE genes. If false, only positive DE gene will be displayed.
<code>logfc.threshold</code>	Limit testing to genes which show, on average, at least X-fold difference (log-scale) between the two groups of cells. Default is 0.25 Increasing <code>logfc.threshold</code> speeds up the function, but can miss weaker signals.
<code>assay</code>	Assay to use in differential expression testing
<code>max.genes</code>	Maximum number of genes to use as input to <code>enrichR</code> .
<code>test.use</code>	Denotes which test to use. Available options are: <ul style="list-style-type: none"> <li>• "wilcox" : Identifies differentially expressed genes between two groups of cells using a Wilcoxon Rank Sum test (default)</li> <li>• "bimod" : Likelihood-ratio test for single cell gene expression, (McDavid et al., Bioinformatics, 2013)</li> <li>• "roc" : Identifies 'markers' of gene expression using ROC analysis. For each gene, evaluates (using AUC) a classifier built on that gene alone, to classify between two groups of cells. An AUC value of 1 means that expression values for this gene alone can perfectly classify the two groupings (i.e. Each of the cells in <code>cells.1</code> exhibit a higher level than each of the cells in <code>cells.2</code>). An AUC value of 0 also means there is perfect classification, but in the other direction. A value of 0.5 implies that the gene has no predictive power to classify the two groups. Returns a 'predictive power' (<math>(\text{abs}(\text{AUC} - 0.5) * 2)</math>) ranked matrix of putative differentially expressed genes.</li> <li>• "t" : Identify differentially expressed genes between two groups of cells using the Student's t-test.</li> <li>• "negbinom" : Identifies differentially expressed genes between two groups of cells using a negative binomial generalized linear model. Use only for UMI-based datasets</li> <li>• "poisson" : Identifies differentially expressed genes between two groups of cells using a poisson generalized linear model. Use only for UMI-based datasets</li> <li>• "LR" : Uses a logistic regression framework to determine differentially expressed genes. Constructs a logistic regression model predicting group membership based on each feature individually and compares this to a null model with a likelihood ratio test.</li> <li>• "MAST" : Identifies differentially expressed genes between two groups of cells using a hurdle model tailored to scRNA-seq data. Utilizes the MAST package to run the DE testing.</li> <li>• "DESeq2" : Identifies differentially expressed genes between two groups of cells based on a model using DESeq2 which uses a negative binomial distribution (Love et al, Genome Biology, 2014). This test does not support pre-</li> </ul>

filtering of genes based on average difference (or percent detection rate) between cell groups. However, genes may be pre-filtered based on their minimum detection rate (`min.pct`) across both cell groups. To use this method, please install DESeq2, using the instructions at <https://bioconductor.org/packages/release/bioc/html/DESeq2/>

`p.val.cutoff` Cutoff to select DE genes.  
`cols` A list of colors to use for barplots.  
`enrich.database` Database to use from `enrichR`.  
`num.pathway` Number of pathways to display in barplot.  
`return.gene.list` Return list of DE genes  
`...` Arguments passed to other methods and to specific DE methods

### Value

Returns one (only enriched) or two (both enriched and depleted) barplots with the top enriched/depleted GO terms from `EnrichR`.

---

DietSeurat                      *Slim down a Seurat object*

---

### Description

Keep only certain aspects of the Seurat object. Can be useful in functions that utilize `merge` as it reduces the amount of data in the merge.

### Usage

```
DietSeurat(
  object,
  counts = TRUE,
  data = TRUE,
  scale.data = FALSE,
  features = NULL,
  assays = NULL,
  dimreducs = NULL,
  graphs = NULL,
  misc = TRUE
)
```

### Arguments

`object` Seurat object  
`counts` Preserve the count matrices for the assays specified  
`data` Preserve the data slot for the assays specified

scale.data	Preserve the scale.data slot for the assays specified
features	Only keep a subset of features, defaults to all features
assays	Only keep a subset of assays specified here
dimreducs	Only keep a subset of DimReducs specified here (if NULL, remove all DimReducs)
graphs	Only keep a subset of Graphs specified here (if NULL, remove all Graphs)
misc	Preserve the misc slot; default is TRUE

---

DimHeatmap

*Dimensional reduction heatmap*


---

### Description

Draws a heatmap focusing on a principal component. Both cells and genes are sorted by their principal component scores. Allows for nice visualization of sources of heterogeneity in the dataset.

### Usage

```
DimHeatmap(
  object,
  dims = 1,
  nfeatures = 30,
  cells = NULL,
  reduction = "pca",
  disp.min = -2.5,
  disp.max = NULL,
  balanced = TRUE,
  projected = FALSE,
  ncol = NULL,
  fast = TRUE,
  raster = TRUE,
  slot = "scale.data",
  assays = NULL,
  combine = TRUE
)
```

```
PCHeatmap(object, ...)
```

### Arguments

object	Seurat object
dims	Dimensions to plot
nfeatures	Number of genes to plot
cells	A list of cells to plot. If numeric, just plots the top cells.

reduction	Which dimensional reduction to use
disp.min	Minimum display value (all values below are clipped)
disp.max	Maximum display value (all values above are clipped); defaults to 2.5 if slot is 'scale.data', 6 otherwise
balanced	Plot an equal number of genes with both + and - scores.
projected	Use the full projected dimensional reduction
ncol	Number of columns to plot
fast	If true, use <code>image</code> to generate plots; faster than using <code>ggplot2</code> , but not customizable
raster	If true, plot with <code>geom_raster</code> , else use <code>geom_tile</code> . <code>geom_raster</code> may look blurry on some viewing applications such as Preview due to how the raster is interpolated. Set this to FALSE if you are encountering that issue (note that plots may take longer to produce/render).
slot	Data slot to use, choose from 'raw.data', 'data', or 'scale.data'
assays	A vector of assays to pull data from
combine	Combine plots into a single <code>patchwork</code> d ggplot object. If FALSE, return a list of ggplot objects
...	Extra parameters passed to <code>DimHeatmap</code>

**Value**

No return value by default. If using `fast = FALSE`, will return a `patchwork`d ggplot object if `combine = TRUE`, otherwise returns a list of ggplot objects

**See Also**

[image](#) [geom\\_raster](#)

**Examples**

```
data("pbmc_small")
DimHeatmap(object = pbmc_small)
```

---

 DimPlot

*Dimensional reduction plot*


---

**Description**

Graphs the output of a dimensional reduction technique on a 2D scatter plot where each point is a cell and it's positioned based on the cell embeddings determined by the reduction technique. By default, cells are colored by their identity class (can be changed with the `group.by` parameter).

## Usage

```
DimPlot(  
  object,  
  dims = c(1, 2),  
  cells = NULL,  
  cols = NULL,  
  pt.size = NULL,  
  reduction = NULL,  
  group.by = NULL,  
  split.by = NULL,  
  shape.by = NULL,  
  order = NULL,  
  shuffle = FALSE,  
  seed = 1,  
  label = FALSE,  
  label.size = 4,  
  label.color = "black",  
  label.box = FALSE,  
  repel = FALSE,  
  cells.highlight = NULL,  
  cols.highlight = "#DE2D26",  
  sizes.highlight = 1,  
  na.value = "grey50",  
  ncol = NULL,  
  combine = TRUE,  
  raster = NULL,  
  raster.dpi = c(512, 512)  
)  
  
PCAPlot(object, ...)  
  
TSNEPlot(object, ...)  
  
UMAPPlot(object, ...)
```

## Arguments

object	Seurat object
dims	Dimensions to plot, must be a two-length numeric vector specifying x- and y-dimensions
cells	Vector of cells to plot (default is all cells)
cols	Vector of colors, each color corresponds to an identity class. This may also be a single character or numeric value corresponding to a palette as specified by <a href="#">brewer.pal.info</a> . By default, ggplot2 assigns colors. We also include a number of palettes from the pals package. See <a href="#">DiscretePalette</a> for details.
pt.size	Adjust point size for plotting

<code>reduction</code>	Which dimensionality reduction to use. If not specified, first searches for <code>umap</code> , then <code>tsne</code> , then <code>pca</code>
<code>group.by</code>	Name of one or more metadata columns to group (color) cells by (for example, <code>orig.ident</code> ); pass <code>'ident'</code> to group by identity class
<code>split.by</code>	Name of a metadata column to split plot by; see <a href="#">FetchData</a> for more details
<code>shape.by</code>	If <code>NULL</code> , all points are circles (default). You can specify any cell attribute (that can be pulled with <code>FetchData</code> ) allowing for both different colors and different shapes on cells. Only applicable if <code>raster = FALSE</code> .
<code>order</code>	Specify the order of plotting for the <code>idents</code> . This can be useful for crowded plots if points of interest are being buried. Provide either a full list of valid <code>idents</code> or a subset to be plotted last (on top)
<code>shuffle</code>	Whether to randomly shuffle the order of points. This can be useful for crowded plots if points of interest are being buried. (default is <code>FALSE</code> )
<code>seed</code>	Sets the seed if randomly shuffling the order of points.
<code>label</code>	Whether to label the clusters
<code>label.size</code>	Sets size of labels
<code>label.color</code>	Sets the color of the label text
<code>label.box</code>	Whether to put a box around the label text ( <code>geom_text</code> vs <code>geom_label</code> )
<code>repel</code>	Repel labels
<code>cells.highlight</code>	A list of character or numeric vectors of cells to highlight. If only one group of cells desired, can simply pass a vector instead of a list. If set, colors selected cells to the color(s) in <code>cols.highlight</code> and other cells black (white if <code>dark.theme = TRUE</code> ); will also resize to the size(s) passed to <code>sizes.highlight</code>
<code>cols.highlight</code>	A vector of colors to highlight the cells as; will repeat to the length groups in <code>cells.highlight</code>
<code>sizes.highlight</code>	Size of highlighted cells; will repeat to the length groups in <code>cells.highlight</code>
<code>na.value</code>	Color value for NA points when using custom scale
<code>ncol</code>	Number of columns for display when combining plots
<code>combine</code>	Combine plots into a single <a href="#">patchworked</a> ggplot object. If <code>FALSE</code> , return a list of ggplot objects
<code>raster</code>	Convert points to raster format, default is <code>NULL</code> which automatically rasterizes if plotting more than 100,000 cells
<code>raster.dpi</code>	Pixel resolution for rasterized plots, passed to <code>geom_scattermore()</code> . Default is <code>c(512, 512)</code> .
<code>...</code>	Extra parameters passed to <code>DimPlot</code>

**Value**

A [patchworked](#) ggplot object if `combine = TRUE`; otherwise, a list of ggplot objects

**Note**

For the old `do.hover` and `do.identify` functionality, please see `HoverLocator` and `CellSelector`, respectively.

**See Also**

[FeaturePlot](#) [HoverLocator](#) [CellSelector](#) [FetchData](#)

**Examples**

```
data("pbmc_small")
DimPlot(object = pbmc_small)
DimPlot(object = pbmc_small, split.by = 'ident')
```

---

DimReduc-class	<i>The DimReduc Class</i>
----------------	---------------------------

---

**Description**

The `DimReduc` object stores a dimensionality reduction taken out in Seurat; for more details, please see the documentation in [SeuratObject](#)

**See Also**

[SeuratObject::DimReduc-class](#)

---

DiscretePalette	<i>Discrete colour palettes from pals</i>
-----------------	---

---

**Description**

These are included here because `pals` depends on a number of compiled packages, and this can lead to increases in run time for Travis, and generally should be avoided when possible.

**Usage**

```
DiscretePalette(n, palette = NULL, shuffle = FALSE)
```

**Arguments**

<code>n</code>	Number of colours to be generated.
<code>palette</code>	Options are "alphabet", "alphabet2", "glasbey", "polychrome", "stepped", and "parade". Can be omitted and the function will use the one based on the requested <code>n</code> .
<code>shuffle</code>	Shuffle the colors in the selected palette.



**Details**

These palettes are a much better default for data with many classes than the default ggplot2 palette.

Many thanks to Kevin Wright for writing the pals package.

Taken from the pals package (Licence: GPL-3). <https://cran.r-project.org/package=pals>

Credit: Kevin Wright

**Value**

A vector of colors

---

DoHeatmap	<i>Feature expression heatmap</i>
-----------	-----------------------------------

---

**Description**

Draws a heatmap of single cell feature expression.

**Usage**

```
DoHeatmap(
  object,
  features = NULL,
  cells = NULL,
  group.by = "ident",
  group.bar = TRUE,
  group.colors = NULL,
  disp.min = -2.5,
  disp.max = NULL,
  slot = "scale.data",
  assay = NULL,
  label = TRUE,
  size = 5.5,
  hjust = 0,
  angle = 45,
  raster = TRUE,
  draw.lines = TRUE,
  lines.width = NULL,
  group.bar.height = 0.02,
  combine = TRUE
)
```

**Arguments**

object	Seurat object
features	A vector of features to plot, defaults to VariableFeatures(object = object)
cells	A vector of cells to plot

<code>group.by</code>	A vector of variables to group cells by; pass <code>'ident'</code> to group by cell identity classes
<code>group.bar</code>	Add a color bar showing group status for cells
<code>group.colors</code>	Colors to use for the color bar
<code>disp.min</code>	Minimum display value (all values below are clipped)
<code>disp.max</code>	Maximum display value (all values above are clipped); defaults to 2.5 if <code>slot</code> is <code>'scale.data'</code> , 6 otherwise
<code>slot</code>	Data slot to use, choose from <code>'raw.data'</code> , <code>'data'</code> , or <code>'scale.data'</code>
<code>assay</code>	Assay to pull from
<code>label</code>	Label the cell identities above the color bar
<code>size</code>	Size of text above color bar
<code>hjust</code>	Horizontal justification of text above color bar
<code>angle</code>	Angle of text above color bar
<code>raster</code>	If true, plot with <code>geom_raster</code> , else use <code>geom_tile</code> . <code>geom_raster</code> may look blurry on some viewing applications such as Preview due to how the raster is interpolated. Set this to <code>FALSE</code> if you are encountering that issue (note that plots may take longer to produce/render).
<code>draw.lines</code>	Include white lines to separate the groups
<code>lines.width</code>	Integer number to adjust the width of the separating white lines. Corresponds to the number of "cells" between each group.
<code>group.bar.height</code>	Scale the height of the color bar
<code>combine</code>	Combine plots into a single <code>patchworked</code> ggplot object. If <code>FALSE</code> , return a list of ggplot objects

**Value**

A `patchworked` ggplot object if `combine = TRUE`; otherwise, a list of ggplot objects

**Examples**

```
data("pbmc_small")
DoHeatmap(object = pbmc_small)
```

---

 DotPlot

*Dot plot visualization*


---

**Description**

Intuitive way of visualizing how feature expression changes across different identity classes (clusters). The size of the dot encodes the percentage of cells within a class, while the color encodes the AverageExpression level across all cells within a class (blue is high).

**Usage**

```
DotPlot(
  object,
  assay = NULL,
  features,
  cols = c("lightgrey", "blue"),
  col.min = -2.5,
  col.max = 2.5,
  dot.min = 0,
  dot.scale = 6,
  idents = NULL,
  group.by = NULL,
  split.by = NULL,
  cluster.idents = FALSE,
  scale = TRUE,
  scale.by = "radius",
  scale.min = NA,
  scale.max = NA
)
```

**Arguments**

object	Seurat object
assay	Name of assay to use, defaults to the active assay
features	Input vector of features, or named list of feature vectors if feature-grouped panels are desired (replicates the functionality of the old SplitDotPlotGG)
cols	Colors to plot: the name of a palette from <code>RColorBrewer::brewer.pal.info</code> , a pair of colors defining a gradient, or 3+ colors defining multiple gradients (if <code>split.by</code> is set)
col.min	Minimum scaled average expression threshold (everything smaller will be set to this)
col.max	Maximum scaled average expression threshold (everything larger will be set to this)
dot.min	The fraction of cells at which to draw the smallest dot (default is 0). All cell groups with less than this expressing the given gene will have no dot drawn.
dot.scale	Scale the size of the points, similar to <code>cex</code>
idents	Identity classes to include in plot (default is all)
group.by	Factor to group the cells by
split.by	Factor to split the groups by (replicates the functionality of the old SplitDotPlotGG); see <a href="#">FetchData</a> for more details
cluster.idents	Whether to order identities by hierarchical clusters based on given features, default is FALSE
scale	Determine whether the data is scaled, TRUE for default
scale.by	Scale the size of the points by 'size' or by 'radius'
scale.min	Set lower limit for scaling, use NA for default
scale.max	Set upper limit for scaling, use NA for default

**Value**

A ggplot object

**See Also**

RColorBrewer::brewer.pal.info

**Examples**

```
data("pbmc_small")
cd_genes <- c("CD247", "CD3E", "CD9")
DotPlot(object = pbmc_small, features = cd_genes)
pbmc_small[["groups"]] <- sample(x = c('g1', 'g2'), size = ncol(x = pbmc_small), replace = TRUE)
DotPlot(object = pbmc_small, features = cd_genes, split.by = 'groups')
```

---

ElbowPlot

*Quickly Pick Relevant Dimensions*

---

**Description**

Plots the standard deviations (or approximate singular values if running PCAFast) of the principle components for easy identification of an elbow in the graph. This elbow often corresponds well with the significant dims and is much faster to run than Jackstraw

**Usage**

```
ElbowPlot(object, ndims = 20, reduction = "pca")
```

**Arguments**

object	Seurat object
ndims	Number of dimensions to plot standard deviation for
reduction	Reduction technique to plot standard deviation for

**Value**

A ggplot object

**Examples**

```
data("pbmc_small")
ElbowPlot(object = pbmc_small)
```

---

ExpMean	<i>Calculate the mean of logged values</i>
---------	--

---

**Description**

Calculate mean of logged values in non-log space (return answer in log-space)

**Usage**

```
ExpMean(x, ...)
```

**Arguments**

x	A vector of values
...	Other arguments (not used)

**Value**

Returns the mean in log-space

**Examples**

```
ExpMean(x = c(1, 2, 3))
```

---

ExpSD	<i>Calculate the standard deviation of logged values</i>
-------	--

---

**Description**

Calculate SD of logged values in non-log space (return answer in log-space)

**Usage**

```
ExpSD(x)
```

**Arguments**

x	A vector of values
---	--------------------

**Value**

Returns the standard deviation in log-space

**Examples**

```
ExpSD(x = c(1, 2, 3))
```

---

ExpVar	<i>Calculate the variance of logged values</i>
--------	--

---

**Description**

Calculate variance of logged values in non-log space (return answer in log-space)

**Usage**

```
ExpVar(x)
```

**Arguments**

x                    A vector of values

**Value**

Returns the variance in log-space

**Examples**

```
ExpVar(x = c(1, 2, 3))
```

---

FastRowScale	<i>Scale and/or center matrix rowwise</i>
--------------	---

---

**Description**

Performs row scaling and/or centering. Equivalent to using `t(scale(t(mat)))` in R except in the case of NA values.

**Usage**

```
FastRowScale(mat, center = TRUE, scale = TRUE, scale_max = 10)
```

**Arguments**

mat                    A matrix  
center                a logical value indicating whether to center the rows  
scale                  a logical value indicating whether to scale the rows  
scale\_max             clip all values greater than scale\_max to scale\_max. Don't clip if Inf.

**Value**

Returns the center/scaled matrix

---

FeaturePlot

*Visualize 'features' on a dimensional reduction plot*

---

## Description

Colors single cells on a dimensional reduction plot according to a 'feature' (i.e. gene expression, PC scores, number of genes detected, etc.)

## Usage

```
FeaturePlot(  
  object,  
  features,  
  dims = c(1, 2),  
  cells = NULL,  
  cols = if (blend) {  
    c("lightgrey", "#ff0000", "#00ff00")  
  } else {  
  
    c("lightgrey", "blue")  
  },  
  pt.size = NULL,  
  order = FALSE,  
  min.cutoff = NA,  
  max.cutoff = NA,  
  reduction = NULL,  
  split.by = NULL,  
  keep.scale = "feature",  
  shape.by = NULL,  
  slot = "data",  
  blend = FALSE,  
  blend.threshold = 0.5,  
  label = FALSE,  
  label.size = 4,  
  label.color = "black",  
  repel = FALSE,  
  ncol = NULL,  
  coord.fixed = FALSE,  
  by.col = TRUE,  
  sort.cell = NULL,  
  interactive = FALSE,  
  combine = TRUE,  
  raster = NULL,  
  raster.dpi = c(512, 512)  
)
```

**Arguments**

object	Seurat object
features	<p>Vector of features to plot. Features can come from:</p> <ul style="list-style-type: none"> <li>• An Assay feature (e.g. a gene name - "MS4A1")</li> <li>• A column name from meta.data (e.g. mitochondrial percentage - "percent.mito")</li> <li>• A column name from a DimReduc object corresponding to the cell embedding values (e.g. the PC 1 scores - "PC_1")</li> </ul>
dims	Dimensions to plot, must be a two-length numeric vector specifying x- and y-dimensions
cells	Vector of cells to plot (default is all cells)
cols	<p>The two colors to form the gradient over. Provide as string vector with the first color corresponding to low values, the second to high. Also accepts a Brewer color scale or vector of colors. Note: this will bin the data into number of colors provided. When blend is TRUE, takes anywhere from 1-3 colors:</p> <p><b>1 color:</b> Treated as color for double-negatives, will use default colors 2 and 3 for per-feature expression</p> <p><b>2 colors:</b> Treated as colors for per-feature expression, will use default color 1 for double-negatives</p> <p><b>3+ colors:</b> First color used for double-negatives, colors 2 and 3 used for per-feature expression, all others ignored</p>
pt.size	Adjust point size for plotting
order	Boolean determining whether to plot cells in order of expression. Can be useful if cells expressing given feature are getting buried.
min.cutoff, max.cutoff	Vector of minimum and maximum cutoff values for each feature, may specify quantile in the form of 'q###' where '###' is the quantile (eg, 'q1', 'q10')
reduction	Which dimensionality reduction to use. If not specified, first searches for umap, then tsne, then pca
split.by	A factor in object metadata to split the feature plot by, pass 'ident' to split by cell identity'; similar to the old FeatureHeatmap
keep.scale	<p>How to handle the color scale across multiple plots. Options are:</p> <ul style="list-style-type: none"> <li>• "feature" (default; by row/feature scaling): The plots for each individual feature are scaled to the maximum expression of the feature across the conditions provided to 'split.by'.</li> <li>• "all" (universal scaling): The plots for all features and conditions are scaled to the maximum expression value for the feature with the highest overall expression.</li> <li>• NULL (no scaling): Each individual plot is scaled to the maximum expression value of the feature in the condition provided to 'split.by'. Be aware setting NULL will result in color scales that are not comparable between plots.</li> </ul>



<code>shape.by</code>	If NULL, all points are circles (default). You can specify any cell attribute (that can be pulled with <code>FetchData</code> ) allowing for both different colors and different shapes on cells. Only applicable if <code>raster = FALSE</code> .
<code>slot</code>	Which slot to pull expression data from?
<code>blend</code>	Scale and blend expression values to visualize coexpression of two features
<code>blend.threshold</code>	The color cutoff from weak signal to strong signal; ranges from 0 to 1.
<code>label</code>	Whether to label the clusters
<code>label.size</code>	Sets size of labels
<code>label.color</code>	Sets the color of the label text
<code>repel</code>	Repel labels
<code>ncol</code>	Number of columns to combine multiple feature plots to, ignored if <code>split.by</code> is not NULL
<code>coord.fixed</code>	Plot cartesian coordinates with fixed aspect ratio
<code>by.col</code>	If splitting by a factor, plot the splits per column with the features as rows; ignored if <code>blend = TRUE</code>
<code>sort.cell</code>	Redundant with <code>order</code> . This argument is being deprecated. Please use <code>order</code> instead.
<code>interactive</code>	Launch an interactive <a href="#">FeaturePlot</a>
<code>combine</code>	Combine plots into a single <a href="#">patchworked</a> ggplot object. If FALSE, return a list of ggplot objects
<code>raster</code>	Convert points to raster format, default is NULL which automatically rasterizes if plotting more than 100,000 cells
<code>raster.dpi</code>	Pixel resolution for rasterized plots, passed to <code>geom_scattermore()</code> . Default is <code>c(512, 512)</code> .

**Value**

A [patchworked](#) ggplot object if `combine = TRUE`; otherwise, a list of ggplot objects

**Note**

For the old `do.hover` and `do.identify` functionality, please see `HoverLocator` and `CellSelector`, respectively.

**See Also**

[DimPlot](#) [HoverLocator](#) [CellSelector](#)

**Examples**

```
data("pbmc_small")
FeaturePlot(object = pbmc_small, features = 'PC_1')
```

---

FeatureScatter      *Scatter plot of single cell data*

---

### Description

Creates a scatter plot of two features (typically feature expression), across a set of single cells. Cells are colored by their identity class. Pearson correlation between the two features is displayed above the plot.

### Usage

```
FeatureScatter(
  object,
  feature1,
  feature2,
  cells = NULL,
  shuffle = FALSE,
  seed = 1,
  group.by = NULL,
  cols = NULL,
  pt.size = 1,
  shape.by = NULL,
  span = NULL,
  smooth = FALSE,
  combine = TRUE,
  slot = "data",
  plot.cor = TRUE,
  raster = NULL,
  raster.dpi = c(512, 512),
  jitter = FALSE
)
```

### Arguments

object	Seurat object
feature1	First feature to plot. Typically feature expression but can also be metrics, PC scores, etc. - anything that can be retrieved with FetchData
feature2	Second feature to plot.
cells	Cells to include on the scatter plot.
shuffle	Whether to randomly shuffle the order of points. This can be useful for crowded plots if points of interest are being buried. (default is FALSE)
seed	Sets the seed if randomly shuffling the order of points.
group.by	Name of one or more metadata columns to group (color) cells by (for example, orig.ident); pass 'ident' to group by identity class
cols	Colors to use for identity class plotting.

<code>pt.size</code>	Size of the points on the plot
<code>shape.by</code>	Ignored for now
<code>span</code>	Spline span in loess function call, if NULL, no spline added
<code>smooth</code>	Smooth the graph (similar to <code>smoothScatter</code> )
<code>combine</code>	Combine plots into a single <a href="#">patchworked</a>
<code>slot</code>	Slot to pull data from, should be one of 'counts', 'data', or 'scale.data'
<code>plot.cor</code>	Display correlation in plot title
<code>raster</code>	Convert points to raster format, default is NULL which will automatically use raster if the number of points plotted is greater than 100,000
<code>raster.dpi</code>	Pixel resolution for rasterized plots, passed to <code>geom_scattermore()</code> . Default is <code>c(512, 512)</code> .
<code>jitter</code>	Jitter for easier visualization of crowded points (default is FALSE)

**Value**

A `ggplot` object

**Examples**

```
data("pbmc_small")
FeatureScatter(object = pbmc_small, feature1 = 'CD9', feature2 = 'CD3E')
```

---

FilterSlideSeq

*Filter stray beads from Slide-seq puck*

---

**Description**

This function is useful for removing stray beads that fall outside the main Slide-seq puck area. Essentially, it's a circular filter where you set a center and radius defining a circle of beads to keep. If the center is not set, it will be estimated from the bead coordinates (removing the 1st and 99th quantile to avoid skewing the center by the stray beads). By default, this function will display a [SpatialDimPlot](#) showing which cells were removed for easy adjustment of the center and/or radius.

**Usage**

```
FilterSlideSeq(
  object,
  image = "image",
  center = NULL,
  radius = NULL,
  do.plot = TRUE
)
```

**Arguments**

object	Seurat object with slide-seq data
image	Name of the image where the coordinates are stored
center	Vector specifying the x and y coordinates for the center of the inclusion circle
radius	Radius of the circle of inclusion
do.plot	Display a <code>SpatialDimPlot</code> with the cells being removed labeled.

**Value**

Returns a Seurat object with only the subset of cells that pass the circular filter

**Examples**

```
## Not run:
# This example uses the ssHippo dataset which you can download
# using the SeuratData package.
library(SeuratData)
data('ssHippo')
# perform filtering of beads
ssHippo.filtered <- FilterSlideSeq(ssHippo, radius = 2300)
# This radius looks to small so increase and repeat until satisfied

## End(Not run)
```

---

FindAllMarkers

*Gene expression markers for all identity classes*


---

**Description**

Finds markers (differentially expressed genes) for each of the identity classes in a dataset

**Usage**

```
FindAllMarkers(
  object,
  assay = NULL,
  features = NULL,
  logfc.threshold = 0.25,
  test.use = "wilcox",
  slot = "data",
  min.pct = 0.1,
  min.diff.pct = -Inf,
  node = NULL,
  verbose = TRUE,
  only.pos = FALSE,
  max.cells.per.ident = Inf,
```

```

    random.seed = 1,
    latent.vars = NULL,
    min.cells.feature = 3,
    min.cells.group = 3,
    mean.fxn = NULL,
    fc.name = NULL,
    base = 2,
    return.thresh = 0.01,
    densify = FALSE,
    ...
)

```

### Arguments

object	An object
assay	Assay to use in differential expression testing
features	Genes to test. Default is to use all genes
logfc.threshold	Limit testing to genes which show, on average, at least X-fold difference (log-scale) between the two groups of cells. Default is 0.25 Increasing logfc.threshold speeds up the function, but can miss weaker signals.
test.use	Denotes which test to use. Available options are: <ul style="list-style-type: none"> <li>"wilcox" : Identifies differentially expressed genes between two groups of cells using a Wilcoxon Rank Sum test (default)</li> <li>"bimod" : Likelihood-ratio test for single cell gene expression, (McDavid et al., Bioinformatics, 2013)</li> <li>"roc" : Identifies 'markers' of gene expression using ROC analysis. For each gene, evaluates (using AUC) a classifier built on that gene alone, to classify between two groups of cells. An AUC value of 1 means that expression values for this gene alone can perfectly classify the two groupings (i.e. Each of the cells in cells.1 exhibit a higher level than each of the cells in cells.2). An AUC value of 0 also means there is perfect classification, but in the other direction. A value of 0.5 implies that the gene has no predictive power to classify the two groups. Returns a 'predictive power' (abs(AUC-0.5) * 2) ranked matrix of putative differentially expressed genes.</li> <li>"t" : Identify differentially expressed genes between two groups of cells using the Student's t-test.</li> <li>"negbinom" : Identifies differentially expressed genes between two groups of cells using a negative binomial generalized linear model. Use only for UMI-based datasets</li> <li>"poisson" : Identifies differentially expressed genes between two groups of cells using a poisson generalized linear model. Use only for UMI-based datasets</li> <li>"LR" : Uses a logistic regression framework to determine differentially expressed genes. Constructs a logistic regression model predicting group membership based on each feature individually and compares this to a null model with a likelihood ratio test.</li> </ul>

- "MAST" : Identifies differentially expressed genes between two groups of cells using a hurdle model tailored to scRNA-seq data. Utilizes the MAST package to run the DE testing.
- "DESeq2" : Identifies differentially expressed genes between two groups of cells based on a model using DESeq2 which uses a negative binomial distribution (Love et al, Genome Biology, 2014). This test does not support pre-filtering of genes based on average difference (or percent detection rate) between cell groups. However, genes may be pre-filtered based on their minimum detection rate (min.pct) across both cell groups. To use this method, please install DESeq2, using the instructions at <https://bioconductor.org/packages/release/bioc/html/DESeq2/>.

slot	Slot to pull data from; note that if test.use is "negbinom", "poisson", or "DESeq2", slot will be set to "counts"
min.pct	only test genes that are detected in a minimum fraction of min.pct cells in either of the two populations. Meant to speed up the function by not testing genes that are very infrequently expressed. Default is 0.1
min.diff.pct	only test genes that show a minimum difference in the fraction of detection between the two groups. Set to -Inf by default
node	A node to find markers for and all its children; requires <a href="#">BuildClusterTree</a> to have been run previously; replaces FindAllMarkersNode
verbose	Print a progress bar once expression testing begins
only.pos	Only return positive markers (FALSE by default)
max.cells.per.ident	Down sample each identity class to a max number. Default is no downsampling. Not activated by default (set to Inf)
random.seed	Random seed for downsampling
latent.vars	Variables to test, used only when test.use is one of 'LR', 'negbinom', 'poisson', or 'MAST'
min.cells.feature	Minimum number of cells expressing the feature in at least one of the two groups, currently only used for poisson and negative binomial tests
min.cells.group	Minimum number of cells in one of the groups
mean.fxn	Function to use for fold change or average difference calculation. If NULL, the appropriate function will be chose according to the slot used
fc.name	Name of the fold change, average difference, or custom function column in the output data.frame. If NULL, the fold change column will be named according to the logarithm base (eg, "avg_log2FC"), or if using the scale.data slot "avg_diff".
base	The base with respect to which logarithms are computed.
return.thresh	Only return markers that have a p-value < return.thresh, or a power > return.thresh (if the test is ROC)
densify	Convert the sparse matrix to a dense form before running the DE test. This can provide speedups but might require higher memory; default is FALSE
...	Arguments passed to other methods and to specific DE methods

**Value**

Matrix containing a ranked list of putative markers, and associated statistics (p-values, ROC score, etc.)

**Examples**

```
data("pbmc_small")
# Find markers for all clusters
all.markers <- FindAllMarkers(object = pbmc_small)
head(x = all.markers)
## Not run:
# Pass a value to node as a replacement for FindAllMarkersNode
pbmc_small <- BuildClusterTree(object = pbmc_small)
all.markers <- FindAllMarkers(object = pbmc_small, node = 4)
head(x = all.markers)

## End(Not run)
```

---

FindClusters

*Cluster Determination*

---

**Description**

Identify clusters of cells by a shared nearest neighbor (SNN) modularity optimization based clustering algorithm. First calculate k-nearest neighbors and construct the SNN graph. Then optimize the modularity function to determine clusters. For a full description of the algorithms, see Waltman and van Eck (2013) *The European Physical Journal B*. Thanks to Nigel Delaney (evolvedmicrobe@github) for the rewrite of the Java modularity optimizer code in Rcpp!

**Usage**

```
FindClusters(object, ...)
```

## Default S3 method:

```
FindClusters(
  object,
  modularity.fxn = 1,
  initial.membership = NULL,
  node.sizes = NULL,
  resolution = 0.8,
  method = "matrix",
  algorithm = 1,
  n.start = 10,
  n.iter = 10,
  random.seed = 0,
  group.singletons = TRUE,
  temp.file.location = NULL,
```

```

    edge.file.name = NULL,
    verbose = TRUE,
    ...
)

## S3 method for class 'Seurat'
FindClusters(
  object,
  graph.name = NULL,
  modularity.fxn = 1,
  initial.membership = NULL,
  node.sizes = NULL,
  resolution = 0.8,
  method = "matrix",
  algorithm = 1,
  n.start = 10,
  n.iter = 10,
  random.seed = 0,
  group.singletons = TRUE,
  temp.file.location = NULL,
  edge.file.name = NULL,
  verbose = TRUE,
  ...
)

```

### Arguments

object	An object
...	Arguments passed to other methods
modularity.fxn	Modularity function (1 = standard; 2 = alternative).
initial.membership, node.sizes	Parameters to pass to the Python leidenalg function.
resolution	Value of the resolution parameter, use a value above (below) 1.0 if you want to obtain a larger (smaller) number of communities.
method	Method for running leiden (defaults to matrix which is fast for small datasets). Enable method = "igraph" to avoid casting large data to a dense matrix.
algorithm	Algorithm for modularity optimization (1 = original Louvain algorithm; 2 = Louvain algorithm with multilevel refinement; 3 = SLM algorithm; 4 = Leiden algorithm). Leiden requires the leidenalg python.
n.start	Number of random starts.
n.iter	Maximal number of iterations per random start.
random.seed	Seed of the random number generator.
group.singletons	Group singletons into nearest cluster. If FALSE, assign all singletons to a "singleton" group



temp.file.location	Directory where intermediate files will be written. Specify the ABSOLUTE path.
edge.file.name	Edge file to use as input for modularity optimizer jar.
verbose	Print output
graph.name	Name of graph to use for the clustering algorithm

### Details

To run Leiden algorithm, you must first install the leidenalg python package (e.g. via pip install leidenalg), see Traag et al (2018).

### Value

Returns a Seurat object where the idents have been updated with new cluster info; latest clustering results will be stored in object metadata under 'seurat\_clusters'. Note that 'seurat\_clusters' will be overwritten everytime FindClusters is run

---

FindConservedMarkers *Finds markers that are conserved between the groups*

---

### Description

Finds markers that are conserved between the groups

### Usage

```
FindConservedMarkers(
  object,
  ident.1,
  ident.2 = NULL,
  grouping.var,
  assay = "RNA",
  slot = "data",
  min.cells.group = 3,
  meta.method = metap::minimump,
  verbose = TRUE,
  ...
)
```

### Arguments

object	An object
ident.1	Identity class to define markers for
ident.2	A second identity class for comparison. If NULL (default) - use all other cells for comparison.

grouping.var	grouping variable
assay	of assay to fetch data for (default is RNA)
slot	Slot to pull data from; note that if test.use is "negbinom", "poisson", or "DE-Seq2", slot will be set to "counts"
min.cells.group	Minimum number of cells in one of the groups
meta.method	method for combining p-values. Should be a function from the metap package (NOTE: pass the function, not a string)
verbose	Print a progress bar once expression testing begins
...	parameters to pass to FindMarkers

**Value**

data.frame containing a ranked list of putative conserved markers, and associated statistics (p-values within each group and a combined p-value (such as Fishers combined p-value or others from the metap package), percentage of cells expressing the marker, average differences). Name of group is appended to each associated output column (e.g. CTRL\_p\_val). If only one group is tested in the grouping.var, max and combined p-values are not returned.

**Examples**

```
## Not run:
data("pbmc_small")
pbmc_small
# Create a simulated grouping variable
pbmc_small[["groups"]] <- sample(x = c('g1', 'g2'), size = ncol(x = pbmc_small), replace = TRUE)
FindConservedMarkers(pbmc_small, ident.1 = 0, ident.2 = 1, grouping.var = "groups")

## End(Not run)
```

---

FindIntegrationAnchors

*Find integration anchors*

---

**Description**

Find a set of anchors between a list of [Seurat](#) objects. These anchors can later be used to integrate the objects using the [IntegrateData](#) function.

**Usage**

```
FindIntegrationAnchors(
  object.list = NULL,
  assay = NULL,
  reference = NULL,
```

```

anchor.features = 2000,
scale = TRUE,
normalization.method = c("LogNormalize", "SCT"),
sct.clip.range = NULL,
reduction = c("cca", "rpca", "rlsi"),
l2.norm = TRUE,
dims = 1:30,
k.anchor = 5,
k.filter = 200,
k.score = 30,
max.features = 200,
nn.method = "annoy",
n.trees = 50,
eps = 0,
verbose = TRUE
)

```

### Arguments

<code>object.list</code>	A list of <a href="#">Seurat</a> objects between which to find anchors for downstream integration.
<code>assay</code>	A vector of assay names specifying which assay to use when constructing anchors. If NULL, the current default assay for each object is used.
<code>reference</code>	A vector specifying the object/s to be used as a reference during integration. If NULL (default), all pairwise anchors are found (no reference/s). If not NULL, the corresponding objects in <code>object.list</code> will be used as references. When using a set of specified references, anchors are first found between each query and each reference. The references are then integrated through pairwise integration. Each query is then mapped to the integrated reference.
<code>anchor.features</code>	Can be either: <ul style="list-style-type: none"> <li>• A numeric value. This will call <a href="#">SelectIntegrationFeatures</a> to select the provided number of features to be used in anchor finding</li> <li>• A vector of features to be used as input to the anchor finding process</li> </ul>
<code>scale</code>	Whether or not to scale the features provided. Only set to FALSE if you have previously scaled the features you want to use for each object in the <code>object.list</code>
<code>normalization.method</code>	Name of normalization method used: <code>LogNormalize</code> or <code>SCT</code>
<code>sct.clip.range</code>	Numeric of length two specifying the min and max values the Pearson residual will be clipped to
<code>reduction</code>	Dimensional reduction to perform when finding anchors. Can be one of: <ul style="list-style-type: none"> <li>• <code>cca</code>: Canonical correlation analysis</li> <li>• <code>rpca</code>: Reciprocal PCA</li> <li>• <code>rlsi</code>: Reciprocal LSI</li> </ul>
<code>l2.norm</code>	Perform L2 normalization on the CCA cell embeddings after dimensional reduction

<code>dims</code>	Which dimensions to use from the CCA to specify the neighbor search space
<code>k.anchor</code>	How many neighbors (k) to use when picking anchors
<code>k.filter</code>	How many neighbors (k) to use when filtering anchors
<code>k.score</code>	How many neighbors (k) to use when scoring anchors
<code>max.features</code>	The maximum number of features to use when specifying the neighborhood search space in the anchor filtering
<code>nn.method</code>	Method for nearest neighbor finding. Options include: rann, annoy
<code>n.trees</code>	More trees gives higher precision when using annoy approximate nearest neighbor search
<code>eps</code>	Error bound on the neighbor finding algorithm (from RANN/Annoy)
<code>verbose</code>	Print progress bars and output

### Details

The main steps of this procedure are outlined below. For a more detailed description of the methodology, please see Stuart, Butler, et al Cell 2019: doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031); doi: [10.1101/460147](https://doi.org/10.1101/460147)

First, determine `anchor.features` if not explicitly specified using [SelectIntegrationFeatures](#). Then for all pairwise combinations of reference and query datasets:

- Perform dimensional reduction on the dataset pair as specified via the `reduction` parameter. If `l2.norm` is set to `TRUE`, perform L2 normalization of the embedding vectors.
- Identify anchors - pairs of cells from each dataset that are contained within each other's neighborhoods (also known as mutual nearest neighbors).
- Filter low confidence anchors to ensure anchors in the low dimension space are in broad agreement with the high dimensional measurements. This is done by looking at the neighbors of each query cell in the reference dataset using `max.features` to define this space. If the reference cell isn't found within the first `k.filter` neighbors, remove the anchor.
- Assign each remaining anchor a score. For each anchor cell, determine the nearest `k.score` anchors within its own dataset and within its pair's dataset. Based on these neighborhoods, construct an overall neighbor graph and then compute the shared neighbor overlap between anchor and query cells (analogous to an SNN graph). We use the 0.01 and 0.90 quantiles on these scores to dampen outlier effects and rescale to range between 0-1.

### Value

Returns an [AnchorSet](#) object that can be used as input to [IntegrateData](#).

### References

Stuart T, Butler A, et al. Comprehensive Integration of Single-Cell Data. Cell. 2019;177:1888-1902 doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031)

**Examples**

```
## Not run:
# to install the SeuratData package see https://github.com/satijalab/seurat-data
library(SeuratData)
data("panc8")

# panc8 is a merged Seurat object containing 8 separate pancreas datasets
# split the object by dataset
pancreas.list <- SplitObject(panc8, split.by = "tech")

# perform standard preprocessing on each object
for (i in 1:length(pancreas.list)) {
  pancreas.list[[i]] <- NormalizeData(pancreas.list[[i]], verbose = FALSE)
  pancreas.list[[i]] <- FindVariableFeatures(
    pancreas.list[[i]], selection.method = "vst",
    nfeatures = 2000, verbose = FALSE
  )
}

# find anchors
anchors <- FindIntegrationAnchors(object.list = pancreas.list)

# integrate data
integrated <- IntegrateData(anchorset = anchors)

## End(Not run)
```

---

FindMarkers

*Gene expression markers of identity classes*

---

**Description**

Finds markers (differentially expressed genes) for identity classes

**Usage**

```
FindMarkers(object, ...)
```

## Default S3 method:

```
FindMarkers(
  object,
  slot = "data",
  counts = numeric(),
  cells.1 = NULL,
  cells.2 = NULL,
  features = NULL,
  logfc.threshold = 0.25,
  test.use = "wilcox",
```

```
min.pct = 0.1,
min.diff.pct = -Inf,
verbose = TRUE,
only.pos = FALSE,
max.cells.per.ident = Inf,
random.seed = 1,
latent.vars = NULL,
min.cells.feature = 3,
min.cells.group = 3,
pseudocount.use = 1,
fc.results = NULL,
densify = FALSE,
...
)

## S3 method for class 'Assay'
FindMarkers(
  object,
  slot = "data",
  cells.1 = NULL,
  cells.2 = NULL,
  features = NULL,
  logfc.threshold = 0.25,
  test.use = "wilcox",
  min.pct = 0.1,
  min.diff.pct = -Inf,
  verbose = TRUE,
  only.pos = FALSE,
  max.cells.per.ident = Inf,
  random.seed = 1,
  latent.vars = NULL,
  min.cells.feature = 3,
  min.cells.group = 3,
  pseudocount.use = 1,
  mean.fxn = NULL,
  fc.name = NULL,
  base = 2,
  densify = FALSE,
  norm.method = NULL,
  ...
)

## S3 method for class 'SCTAssay'
FindMarkers(
  object,
  slot = "data",
  cells.1 = NULL,
  cells.2 = NULL,
```

```
features = NULL,
logfc.threshold = 0.25,
test.use = "wilcox",
min.pct = 0.1,
min.diff.pct = -Inf,
verbose = TRUE,
only.pos = FALSE,
max.cells.per.ident = Inf,
random.seed = 1,
latent.vars = NULL,
min.cells.feature = 3,
min.cells.group = 3,
pseudocount.use = 1,
mean.fxn = NULL,
fc.name = NULL,
base = 2,
densify = FALSE,
recorrect_umi = TRUE,
...
)

## S3 method for class 'DimReduc'
FindMarkers(
  object,
  cells.1 = NULL,
  cells.2 = NULL,
  features = NULL,
  logfc.threshold = 0.25,
  test.use = "wilcox",
  min.pct = 0.1,
  min.diff.pct = -Inf,
  verbose = TRUE,
  only.pos = FALSE,
  max.cells.per.ident = Inf,
  random.seed = 1,
  latent.vars = NULL,
  min.cells.feature = 3,
  min.cells.group = 3,
  pseudocount.use = 1,
  mean.fxn = rowMeans,
  fc.name = NULL,
  densify = FALSE,
  ...
)

## S3 method for class 'Seurat'
FindMarkers(
  object,
```

```

ident.1 = NULL,
ident.2 = NULL,
group.by = NULL,
subset.ident = NULL,
assay = NULL,
slot = "data",
reduction = NULL,
features = NULL,
logfc.threshold = 0.25,
test.use = "wilcox",
min.pct = 0.1,
min.diff.pct = -Inf,
verbose = TRUE,
only.pos = FALSE,
max.cells.per.ident = Inf,
random.seed = 1,
latent.vars = NULL,
min.cells.feature = 3,
min.cells.group = 3,
mean.fxn = NULL,
fc.name = NULL,
base = 2,
densify = FALSE,
...
)

```

### Arguments

object	An object
...	Arguments passed to other methods and to specific DE methods
slot	Slot to pull data from; note that if test.use is "negbinom", "poisson", or "DE-Seq2", slot will be set to "counts"
counts	Count matrix if using scale.data for DE tests. This is used for computing pct.1 and pct.2 and for filtering features based on fraction expressing
cells.1	Vector of cell names belonging to group 1
cells.2	Vector of cell names belonging to group 2
features	Genes to test. Default is to use all genes
logfc.threshold	Limit testing to genes which show, on average, at least X-fold difference (log-scale) between the two groups of cells. Default is 0.25 Increasing logfc.threshold speeds up the function, but can miss weaker signals.
test.use	Denotes which test to use. Available options are: <ul style="list-style-type: none"> <li>"wilcox" : Identifies differentially expressed genes between two groups of cells using a Wilcoxon Rank Sum test (default)</li> <li>"bimod" : Likelihood-ratio test for single cell gene expression, (McDavid et al., Bioinformatics, 2013)</li> </ul>



- "roc" : Identifies 'markers' of gene expression using ROC analysis. For each gene, evaluates (using AUC) a classifier built on that gene alone, to classify between two groups of cells. An AUC value of 1 means that expression values for this gene alone can perfectly classify the two groupings (i.e. Each of the cells in cells.1 exhibit a higher level than each of the cells in cells.2). An AUC value of 0 also means there is perfect classification, but in the other direction. A value of 0.5 implies that the gene has no predictive power to classify the two groups. Returns a 'predictive power'  $(\text{abs}(\text{AUC} - 0.5) * 2)$  ranked matrix of putative differentially expressed genes.
- "t" : Identify differentially expressed genes between two groups of cells using the Student's t-test.
- "negbinom" : Identifies differentially expressed genes between two groups of cells using a negative binomial generalized linear model. Use only for UMI-based datasets
- "poisson" : Identifies differentially expressed genes between two groups of cells using a poisson generalized linear model. Use only for UMI-based datasets
- "LR" : Uses a logistic regression framework to determine differentially expressed genes. Constructs a logistic regression model predicting group membership based on each feature individually and compares this to a null model with a likelihood ratio test.
- "MAST" : Identifies differentially expressed genes between two groups of cells using a hurdle model tailored to scRNA-seq data. Utilizes the MAST package to run the DE testing.
- "DESeq2" : Identifies differentially expressed genes between two groups of cells based on a model using DESeq2 which uses a negative binomial distribution (Love et al, Genome Biology, 2014). This test does not support pre-filtering of genes based on average difference (or percent detection rate) between cell groups. However, genes may be pre-filtered based on their minimum detection rate (min.pct) across both cell groups. To use this method, please install DESeq2, using the instructions at <https://bioconductor.org/packages/release/bioc/html/DESeq2/>

min.pct	only test genes that are detected in a minimum fraction of min.pct cells in either of the two populations. Meant to speed up the function by not testing genes that are very infrequently expressed. Default is 0.1
min.diff.pct	only test genes that show a minimum difference in the fraction of detection between the two groups. Set to -Inf by default
verbose	Print a progress bar once expression testing begins
only.pos	Only return positive markers (FALSE by default)
max.cells.per.ident	Down sample each identity class to a max number. Default is no downsampling. Not activated by default (set to Inf)
random.seed	Random seed for downsampling
latent.vars	Variables to test, used only when test.use is one of 'LR', 'negbinom', 'poisson', or 'MAST'
min.cells.feature	Minimum number of cells expressing the feature in at least one of the two groups, currently only used for poisson and negative binomial tests

<code>min.cells.group</code>	Minimum number of cells in one of the groups
<code>pseudocount.use</code>	Pseudocount to add to averaged expression values when calculating logFC. 1 by default.
<code>fc.results</code>	data.frame from FoldChange
<code>densify</code>	Convert the sparse matrix to a dense form before running the DE test. This can provide speedups but might require higher memory; default is FALSE
<code>mean.fxn</code>	Function to use for fold change or average difference calculation. If NULL, the appropriate function will be chose according to the slot used
<code>fc.name</code>	Name of the fold change, average difference, or custom function column in the output data.frame. If NULL, the fold change column will be named according to the logarithm base (eg, "avg_log2FC"), or if using the scale.data slot "avg_diff".
<code>base</code>	The base with respect to which logarithms are computed.
<code>norm.method</code>	Normalization method for fold change calculation when slot is "data"
<code>recorrect_umi</code>	Recalculate corrected UMI counts using minimum of the median UMIs when performing DE using multiple SCT objects; default is TRUE
<code>ident.1</code>	Identity class to define markers for; pass an object of class <code>phylo</code> or <code>'clustertree'</code> to find markers for a node in a cluster tree; passing <code>'clustertree'</code> requires <a href="#">BuildClusterTree</a> to have been run
<code>ident.2</code>	A second identity class for comparison; if NULL, use all other cells for comparison; if an object of class <code>phylo</code> or <code>'clustertree'</code> is passed to <code>ident.1</code> , must pass a node to find markers for
<code>group.by</code>	Regroup cells into a different identity class prior to performing differential expression (see example)
<code>subset.ident</code>	Subset a particular identity class prior to regrouping. Only relevant if <code>group.by</code> is set (see example)
<code>assay</code>	Assay to use in differential expression testing
<code>reduction</code>	Reduction to use in differential expression testing - will test for DE on cell embeddings

### Details

p-value adjustment is performed using bonferroni correction based on the total number of genes in the dataset. Other correction methods are not recommended, as Seurat pre-filters genes using the arguments above, reducing the number of tests performed. Lastly, as Aaron Lun has pointed out, p-values should be interpreted cautiously, as the genes used for clustering are the same genes tested for differential expression.

### Value

data.frame with a ranked list of putative markers as rows, and associated statistics as columns (p-values, ROC score, etc., depending on the test used (`test.use`)). The following columns are always present:

- `avg_logFC`: log fold-change of the average expression between the two groups. Positive values indicate that the gene is more highly expressed in the first group
- `pct.1`: The percentage of cells where the gene is detected in the first group
- `pct.2`: The percentage of cells where the gene is detected in the second group
- `p_val_adj`: Adjusted p-value, based on bonferroni correction using all genes in the dataset

## References

McDavid A, Finak G, Chattopadhyay PK, et al. Data exploration, quality control and testing in single-cell qPCR-based gene expression experiments. *Bioinformatics*. 2013;29(4):461-467. doi:10.1093/bioinformatics/bts7

Trapnell C, et al. The dynamics and regulators of cell fate decisions are revealed by pseudotemporal ordering of single cells. *Nature Biotechnology* volume 32, pages 381-386 (2014)

Andrew McDavid, Greg Finak and Masanao Yajima (2017). MAST: Model-based Analysis of Single Cell Transcriptomics. R package version 1.2.1. <https://github.com/RGLab/MAST/>

Love MI, Huber W and Anders S (2014). "Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2." *Genome Biology*. <https://bioconductor.org/packages/release/bioc/html/DESeq2.html>

## See Also

FoldChange

## Examples

```
data("pbmc_small")
# Find markers for cluster 2
markers <- FindMarkers(object = pbmc_small, ident.1 = 2)
head(x = markers)

# Take all cells in cluster 2, and find markers that separate cells in the 'g1' group (metadata
# variable 'group')
markers <- FindMarkers(pbmc_small, ident.1 = "g1", group.by = 'groups', subset.ident = "2")
head(x = markers)

# Pass 'clustertree' or an object of class phylo to ident.1 and
# a node to ident.2 as a replacement for FindMarkersNode
if (requireNamespace("ape", quietly = TRUE)) {
  pbmc_small <- BuildClusterTree(object = pbmc_small)
  markers <- FindMarkers(object = pbmc_small, ident.1 = 'clustertree', ident.2 = 5)
  head(x = markers)
}
```

---

FindMultiModalNeighbors

*Construct weighted nearest neighbor graph*


---

### Description

This function will construct a weighted nearest neighbor (WNN) graph. For each cell, we identify the nearest neighbors based on a weighted combination of two modalities. Takes as input two dimensional reductions, one computed for each modality. Other parameters are listed for debugging, but can be left as default values.

### Usage

```
FindMultiModalNeighbors(
  object,
  reduction.list,
  dims.list,
  k.nn = 20,
  l2.norm = TRUE,
  knn.graph.name = "wknn",
  snn.graph.name = "wsnn",
  weighted.nn.name = "weighted.nn",
  modality.weight.name = NULL,
  knn.range = 200,
  prune.SNN = 1/15,
  sd.scale = 1,
  cross.contant.list = NULL,
  smooth = FALSE,
  return.intermediate = FALSE,
  modality.weight = NULL,
  verbose = TRUE
)
```

### Arguments

object	A Seurat object
reduction.list	A list of two dimensional reductions, one for each of the modalities to be integrated
dims.list	A list containing the dimensions for each reduction to use
k.nn	the number of multimodal neighbors to compute. 20 by default
l2.norm	Perform L2 normalization on the cell embeddings after dimensional reduction. TRUE by default.
knn.graph.name	Multimodal knn graph name
snn.graph.name	Multimodal snn graph name

<code>weighted.nn.name</code>	Multimodal neighbor object name
<code>modality.weight.name</code>	Variable name to store modality weight in object meta data
<code>knn.range</code>	The number of approximate neighbors to compute
<code>prune.SNN</code>	Cutoff not to discard edge in SNN graph
<code>sd.scale</code>	The scaling factor for kernel width. 1 by default
<code>cross.contant.list</code>	Constant used to avoid divide-by-zero errors. 1e-4 by default
<code>smooth</code>	Smoothing modality score across each individual modality neighbors. FALSE by default
<code>return.intermediate</code>	Store intermediate results in misc
<code>modality.weight</code>	A <code>ModalityWeights</code> object generated by <code>FindModalityWeights</code>
<code>verbose</code>	Print progress bars and output

**Value**

Seurat object containing a nearest-neighbor object, KNN graph, and SNN graph - each based on a weighted combination of modalities.

---

`FindNeighbors`                      *(Shared) Nearest-neighbor graph construction*

---

**Description**

Computes the `k.param` nearest neighbors for a given dataset. Can also optionally (via `compute.SNN`), construct a shared nearest neighbor graph by calculating the neighborhood overlap (Jaccard index) between every cell and its `k.param` nearest neighbors.

**Usage**

```
FindNeighbors(object, ...)

## Default S3 method:
FindNeighbors(
  object,
  query = NULL,
  distance.matrix = FALSE,
  k.param = 20,
  return.neighbor = FALSE,
  compute.SNN = !return.neighbor,
  prune.SNN = 1/15,
  nn.method = "annoy",
```

```
n.trees = 50,
annoy.metric = "euclidean",
nn.eps = 0,
verbose = TRUE,
force.recalc = FALSE,
l2.norm = FALSE,
cache.index = FALSE,
index = NULL,
...
)

## S3 method for class 'Assay'
FindNeighbors(
  object,
  features = NULL,
  k.param = 20,
  return.neighbor = FALSE,
  compute.SNN = !return.neighbor,
  prune.SNN = 1/15,
  nn.method = "annoy",
  n.trees = 50,
  annoy.metric = "euclidean",
  nn.eps = 0,
  verbose = TRUE,
  force.recalc = FALSE,
  l2.norm = FALSE,
  cache.index = FALSE,
  ...
)

## S3 method for class 'dist'
FindNeighbors(
  object,
  k.param = 20,
  return.neighbor = FALSE,
  compute.SNN = !return.neighbor,
  prune.SNN = 1/15,
  nn.method = "annoy",
  n.trees = 50,
  annoy.metric = "euclidean",
  nn.eps = 0,
  verbose = TRUE,
  force.recalc = FALSE,
  l2.norm = FALSE,
  cache.index = FALSE,
  ...
)
```

```

## S3 method for class 'Seurat'
FindNeighbors(
  object,
  reduction = "pca",
  dims = 1:10,
  assay = NULL,
  features = NULL,
  k.param = 20,
  return.neighbor = FALSE,
  compute.SNN = !return.neighbor,
  prune.SNN = 1/15,
  nn.method = "annoy",
  n.trees = 50,
  annoy.metric = "euclidean",
  nn.eps = 0,
  verbose = TRUE,
  force.recalc = FALSE,
  do.plot = FALSE,
  graph.name = NULL,
  l2.norm = FALSE,
  cache.index = FALSE,
  ...
)

```

### Arguments

<code>object</code>	An object
<code>...</code>	Arguments passed to other methods
<code>query</code>	Matrix of data to query against object. If missing, defaults to object.
<code>distance.matrix</code>	Boolean value of whether the provided matrix is a distance matrix; note, for objects of class <code>dist</code> , this parameter will be set automatically
<code>k.param</code>	Defines <code>k</code> for the <code>k</code> -nearest neighbor algorithm
<code>return.neighbor</code>	Return result as <code>Neighbor</code> object. Not used with distance matrix input.
<code>compute.SNN</code>	also compute the shared nearest neighbor graph
<code>prune.SNN</code>	Sets the cutoff for acceptable Jaccard index when computing the neighborhood overlap for the SNN construction. Any edges with values less than or equal to this will be set to 0 and removed from the SNN graph. Essentially sets the stringency of pruning (0 — no pruning, 1 — prune everything).
<code>nn.method</code>	Method for nearest neighbor finding. Options include: <code>rann</code> , <code>annoy</code>
<code>n.trees</code>	More trees gives higher precision when using <code>annoy</code> approximate nearest neighbor search
<code>annoy.metric</code>	Distance metric for <code>annoy</code> . Options include: <code>euclidean</code> , <code>cosine</code> , <code>manhattan</code> , and <code>hamming</code>

<code>nn.eps</code>	Error bound when performing nearest neighbor search using RANN; default of 0.0 implies exact nearest neighbor search
<code>verbose</code>	Whether or not to print output to the console
<code>force.recalc</code>	Force recalculation of (S)NN.
<code>l2.norm</code>	Take L2Norm of the data
<code>cache.index</code>	Include cached index in returned Neighbor object (only relevant if <code>return.neighbor = TRUE</code> )
<code>index</code>	Precomputed index. Useful if querying new data against existing index to avoid recomputing.
<code>features</code>	Features to use as input for building the (S)NN; used only when <code>dims</code> is NULL
<code>reduction</code>	Reduction to use as input for building the (S)NN
<code>dims</code>	Dimensions of reduction to use as input
<code>assay</code>	Assay to use in construction of (S)NN; used only when <code>dims</code> is NULL
<code>do.plot</code>	Plot SNN graph on tSNE coordinates
<code>graph.name</code>	Optional naming parameter for stored (S)NN graph (or Neighbor object, if <code>return.neighbor = TRUE</code> ). Default is <code>assay.name_(s)nn</code> . To store both the neighbor graph and the shared nearest neighbor (SNN) graph, you must supply a vector containing two names to the <code>graph.name</code> parameter. The first element in the vector will be used to store the nearest neighbor (NN) graph, and the second element will be used to store the SNN graph. If only one name is supplied, only the NN graph is stored.

### Value

This function can either return a [Neighbor](#) object with the KNN information or a list of [Graph](#) objects with the KNN and SNN depending on the settings of `return.neighbor` and `compute.SNN`. When running on a [Seurat](#) object, this returns the [Seurat](#) object with the [Graphs](#) or [Neighbor](#) objects stored in their respective slots. Names of the [Graph](#) or [Neighbor](#) object can be found with [Graphs](#) or [Neighbors](#).

### Examples

```
data("pbmc_small")
pbmc_small
# Compute an SNN on the gene expression level
pbmc_small <- FindNeighbors(pbmc_small, features = VariableFeatures(object = pbmc_small))

# More commonly, we build the SNN on a dimensionally reduced form of the data
# such as the first 10 principle components.

pbmc_small <- FindNeighbors(pbmc_small, reduction = "pca", dims = 1:10)
```



---

FindSpatiallyVariableFeatures  
*Find spatially variable features*

---

## Description

Identify features whose variability in expression can be explained to some degree by spatial location.

## Usage

```
FindSpatiallyVariableFeatures(object, ...)  
  
## Default S3 method:  
FindSpatiallyVariableFeatures(  
  object,  
  spatial.location,  
  selection.method = c("markvariogram", "moransi"),  
  r.metric = 5,  
  x.cuts = NULL,  
  y.cuts = NULL,  
  verbose = TRUE,  
  ...  
)  
  
## S3 method for class 'Assay'  
FindSpatiallyVariableFeatures(  
  object,  
  slot = "scale.data",  
  spatial.location,  
  selection.method = c("markvariogram", "moransi"),  
  features = NULL,  
  r.metric = 5,  
  x.cuts = NULL,  
  y.cuts = NULL,  
  nfeatures = nfeatures,  
  verbose = TRUE,  
  ...  
)  
  
## S3 method for class 'Seurat'  
FindSpatiallyVariableFeatures(  
  object,  
  assay = NULL,  
  slot = "scale.data",  
  features = NULL,  
  image = NULL,  
  selection.method = c("markvariogram", "moransi"),
```

```

    r.metric = 5,
    x.cuts = NULL,
    y.cuts = NULL,
    nfeatures = 2000,
    verbose = TRUE,
    ...
)

```

### Arguments

<code>object</code>	A Seurat object, assay, or expression matrix
<code>...</code>	Arguments passed to other methods
<code>spatial.location</code>	Coordinates for each cell/spot/bead
<code>selection.method</code>	Method for selecting spatially variable features. <ul style="list-style-type: none"> <li>• <code>markvariogram</code>: See <a href="#">RunMarkVario</a> for details</li> <li>• <code>moransi</code>: See <a href="#">RunMoransI</a> for details.</li> </ul>
<code>r.metric</code>	r value at which to report the "trans" value of the mark variogram
<code>x.cuts</code>	Number of divisions to make in the x direction, helps define the grid over which binning is performed
<code>y.cuts</code>	Number of divisions to make in the y direction, helps define the grid over which binning is performed
<code>verbose</code>	Print messages and progress
<code>slot</code>	Slot in the Assay to pull data from
<code>features</code>	If provided, only compute on given features. Otherwise, compute for all features.
<code>nfeatures</code>	Number of features to mark as the top spatially variable.
<code>assay</code>	Assay to pull the features (marks) from
<code>image</code>	Name of image to pull the coordinates from

---

FindSubCluster

*Find subclusters under one cluster*


---

### Description

Find subclusters under one cluster

**Usage**

```
FindSubCluster(
  object,
  cluster,
  graph.name,
  subcluster.name = "sub.cluster",
  resolution = 0.5,
  algorithm = 1
)
```

**Arguments**

object	An object
cluster	the cluster to be sub-clustered
graph.name	Name of graph to use for the clustering algorithm
subcluster.name	the name of sub cluster added in the meta.data
resolution	Value of the resolution parameter, use a value above (below) 1.0 if you want to obtain a larger (smaller) number of communities.
algorithm	Algorithm for modularity optimization (1 = original Louvain algorithm; 2 = Louvain algorithm with multilevel refinement; 3 = SLM algorithm; 4 = Leiden algorithm). Leiden requires the leidenalg python.

**Value**

return a object with sub cluster labels in the sub-cluster.name variable

---

FindTransferAnchors    *Find transfer anchors*

---

**Description**

Find a set of anchors between a reference and query object. These anchors can later be used to transfer data from the reference to query object using the [TransferData](#) object.

**Usage**

```
FindTransferAnchors(
  reference,
  query,
  normalization.method = "LogNormalize",
  recompute.residuals = TRUE,
  reference.assay = NULL,
  reference.neighbors = NULL,
  query.assay = NULL,
```

```

reduction = "pcaproject",
reference.reduction = NULL,
project.query = FALSE,
features = NULL,
scale = TRUE,
npcs = 30,
l2.norm = TRUE,
dims = 1:30,
k.anchor = 5,
k.filter = 200,
k.score = 30,
max.features = 200,
nn.method = "annoy",
n.trees = 50,
eps = 0,
approx.pca = TRUE,
mapping.score.k = NULL,
verbose = TRUE
)

```

### Arguments

reference	<a href="#">Seurat</a> object to use as the reference
query	<a href="#">Seurat</a> object to use as the query
normalization.method	Name of normalization method used: LogNormalize or SCT.
recompute.residuals	If using SCT as a normalization method, compute query Pearson residuals using the reference SCT model parameters.
reference.assay	Name of the Assay to use from reference
reference.neighbors	Name of the Neighbor to use from the reference. Optionally enables reuse of precomputed neighbors.
query.assay	Name of the Assay to use from query
reduction	Dimensional reduction to perform when finding anchors. Options are: <ul style="list-style-type: none"> <li>• <code>pcaproject</code>: Project the PCA from the reference onto the query. We recommend using PCA when reference and query datasets are from scRNA-seq</li> <li>• <code>lsiproject</code>: Project the LSI from the reference onto the query. We recommend using LSI when reference and query datasets are from scATAC-seq. This requires that LSI has been computed for the reference dataset, and the same features (eg, peaks or genome bins) are present in both the reference and query. See <a href="#">RunTFIDF</a> and <a href="#">RunSVD</a></li> <li>• <code>rpca</code>: Project the PCA from the reference onto the query, and the PCA from the query onto the reference (reciprocal PCA projection).</li> <li>• <code>cca</code>: Run a CCA on the reference and query</li> </ul>

<code>reference.reduction</code>	Name of dimensional reduction to use from the reference if running the pcaproject workflow. Optionally enables reuse of precomputed reference dimensional reduction. If NULL (default), use a PCA computed on the reference object.
<code>project.query</code>	Project the PCA from the query dataset onto the reference. Use only in rare cases where the query dataset has a much larger cell number, but the reference dataset has a unique assay for transfer. In this case, the default features will be set to the variable features of the query object that are also present in the reference.
<code>features</code>	Features to use for dimensional reduction. If not specified, set as variable features of the reference object which are also present in the query.
<code>scale</code>	Scale query data.
<code>npcs</code>	Number of PCs to compute on reference if <code>reference.reduction</code> is not provided.
<code>l2.norm</code>	Perform L2 normalization on the cell embeddings after dimensional reduction
<code>dims</code>	Which dimensions to use from the reduction to specify the neighbor search space
<code>k.anchor</code>	How many neighbors (k) to use when finding anchors
<code>k.filter</code>	How many neighbors (k) to use when filtering anchors. Set to NA to turn off filtering.
<code>k.score</code>	How many neighbors (k) to use when scoring anchors
<code>max.features</code>	The maximum number of features to use when specifying the neighborhood search space in the anchor filtering
<code>nn.method</code>	Method for nearest neighbor finding. Options include: rann, annoy
<code>n.trees</code>	More trees gives higher precision when using annoy approximate nearest neighbor search
<code>eps</code>	Error bound on the neighbor finding algorithm (from RANN or RcppAnnoy)
<code>approx.pca</code>	Use truncated singular value decomposition to approximate PCA
<code>mapping.score.k</code>	Compute and store nearest k query neighbors in the AnchorSet object that is returned. You can optionally set this if you plan on computing the mapping score and want to enable reuse of some downstream neighbor calculations to make the mapping score function more efficient.
<code>verbose</code>	Print progress bars and output

## Details

The main steps of this procedure are outlined below. For a more detailed description of the methodology, please see Stuart, Butler, et al Cell 2019. doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031); doi: [10.1101/460147](https://doi.org/10.1101/460147)

- Perform dimensional reduction. Exactly what is done here depends on the values set for the reduction and `project.query` parameters. If `reduction = "pcaproject"`, a PCA is performed on either the reference (if `project.query = FALSE`) or the query (if `project.query = TRUE`), using the features specified. The data from the other dataset is then projected onto this learned PCA structure. If `reduction = "cca"`, then CCA is performed on the reference

and query for this dimensional reduction step. If `reduction = "lsiproject"`, the stored LSI dimension reduction in the reference object is used to project the query dataset onto the reference. If `l2.norm` is set to `TRUE`, perform L2 normalization of the embedding vectors.

- Identify anchors between the reference and query - pairs of cells from each dataset that are contained within each other's neighborhoods (also known as mutual nearest neighbors).
- Filter low confidence anchors to ensure anchors in the low dimension space are in broad agreement with the high dimensional measurements. This is done by looking at the neighbors of each query cell in the reference dataset using `max.features` to define this space. If the reference cell isn't found within the first `k.filter` neighbors, remove the anchor.
- Assign each remaining anchor a score. For each anchor cell, determine the nearest `k.score` anchors within its own dataset and within its pair's dataset. Based on these neighborhoods, construct an overall neighbor graph and then compute the shared neighbor overlap between anchor and query cells (analogous to an SNN graph). We use the 0.01 and 0.90 quantiles on these scores to dampen outlier effects and rescale to range between 0-1.

### Value

Returns an `AnchorSet` object that can be used as input to `TransferData`, `IntegrateEmbeddings` and `MapQuery`. The dimension reduction used for finding anchors is stored in the `AnchorSet` object and can be used for computing anchor weights in downstream functions. Note that only the requested dimensions are stored in the dimension reduction object in the `AnchorSet`. This means that if `dims=2:20` is used, for example, the dimension of the stored reduction is `1:19`.

### References

Stuart T, Butler A, et al. Comprehensive Integration of Single-Cell Data. *Cell*. 2019;177:1888-1902 doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031);

### Examples

```
## Not run:
# to install the SeuratData package see https://github.com/satijalab/seurat-data
library(SeuratData)
data("pbmc3k")

# for demonstration, split the object into reference and query
pbmc.reference <- pbmc3k[, 1:1350]
pbmc.query <- pbmc3k[, 1351:2700]

# perform standard preprocessing on each object
pbmc.reference <- NormalizeData(pbmc.reference)
pbmc.reference <- FindVariableFeatures(pbmc.reference)
pbmc.reference <- ScaleData(pbmc.reference)

pbmc.query <- NormalizeData(pbmc.query)
pbmc.query <- FindVariableFeatures(pbmc.query)
pbmc.query <- ScaleData(pbmc.query)

# find anchors
anchors <- FindTransferAnchors(reference = pbmc.reference, query = pbmc.query)
```

```
# transfer labels
predictions <- TransferData(
  anchorset = anchors,
  refdata = pbmc.reference$seurat_annotatons
)
pbmc.query <- AddMetaData(object = pbmc.query, metadata = predictions)

## End(Not run)
```

---

FindVariableFeatures *Find variable features*

---

### Description

Identifies features that are outliers on a 'mean variability plot'.

### Usage

```
FindVariableFeatures(object, ...)
```

## Default S3 method:

```
FindVariableFeatures(
  object,
  selection.method = "vst",
  loess.span = 0.3,
  clip.max = "auto",
  mean.function = FastExpMean,
  dispersion.function = FastLogVMR,
  num.bin = 20,
  binning.method = "equal_width",
  verbose = TRUE,
  ...
)
```

## S3 method for class 'Assay'

```
FindVariableFeatures(
  object,
  selection.method = "vst",
  loess.span = 0.3,
  clip.max = "auto",
  mean.function = FastExpMean,
  dispersion.function = FastLogVMR,
  num.bin = 20,
  binning.method = "equal_width",
  nfeatures = 2000,
  mean.cutoff = c(0.1, 8),
```

```

    dispersion.cutoff = c(1, Inf),
    verbose = TRUE,
    ...
)

## S3 method for class 'SCTAssay'
FindVariableFeatures(object, nfeatures = 2000, ...)

## S3 method for class 'Seurat'
FindVariableFeatures(
  object,
  assay = NULL,
  selection.method = "vst",
  loess.span = 0.3,
  clip.max = "auto",
  mean.function = FastExpMean,
  dispersion.function = FastLogVMR,
  num.bin = 20,
  binning.method = "equal_width",
  nfeatures = 2000,
  mean.cutoff = c(0.1, 8),
  dispersion.cutoff = c(1, Inf),
  verbose = TRUE,
  ...
)

```

## Arguments

object	An object
...	Arguments passed to other methods
selection.method	How to choose top variable features. Choose one of : <ul style="list-style-type: none"> <li>• vst: First, fits a line to the relationship of log(variance) and log(mean) using local polynomial regression (loess). Then standardizes the feature values using the observed mean and expected variance (given by the fitted line). Feature variance is then calculated on the standardized values after clipping to a maximum (see clip.max parameter).</li> <li>• mean.var.plot (mvp): First, uses a function to calculate average expression (mean.function) and dispersion (dispersion.function) for each feature. Next, divides features into num.bin (default 20) bins based on their average expression, and calculates z-scores for dispersion within each bin. The purpose of this is to identify variable features while controlling for the strong relationship between variability and average expression.</li> <li>• dispersion (disp): selects the genes with the highest dispersion values</li> </ul>
loess.span	(vst method) Loess span parameter used when fitting the variance-mean relationship



<code>clip.max</code>	(vst method) After standardization values larger than <code>clip.max</code> will be set to <code>clip.max</code> ; default is 'auto' which sets this value to the square root of the number of cells
<code>mean.function</code>	Function to compute x-axis value (average expression). Default is to take the mean of the detected (i.e. non-zero) values
<code>dispersion.function</code>	Function to compute y-axis value (dispersion). Default is to take the standard deviation of all values
<code>num.bin</code>	Total number of bins to use in the scaled analysis (default is 20)
<code>binning.method</code>	Specifies how the bins should be computed. Available methods are: <ul style="list-style-type: none"> <li>• <code>equal_width</code>: each bin is of equal width along the x-axis [default]</li> <li>• <code>equal_frequency</code>: each bin contains an equal number of features (can increase statistical power to detect overdispersed features at high expression values, at the cost of reduced resolution along the x-axis)</li> </ul>
<code>verbose</code>	show progress bar for calculations
<code>nfeatures</code>	Number of features to select as top variable features; only used when <code>selection.method</code> is set to 'dispersion' or 'vst'
<code>mean.cutoff</code>	A two-length numeric vector with low- and high-cutoffs for feature means
<code>dispersion.cutoff</code>	A two-length numeric vector with low- and high-cutoffs for feature dispersions
<code>assay</code>	Assay to use

## Details

For the `mean.var.plot` method: Exact parameter settings may vary empirically from dataset to dataset, and based on visual inspection of the plot. Setting the `y.cutoff` parameter to 2 identifies features that are more than two standard deviations away from the average dispersion within a bin. The default X-axis function is the mean expression level, and for Y-axis it is the  $\log(\text{Variance}/\text{mean})$ . All mean/variance calculations are not performed in log-space, but the results are reported in log-space - see relevant functions for exact details.

---

FoldChange

*Fold Change*

---

## Description

Calculate log fold change and percentage of cells expressing each feature for different identity classes.

**Usage**

```
FoldChange(object, ...)  
  
## Default S3 method:  
FoldChange(object, cells.1, cells.2, mean.fxn, fc.name, features = NULL, ...)  
  
## S3 method for class 'Assay'  
FoldChange(  
  object,  
  cells.1,  
  cells.2,  
  features = NULL,  
  slot = "data",  
  pseudocount.use = 1,  
  fc.name = NULL,  
  mean.fxn = NULL,  
  base = 2,  
  norm.method = NULL,  
  ...  
)  
  
## S3 method for class 'DimReduc'  
FoldChange(  
  object,  
  cells.1,  
  cells.2,  
  features = NULL,  
  slot = NULL,  
  pseudocount.use = 1,  
  fc.name = NULL,  
  mean.fxn = NULL,  
  ...  
)  
  
## S3 method for class 'Seurat'  
FoldChange(  
  object,  
  ident.1 = NULL,  
  ident.2 = NULL,  
  group.by = NULL,  
  subset.ident = NULL,  
  assay = NULL,  
  slot = "data",  
  reduction = NULL,  
  features = NULL,  
  pseudocount.use = NULL,  
  mean.fxn = NULL,  
  base = 2,
```

```

    fc.name = NULL,
    ...
)

```

### Arguments

<code>object</code>	A Seurat object
<code>...</code>	Arguments passed to other methods
<code>cells.1</code>	Vector of cell names belonging to group 1
<code>cells.2</code>	Vector of cell names belonging to group 2
<code>mean.fxn</code>	Function to use for fold change or average difference calculation
<code>fc.name</code>	Name of the fold change, average difference, or custom function column in the output data.frame
<code>features</code>	Features to calculate fold change for. If NULL, use all features
<code>slot</code>	Slot to pull data from
<code>pseudocount.use</code>	Pseudocount to add to averaged expression values when calculating logFC.
<code>base</code>	The base with respect to which logarithms are computed.
<code>norm.method</code>	Normalization method for mean function selection when slot is "data"
<code>ident.1</code>	Identity class to calculate fold change for; pass an object of class <code>phylo</code> or <code>'clustertree'</code> to calculate fold change for a node in a cluster tree; passing <code>'clustertree'</code> requires <a href="#">BuildClusterTree</a> to have been run
<code>ident.2</code>	A second identity class for comparison; if NULL, use all other cells for comparison; if an object of class <code>phylo</code> or <code>'clustertree'</code> is passed to <code>ident.1</code> , must pass a node to calculate fold change for
<code>group.by</code>	Regroup cells into a different identity class prior to calculating fold change (see example in <a href="#">FindMarkers</a> )
<code>subset.ident</code>	Subset a particular identity class prior to regrouping. Only relevant if <code>group.by</code> is set (see example in <a href="#">FindMarkers</a> )
<code>assay</code>	Assay to use in fold change calculation
<code>reduction</code>	Reduction to use - will calculate average difference on cell embeddings

### Details

If the slot is `scale.data` or a reduction is specified, average difference is returned instead of log fold change and the column is named "avg\_diff". Otherwise, log2 fold change is returned with column named "avg\_log2\_FC".

### Value

Returns a data.frame

### See Also

[FindMarkers](#)

**Examples**

```
data("pbmc_small")
FoldChange(pbmc_small, ident.1 = 1)
```

---

GetAssay

*Get an Assay object from a given Seurat object.*

---

**Description**

Get an Assay object from a given Seurat object.

**Usage**

```
GetAssay(object, ...)

## S3 method for class 'Seurat'
GetAssay(object, assay = NULL, ...)
```

**Arguments**

object	An object
...	Arguments passed to other methods
assay	Assay to get

**Value**

Returns an Assay object

**Examples**

```
data("pbmc_small")
GetAssay(object = pbmc_small, assay = "RNA")
```

---

GetImage.SlideSeq      *Get Image Data*

---

**Description**

Get Image Data

**Usage**

```
## S3 method for class 'SlideSeq'
GetImage(object, mode = c("grob", "raster", "plotly", "raw"), ...)

## S3 method for class 'STARmap'
GetImage(object, mode = c("grob", "raster", "plotly", "raw"), ...)

## S3 method for class 'VisiumV1'
GetImage(object, mode = c("grob", "raster", "plotly", "raw"), ...)
```

**Arguments**

object	An object
mode	How to return the image; should accept one of “grob”, “raster”, “plotly”, or “raw”
...	Arguments passed to other methods

**See Also**

[SeuratObject::GetImage](#)

---

GetIntegrationData      *Get integration data*

---

**Description**

Get integration data

**Usage**

```
GetIntegrationData(object, integration.name, slot)
```

**Arguments**

object	Seurat object
integration.name	Name of integration object
slot	Which slot in integration object to get

**Value**

Returns data from the requested slot within the integrated object

---

GetResidual	<i>Calculate pearson residuals of features not in the scale.data</i>
-------------	--

---

**Description**

This function calls `sctransform::get_residuals`.

**Usage**

```
GetResidual(
  object,
  features,
  assay = NULL,
  umi.assay = NULL,
  clip.range = NULL,
  replace.value = FALSE,
  na.rm = TRUE,
  verbose = TRUE
)
```

**Arguments**

<code>object</code>	A seurat object
<code>features</code>	Name of features to add into the scale.data
<code>assay</code>	Name of the assay of the seurat object generated by SCTransform
<code>umi.assay</code>	Name of the assay of the seurat object containing UMI matrix and the default is RNA
<code>clip.range</code>	Numeric of length two specifying the min and max values the Pearson residual will be clipped to
<code>replace.value</code>	Recalculate residuals for all features, even if they are already present. Useful if you want to change the clip.range.
<code>na.rm</code>	For features where there is no feature model stored, return NA for residual value in scale.data when <code>na.rm = FALSE</code> . When <code>na.rm</code> is <code>TRUE</code> , only return residuals for features with a model stored for all cells.
<code>verbose</code>	Whether to print messages and progress bars

**Value**

Returns a Seurat object containing Pearson residuals of added features in its scale.data

**See Also**

[get\\_residuals](#)

## Examples

```
data("pbmc_small")
pbmc_small <- SCTransform(object = pbmc_small, variable.features.n = 20)
pbmc_small <- GetResidual(object = pbmc_small, features = c('MS4A1', 'TCL1A'))
```

---

GetTissueCoordinates.SlideSeq  
*Get Tissue Coordinates*

---

## Description

Get Tissue Coordinates

## Usage

```
## S3 method for class 'SlideSeq'
GetTissueCoordinates(object, ...)

## S3 method for class 'STARmap'
GetTissueCoordinates(object, qhulls = FALSE, ...)

## S3 method for class 'VisiumV1'
GetTissueCoordinates(
  object,
  scale = "lowres",
  cols = c("imagerow", "imagecol"),
  ...
)
```

## Arguments

object	An object
...	Arguments passed to other methods
qhulls	return qhulls instead of centroids
scale	A factor to scale the coordinates by; choose from: 'tissue', 'fiducial', 'hires', 'lowres', or NULL for no scaling
cols	Columns of tissue coordinates data.frame to pull

## See Also

[SeuratObject::GetTissueCoordinates](#)

---

`GetTransferPredictions`*Get the predicted identity*

---

### Description

Utility function to easily pull out the name of the class with the maximum prediction. This is useful if you've set `prediction.assay = TRUE` in `TransferData` and want to have a vector with the predicted class.

### Usage

```
GetTransferPredictions(  
  object,  
  assay = "predictions",  
  slot = "data",  
  score.filter = 0.75  
)
```

### Arguments

<code>object</code>	Seurat object
<code>assay</code>	Name of the assay holding the predictions
<code>slot</code>	Slot of the assay in which the prediction scores are stored
<code>score.filter</code>	Return "Unassigned" for any cell with a score less than this value

### Value

Returns a vector of predicted class names

### Examples

```
## Not run:  
prediction.assay <- TransferData(anchorset = anchors, refdata = reference$class)  
query[["predictions"]] <- prediction.assay  
query$predicted.id <- GetTransferPredictions(query)  
  
## End(Not run)
```



---

Graph-class	<i>The Graph Class</i>
-------------	------------------------

---

**Description**

For more details, please see the documentation in [SeuratObject](#)

**See Also**

[SeuratObject::Graph-class](#)

---

GroupCorrelation	<i>Compute the correlation of features broken down by groups with another covariate</i>
------------------	---

---

**Description**

Compute the correlation of features broken down by groups with another covariate

**Usage**

```
GroupCorrelation(
  object,
  assay = NULL,
  slot = "scale.data",
  var = NULL,
  group.assay = NULL,
  min.cells = 5,
  ngroups = 6,
  do.plot = TRUE
)
```

**Arguments**

object	Seurat object
assay	Assay to pull the data from
slot	Slot in the assay to pull feature expression data from (counts, data, or scale.data)
var	Variable with which to correlate the features
group.assay	Compute the gene groups based off the data in this assay.
min.cells	Only compute for genes in at least this many cells
ngroups	Number of groups to split into
do.plot	Display the group correlation boxplot (via GroupCorrelationPlot)

**Value**

A Seurat object with the correlation stored in metafeatures

---

GroupCorrelationPlot *Boxplot of correlation of a variable (e.g. number of UMIs) with expression data*

---

### Description

Boxplot of correlation of a variable (e.g. number of UMIs) with expression data

### Usage

```
GroupCorrelationPlot(
  object,
  assay = NULL,
  feature.group = "feature.grp",
  cor = "nCount_RNA_cor"
)
```

### Arguments

object	Seurat object
assay	Assay where the feature grouping info and correlations are stored
feature.group	Name of the column in meta.features where the feature grouping info is stored
cor	Name of the column in meta.features where correlation info is stored

### Value

Returns a ggplot boxplot of correlations split by group

---

HoverLocator *Hover Locator*

---

### Description

Get quick information from a scatterplot by hovering over points

### Usage

```
HoverLocator(plot, information = NULL, axes = TRUE, dark.theme = FALSE, ...)
```

### Arguments

plot	A ggplot2 plot
information	An optional dataframe or matrix of extra information to be displayed on hover
axes	Display or hide x- and y-axes
dark.theme	Plot using a dark theme?
...	Extra parameters to be passed to <a href="#">layout</a>

**See Also**

[layout ggplot\\_build DimPlot FeaturePlot](#)

**Examples**

```
## Not run:
data("pbmc_small")
plot <- DimPlot(object = pbmc_small)
HoverLocator(plot = plot, information = FetchData(object = pbmc_small, vars = 'percent.mito'))

## End(Not run)
```

---

HTODemux

*Demultiplex samples based on data from cell 'hashing'*


---

**Description**

Assign sample-of-origin for each cell, annotate doublets.

**Usage**

```
HTODemux(
  object,
  assay = "HTO",
  positive.quantile = 0.99,
  init = NULL,
  nstarts = 100,
  kfunc = "clara",
  nsamples = 100,
  seed = 42,
  verbose = TRUE
)
```

**Arguments**

object	Seurat object. Assumes that the hash tag oligo (HTO) data has been added and normalized.
assay	Name of the Hashtag assay (HTO by default)
positive.quantile	The quantile of inferred 'negative' distribution for each hashtag - over which the cell is considered 'positive'. Default is 0.99
init	Initial number of clusters for hashtags. Default is the # of hashtag oligo names + 1 (to account for negatives)
nstarts	nstarts value for k-means clustering (for kfunc = "kmeans"). 100 by default

kfunc	Clustering function for initial hashtag grouping. Default is "clara" for fast k-medoids clustering on large applications, also support "kmeans" for kmeans clustering
nsamples	Number of samples to be drawn from the dataset used for clustering, for kfunc = "clara"
seed	Sets the random seed. If NULL, seed is not set
verbose	Prints the output

### Value

The Seurat object with the following demultiplexed information stored in the meta data:

**hash.maxID** Name of hashtag with the highest signal

**hash.secondID** Name of hashtag with the second highest signal

**hash.margin** The difference between signals for hash.maxID and hash.secondID

**classification** Classification result, with doublets/multiplets named by the top two highest hashtags

**classification.global** Global classification result (singlet, doublet or negative)

**hash.ID** Classification result where doublet IDs are collapsed

### See Also

[HTOHeatmap](#)

### Examples

```
## Not run:
object <- HTODemux(object)

## End(Not run)
```

---

HTOHeatmap

*Hashtag oligo heatmap*

---

### Description

Draws a heatmap of hashtag oligo signals across singlets/doublets/negative cells. Allows for the visualization of HTO demultiplexing results.

**Usage**

```
HTOHeatmap(  
  object,  
  assay = "HTO",  
  classification = paste0(assay, "_classification"),  
  global.classification = paste0(assay, "_classification.global"),  
  ncells = 5000,  
  singlet.names = NULL,  
  raster = TRUE  
)
```

**Arguments**

<code>object</code>	Seurat object. Assumes that the hash tag oligo (HTO) data has been added and normalized, and demultiplexing has been run with <code>HTODemux()</code> .
<code>assay</code>	Hashtag assay name.
<code>classification</code>	The naming for metadata column with classification result from <code>HTODemux()</code> .
<code>global.classification</code>	The slot for metadata column specifying a cell as singlet/doublet/negative.
<code>ncells</code>	Number of cells to plot. Default is to choose 5000 cells by random subsampling, to avoid having to draw exceptionally large heatmaps.
<code>singlet.names</code>	Namings for the singlets. Default is to use the same names as HTOs.
<code>raster</code>	If true, plot with <code>geom_raster</code> , else use <code>geom_tile</code> . <code>geom_raster</code> may look blurry on some viewing applications such as Preview due to how the raster is interpolated. Set this to <code>FALSE</code> if you are encountering that issue (note that plots may take longer to produce/render).

**Value**

Returns a `ggplot2` plot object.

**See Also**

[HTODemux](#)

**Examples**

```
## Not run:  
object <- HTODemux(object)  
HTOHeatmap(object)  
  
## End(Not run)
```

---

HVInfo.SCTAssay      *Get Variable Feature Information*

---

## Description

Get variable feature information from [SCTAssay](#) objects

## Usage

```
## S3 method for class 'SCTAssay'  
HVInfo(object, selection.method, status = FALSE, ...)
```

## Arguments

object	An object
selection.method	Which method to pull. For HVInfo and VariableFeatures, choose one from one of the following: <ul style="list-style-type: none"><li>• “vst”</li><li>• “sctransform” or “sct”</li><li>• “mean.var.plot”, “dispersion”, “mvp”, or “disp”</li></ul> For SVInfo and SpatiallyVariableFeatures, choose from: <ul style="list-style-type: none"><li>• “markvariogram”</li><li>• “moransi”</li></ul>
status	Add variable status to the resulting data frame
...	Arguments passed to other methods

## See Also

[HVInfo](#)

## Examples

```
# Get the HVF info directly from an SCTAssay object  
pbmc_small <- SCTransform(pbmc_small)  
HVInfo(pbmc_small[["SCT"]], selection.method = 'sct')[1:5, ]
```

---

IFeaturePlot	<i>Visualize features in dimensional reduction space interactively</i>
--------------	--

---

**Description**

Visualize features in dimensional reduction space interactively

**Usage**

```
IFeaturePlot(object, feature, dims = c(1, 2), reduction = NULL, slot = "data")
```

**Arguments**

object	Seurat object
feature	Feature to plot
dims	Dimensions to plot, must be a two-length numeric vector specifying x- and y-dimensions
reduction	Which dimensionality reduction to use. If not specified, first searches for umap, then tsne, then pca
slot	Which slot to pull expression data from?

**Value**

Returns the final plot as a ggplot object

---

ImageDimPlot	<i>Spatial Cluster Plots</i>
--------------	------------------------------

---

**Description**

Visualize clusters or other categorical groupings in a spatial context

**Usage**

```
ImageDimPlot(  
  object,  
  fov = NULL,  
  boundaries = NULL,  
  group.by = NULL,  
  split.by = NULL,  
  cols = NULL,  
  shuffle.cols = FALSE,  
  size = 0.5,  
  molecules = NULL,
```

```

mols.size = 0.1,
mols.cols = NULL,
mols.alpha = 1,
nmols = 1000,
alpha = 1,
border.color = "white",
border.size = NULL,
na.value = "grey50",
dark.background = TRUE,
crop = FALSE,
cells = NULL,
overlap = FALSE,
axes = FALSE,
combine = TRUE,
coord.fixed = TRUE
)

```

### Arguments

object	A <a href="#">Seurat</a> object
fov	Name of FOV to plot
boundaries	A vector of segmentation boundaries per image to plot; can be a character vector, a named character vector, or a named list. Names should be the names of FOVs and values should be the names of segmentation boundaries
group.by	Name of one or more metadata columns to group (color) cells by (for example, orig.ident); pass 'ident' to group by identity class
split.by	Name of a metadata column to split plot by; see <a href="#">FetchData</a> for more details
cols	Vector of colors, each color corresponds to an identity class. This may also be a single character or numeric value corresponding to a palette as specified by <a href="#">brewer.pal.info</a> . By default, ggplot2 assigns colors. We also include a number of palettes from the pals package. See <a href="#">DiscretePalette</a> for details.
shuffle.cols	Randomly shuffle colors when a palette or vector of colors is provided to cols
size	Point size for cells when plotting centroids
molecules	A vector of molecules to plot
mols.size	Point size for molecules
mols.cols	A vector of color for molecules. The "Set1" palette from RColorBrewer is used by default.
mols.alpha	Alpha value for molecules, should be between 0 and 1
nmols	Max number of each molecule specified in 'molecules' to plot
alpha	Alpha value, should be between 0 and 1; when plotting multiple boundaries, alpha is equivalent to max alpha
border.color	Color of cell segmentation border; pass NA to suppress borders for segmentation-based plots
border.size	Thickness of cell segmentation borders; pass NA to suppress borders for centroid-based plots



na.value	Color value for NA points when using custom scale
dark.background	Set plot background to black
crop	Crop the plots to area with cells only
cells	Vector of cells to plot (default is all cells)
overlap	Overlay boundaries from a single image to create a single plot; if TRUE, then boundaries are stacked in the order they're given (first is lowest)
axes	Keep axes and panel background
combine	Combine plots into a single patchwork ggplot object.If FALSE, return a list of ggplot objects
coord.fixed	Plot cartesian coordinates with fixed aspect ratio

**Value**

If combine = TRUE, a patchwork ggplot object; otherwise, a list of ggplot objects

---

ImageFeaturePlot      *Spatial Feature Plots*

---

**Description**

Visualize expression in a spatial context

**Usage**

```
ImageFeaturePlot(  
  object,  
  features,  
  fov = NULL,  
  boundaries = NULL,  
  cols = if (isTRUE(x = blend)) {  
    c("lightgrey", "#ff0000", "#00ff00")  
  } else {  
  
    c("lightgrey", "firebrick1")  
  },  
  size = 0.5,  
  min.cutoff = NA,  
  max.cutoff = NA,  
  split.by = NULL,  
  molecules = NULL,  
  mols.size = 0.1,  
  mols.cols = NULL,  
  nmols = 1000,  
  alpha = 1,
```

```

border.color = "white",
border.size = NULL,
dark.background = TRUE,
blend = FALSE,
blend.threshold = 0.5,
crop = FALSE,
cells = NULL,
scale = c("feature", "all", "none"),
overlap = FALSE,
axes = FALSE,
combine = TRUE,
coord.fixed = TRUE
)

```

### Arguments

object	Seurat object
features	Vector of features to plot. Features can come from: <ul style="list-style-type: none"> <li>• An Assay feature (e.g. a gene name - "MS4A1")</li> <li>• A column name from meta.data (e.g. mitochondrial percentage - "percent.mito")</li> <li>• A column name from a DimReduc object corresponding to the cell embedding values (e.g. the PC 1 scores - "PC_1")</li> </ul>
fov	Name of FOV to plot
boundaries	A vector of segmentation boundaries per image to plot; can be a character vector, a named character vector, or a named list. Names should be the names of FOVs and values should be the names of segmentation boundaries
cols	The two colors to form the gradient over. Provide as string vector with the first color corresponding to low values, the second to high. Also accepts a Brewer color scale or vector of colors. Note: this will bin the data into number of colors provided. When blend is TRUE, takes anywhere from 1-3 colors: <p><b>1 color:</b> Treated as color for double-negatives, will use default colors 2 and 3 for per-feature expression</p> <p><b>2 colors:</b> Treated as colors for per-feature expression, will use default color 1 for double-negatives</p> <p><b>3+ colors:</b> First color used for double-negatives, colors 2 and 3 used for per-feature expression, all others ignored</p>
size	Point size for cells when plotting centroids
min.cutoff, max.cutoff	Vector of minimum and maximum cutoff values for each feature, may specify quantile in the form of 'q###' where '###' is the quantile (eg, 'q1', 'q10')
split.by	A factor in object metadata to split the feature plot by, pass 'ident' to split by cell identity'; similar to the old FeatureHeatmap
molecules	A vector of molecules to plot
mols.size	Point size for molecules

<code>mols.cols</code>	A vector of color for molecules. The "Set1" palette from RColorBrewer is used by default.
<code>nmols</code>	Max number of each molecule specified in 'molecules' to plot
<code>alpha</code>	Alpha value, should be between 0 and 1; when plotting multiple boundaries, alpha is equivalent to max alpha
<code>border.color</code>	Color of cell segmentation border; pass NA to suppress borders for segmentation-based plots
<code>border.size</code>	Thickness of cell segmentation borders; pass NA to suppress borders for centroid-based plots
<code>dark.background</code>	Set plot background to black
<code>blend</code>	Scale and blend expression values to visualize coexpression of two features
<code>blend.threshold</code>	The color cutoff from weak signal to strong signal; ranges from 0 to 1.
<code>crop</code>	Crop the plots to area with cells only
<code>cells</code>	Vector of cells to plot (default is all cells)
<code>scale</code>	Set color scaling across multiple plots; choose from: <ul style="list-style-type: none"> <li>• "feature": Plots per-feature are scaled across splits</li> <li>• "all": Plots per-feature are scaled across all features</li> <li>• "none": Plots are not scaled; <b>note</b>: setting scale to "none" will result in color scales that are <i>not</i> comparable between plots</li> </ul> Ignored if <code>blend = TRUE</code>
<code>overlap</code>	Overlay boundaries from a single image to create a single plot; if TRUE, then boundaries are stacked in the order they're given (first is lowest)
<code>axes</code>	Keep axes and panel background
<code>combine</code>	Combine plots into a single <a href="#">patchworked</a> ggplot object. If FALSE, return a list of ggplot objects
<code>coord.fixed</code>	Plot cartesian coordinates with fixed aspect ratio

**Value**

If `combine = TRUE`, a patchwork ggplot object; otherwise, a list of ggplot objects

---

IntegrateData

*Integrate data*


---

**Description**

Perform dataset integration using a pre-computed [AnchorSet](#).

**Usage**

```
IntegrateData(
  anchorset,
  new.assay.name = "integrated",
  normalization.method = c("LogNormalize", "SCT"),
  features = NULL,
  features.to.integrate = NULL,
  dims = 1:30,
  k.weight = 100,
  weight.reduction = NULL,
  sd.weight = 1,
  sample.tree = NULL,
  preserve.order = FALSE,
  eps = 0,
  verbose = TRUE
)
```

**Arguments**

anchorset	An <a href="#">AnchorSet</a> object generated by <a href="#">FindIntegrationAnchors</a>
new.assay.name	Name for the new assay containing the integrated data
normalization.method	Name of normalization method used: LogNormalize or SCT
features	Vector of features to use when computing the PCA to determine the weights. Only set if you want a different set from those used in the anchor finding process
features.to.integrate	Vector of features to integrate. By default, will use the features used in anchor finding.
dims	Number of dimensions to use in the anchor weighting procedure
k.weight	Number of neighbors to consider when weighting anchors
weight.reduction	Dimension reduction to use when calculating anchor weights. This can be one of: <ul style="list-style-type: none"> <li>• A string, specifying the name of a dimension reduction present in all objects to be integrated</li> <li>• A vector of strings, specifying the name of a dimension reduction to use for each object to be integrated</li> <li>• A vector of <a href="#">DimReduc</a> objects, specifying the object to use for each object in the integration</li> <li>• NULL, in which case a new PCA will be calculated and used to calculate anchor weights</li> </ul>

Note that, if specified, the requested dimension reduction will only be used for calculating anchor weights in the first merge between reference and query, as the merged object will subsequently contain more cells than was in query, and weights will need to be calculated for all cells in the object.

<code>sd.weight</code>	Controls the bandwidth of the Gaussian kernel for weighting
<code>sample.tree</code>	Specify the order of integration. Order of integration should be encoded in a matrix, where each row represents one of the pairwise integration steps. Negative numbers specify a dataset, positive numbers specify the integration results from a given row (the format of the merge matrix included in the <code>hclust</code> function output). For example: <code>matrix(c(-2, 1, -3, -1), ncol = 2)</code> gives: <pre style="margin-left: 40px;">       [,1] [,2] [1,]  -2  -3 [2,]   1  -1 </pre> <p>Which would cause dataset 2 and 3 to be integrated first, then the resulting object integrated with dataset 1.</p> <p>If NULL, the sample tree will be computed automatically.</p>
<code>preserve.order</code>	Do not reorder objects based on size for each pairwise integration.
<code>eps</code>	Error bound on the neighbor finding algorithm (from <a href="#">RANN</a> )
<code>verbose</code>	Print progress bars and output

## Details

The main steps of this procedure are outlined below. For a more detailed description of the methodology, please see Stuart, Butler, et al Cell 2019. doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031); doi: [10.1101/460147](https://doi.org/10.1101/460147)

For pairwise integration:

- Construct a weights matrix that defines the association between each query cell and each anchor. These weights are computed as  $1 - \frac{\text{distance between the query cell and the anchor}}{\text{distance of the query cell to the } k.\text{weightth anchor}}$  multiplied by the anchor score computed in [FindIntegrationAnchors](#). We then apply a Gaussian kernel width a bandwidth defined by `sd.weight` and normalize across all `k.weight` anchors.
- Compute the anchor integration matrix as the difference between the two expression matrices for every pair of anchor cells
- Compute the transformation matrix as the product of the integration matrix and the weights matrix.
- Subtract the transformation matrix from the original expression matrix.

For multiple dataset integration, we perform iterative pairwise integration. To determine the order of integration (if not specified via `sample.tree`), we

- Define a distance between datasets as the total number of cells in the smaller dataset divided by the total number of anchors between the two datasets.
- Compute all pairwise distances between datasets
- Cluster this distance matrix to determine a guide tree

**Value**

Returns a [Seurat](#) object with a new integrated [Assay](#). If `normalization.method = "LogNormalize"`, the integrated data is returned to the `data` slot and can be treated as log-normalized, corrected data. If `normalization.method = "SCT"`, the integrated data is returned to the `scale.data` slot and can be treated as centered, corrected Pearson residuals.

**References**

Stuart T, Butler A, et al. Comprehensive Integration of Single-Cell Data. *Cell*. 2019;177:1888-1902 doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031)

**Examples**

```
## Not run:
# to install the SeuratData package see https://github.com/satijalab/seurat-data
library(SeuratData)
data("panc8")

# panc8 is a merged Seurat object containing 8 separate pancreas datasets
# split the object by dataset
pancreas.list <- SplitObject(panc8, split.by = "tech")

# perform standard preprocessing on each object
for (i in 1:length(pancreas.list)) {
  pancreas.list[[i]] <- NormalizeData(pancreas.list[[i]], verbose = FALSE)
  pancreas.list[[i]] <- FindVariableFeatures(
    pancreas.list[[i]], selection.method = "vst",
    nfeatures = 2000, verbose = FALSE
  )
}

# find anchors
anchors <- FindIntegrationAnchors(object.list = pancreas.list)

# integrate data
integrated <- IntegrateData(anchorset = anchors)

## End(Not run)
```

---

IntegrateEmbeddings     *Integrate low dimensional embeddings*

---

**Description**

Perform dataset integration using a pre-computed Anchorset of specified low dimensional representations.

**Usage**

```
IntegrateEmbeddings(anchorset, ...)

## S3 method for class 'IntegrationAnchorSet'
IntegrateEmbeddings(
  anchorset,
  new.reduction.name = "integrated_dr",
  reductions = NULL,
  dims.to.integrate = NULL,
  k.weight = 100,
  weight.reduction = NULL,
  sd.weight = 1,
  sample.tree = NULL,
  preserve.order = FALSE,
  verbose = TRUE,
  ...
)

## S3 method for class 'TransferAnchorSet'
IntegrateEmbeddings(
  anchorset,
  reference,
  query,
  new.reduction.name = "integrated_dr",
  reductions = "pcaproject",
  dims.to.integrate = NULL,
  k.weight = 100,
  weight.reduction = NULL,
  reuse.weights.matrix = TRUE,
  sd.weight = 1,
  preserve.order = FALSE,
  verbose = TRUE,
  ...
)
```

**Arguments**

anchorset	An AnchorSet object
...	Reserved for internal use
new.reduction.name	Name for new integrated dimensional reduction.
reductions	Name of reductions to be integrated. For a TransferAnchorSet, this should be the name of a reduction present in the anchorset object (for example, "pcaproject"). For an IntegrationAnchorSet, this should be a <a href="#">DimReduc</a> object containing all cells present in the anchorset object.
dims.to.integrate	Number of dimensions to return integrated values for

<code>k.weight</code>	Number of neighbors to consider when weighting anchors
<code>weight.reduction</code>	Dimension reduction to use when calculating anchor weights. This can be one of: <ul style="list-style-type: none"> <li>• A string, specifying the name of a dimension reduction present in all objects to be integrated</li> <li>• A vector of strings, specifying the name of a dimension reduction to use for each object to be integrated</li> <li>• A vector of <code>DimReduc</code> objects, specifying the object to use for each object in the integration</li> <li>• NULL, in which case the full corrected space is used for computing anchor weights.</li> </ul>
<code>sd.weight</code>	Controls the bandwidth of the Gaussian kernel for weighting
<code>sample.tree</code>	Specify the order of integration. Order of integration should be encoded in a matrix, where each row represents one of the pairwise integration steps. Negative numbers specify a dataset, positive numbers specify the integration results from a given row (the format of the merge matrix included in the <code>hclust</code> function output). For example: <code>matrix(c(-2, 1, -3, -1), ncol = 2)</code> gives: <pre>       [,1] [,2] [1,]  -2  -3 [2,]   1  -1 </pre> <p>Which would cause dataset 2 and 3 to be integrated first, then the resulting object integrated with dataset 1.</p> <p>If NULL, the sample tree will be computed automatically.</p>
<code>preserve.order</code>	Do not reorder objects based on size for each pairwise integration.
<code>verbose</code>	Print progress bars and output
<code>reference</code>	Reference object used in anchorset construction
<code>query</code>	Query object used in anchorset construction
<code>reuse.weights.matrix</code>	Can be used in conjunction with the <code>store.weights</code> parameter in <code>TransferData</code> to reuse a precomputed weights matrix.

## Details

The main steps of this procedure are identical to `IntegrateData` with one key distinction. When computing the weights matrix, the distance calculations are performed in the full space of integrated embeddings when integrating more than two datasets, as opposed to a reduced PCA space which is the default behavior in `IntegrateData`.

## Value

When called on a `TransferAnchorSet` (from `FindTransferAnchors`), this will return the query object with the integrated embeddings stored in a new reduction. When called on an `IntegrationAnchorSet` (from `IntegrateData`), this will return a merged object with the integrated reduction stored.



---

 IntegrationAnchorSet-class

*The IntegrationAnchorSet Class*


---

### Description

Inherits from the Anchorset class. Implemented mainly for method dispatch purposes. See [AnchorSet](#) for slot details.

---

 IntegrationData-class *The IntegrationData Class*


---

### Description

The IntegrationData object is an intermediate storage container used internally throughout the integration procedure to hold bits of data that are useful downstream.

### Slots

neighbors List of neighborhood information for cells (outputs of RANN: :nn2)

weights Anchor weight matrix

integration.matrix Integration matrix

anchors Anchor matrix

offsets The offsets used to enable cell look up in downstream functions

objects.ncell Number of cells in each object in the object.list

sample.tree Sample tree used for ordering multi-dataset integration

---

 ISpatialDimPlot

*Visualize clusters spatially and interactively*


---

### Description

Visualize clusters spatially and interactively

### Usage

```
ISpatialDimPlot(object, image = NULL, group.by = NULL, alpha = c(0.3, 1))
```

**Arguments**

object	Seurat object
image	Name of the image to use in the plot
group.by	Name of one or more metadata columns to group (color) cells by (for example, orig.ident); pass 'ident' to group by identity class
alpha	Controls opacity of spots. Provide as a vector specifying the min and max for SpatialFeaturePlot. For SpatialDimPlot, provide a single alpha value for each plot.

**Value**

Returns final plot as a ggplot object

---

ISpatialFeaturePlot    *Visualize features spatially and interactively*

---

**Description**

Visualize features spatially and interactively

**Usage**

```
ISpatialFeaturePlot(
  object,
  feature,
  image = NULL,
  slot = "data",
  alpha = c(0.1, 1)
)
```

**Arguments**

object	Seurat object
feature	Feature to visualize
image	Name of the image to use in the plot
slot	Which slot to pull expression data from?
alpha	Controls opacity of spots. Provide as a vector specifying the min and max for SpatialFeaturePlot. For SpatialDimPlot, provide a single alpha value for each plot.

**Value**

Returns final plot as a ggplot object

---

 JackStraw

*Determine statistical significance of PCA scores.*


---

### Description

Randomly permutes a subset of data, and calculates projected PCA scores for these 'random' genes. Then compares the PCA scores for the 'random' genes with the observed PCA scores to determine statistical significance. End result is a p-value for each gene's association with each principal component.

### Usage

```
JackStraw(
  object,
  reduction = "pca",
  assay = NULL,
  dims = 20,
  num.replicate = 100,
  prop.freq = 0.01,
  verbose = TRUE,
  maxit = 1000
)
```

### Arguments

object	Seurat object
reduction	DimReduc to use. ONLY PCA CURRENTLY SUPPORTED.
assay	Assay used to calculate reduction.
dims	Number of PCs to compute significance for
num.replicate	Number of replicate samplings to perform
prop.freq	Proportion of the data to randomly permute for each replicate
verbose	Print progress bar showing the number of replicates that have been processed.
maxit	maximum number of iterations to be performed by the irlba function of RunPCA

### Value

Returns a Seurat object where JS(object = object[['pca']], slot = 'empirical') represents p-values for each gene in the PCA analysis. If ProjectPCA is subsequently run, JS(object = object[['pca']], slot = 'full') then represents p-values for all genes.

### References

Inspired by Chung et al, Bioinformatics (2014)

## Examples

```
## Not run:
data("pbmc_small")
pbmc_small = suppressWarnings(JackStraw(pbmc_small))
head(JS(object = pbmc_small[['pca']], slot = 'empirical'))

## End(Not run)
```

---

JackStrawData-class     *The JackStrawData Class*

---

## Description

For more details, please see the documentation in [SeuratObject](#)

## See Also

[SeuratObject::JackStrawData-class](#)

---

JackStrawPlot     *JackStraw Plot*

---

## Description

Plots the results of the JackStraw analysis for PCA significance. For each PC, plots a QQ-plot comparing the distribution of p-values for all genes across each PC, compared with a uniform distribution. Also determines a p-value for the overall significance of each PC (see Details).

## Usage

```
JackStrawPlot(
  object,
  dims = 1:5,
  cols = NULL,
  reduction = "pca",
  xmax = 0.1,
  ymax = 0.3
)
```

**Arguments**

object	Seurat object
dims	Dims to plot
cols	Vector of colors, each color corresponds to an individual PC. This may also be a single character or numeric value corresponding to a palette as specified by <a href="http://brewer.pal.info">brewer.pal.info</a> . By default, ggplot2 assigns colors. We also include a number of palettes from the pals package. See <a href="#">DiscretePalette</a> for details.
reduction	reduction to pull jackstraw info from
xmax	X-axis maximum on each QQ plot.
ymax	Y-axis maximum on each QQ plot.

**Details**

Significant PCs should show a p-value distribution (black curve) that is strongly skewed to the left compared to the null distribution (dashed line) The p-value for each PC is based on a proportion test comparing the number of genes with a p-value below a particular threshold (score.thresh), compared with the proportion of genes expected under a uniform distribution of p-values.

**Value**

A ggplot object

**Author(s)**

Omri Wurtzel

**See Also**

[ScoreJackStraw](#)

**Examples**

```
data("pbmc_small")
JackStrawPlot(object = pbmc_small)
```

---

L2CCA

*L2-Normalize CCA*

---

**Description**

Perform l2 normalization on CCs

**Usage**

```
L2CCA(object, ...)
```

**Arguments**

object	Seurat object
...	Additional parameters to L2Dim.

---

L2Dim	<i>L2-normalization</i>
-------	-------------------------

---

**Description**

Perform l2 normalization on given dimensional reduction

**Usage**

```
L2Dim(object, reduction, new.dr = NULL, new.key = NULL)
```

**Arguments**

object	Seurat object
reduction	Dimensional reduction to normalize
new.dr	name of new dimensional reduction to store (default is olddr.l2)
new.key	name of key for new dimensional reduction

**Value**

Returns a [Seurat](#) object

---

LabelClusters	<i>Label clusters on a ggplot2-based scatter plot</i>
---------------	---

---

**Description**

Label clusters on a ggplot2-based scatter plot

**Usage**

```
LabelClusters(
  plot,
  id,
  clusters = NULL,
  labels = NULL,
  split.by = NULL,
  repel = TRUE,
  box = FALSE,
  geom = "GeomPoint",
  position = "median",
  ...
)
```

**Arguments**

plot	A ggplot2-based scatter plot
id	Name of variable used for coloring scatter plot
clusters	Vector of cluster ids to label
labels	Custom labels for the clusters
split.by	Split labels by some grouping label, useful when using <a href="#">facet_wrap</a> or <a href="#">facet_grid</a>
repel	Use <a href="#">geom_text_repel</a> to create nicely-repelled labels
box	Use <a href="#">geom_label</a> / <a href="#">geom_label_repel</a> (includes a box around the text labels)
geom	Name of geom to get X/Y aesthetic names for
position	How to place the label if <code>repel = FALSE</code> . If "median", place the label at the median position. If "nearest" place the label at the position of the nearest data point to the median.
...	Extra parameters to <a href="#">geom_text_repel</a> , such as <code>size</code>

**Value**

A ggplot2-based scatter plot with cluster labels

**See Also**

[geom\\_text\\_repel](#) [geom\\_text](#)

**Examples**

```
data("pbmc_small")
plot <- DimPlot(object = pbmc_small)
LabelClusters(plot = plot, id = 'ident')
```

---

LabelPoints

*Add text labels to a ggplot2 plot*

---

**Description**

Add text labels to a ggplot2 plot

**Usage**

```
LabelPoints(
  plot,
  points,
  labels = NULL,
  repell = FALSE,
  xnudge = 0.3,
  ynudge = 0.05,
  ...
)
```

**Arguments**

<code>plot</code>	A ggplot2 plot with a GeomPoint layer
<code>points</code>	A vector of points to label; if NULL, will use all points in the plot
<code>labels</code>	A vector of labels for the points; if NULL, will use rownames of the data provided to the plot at the points selected
<code>repel</code>	Use <code>geom_text_repel</code> to create a nicely-repelled labels; this is slow when a lot of points are being plotted. If using <code>repel</code> , set <code>xnudge</code> and <code>ynudge</code> to 0
<code>xnudge</code> , <code>ynudge</code>	Amount to nudge X and Y coordinates of labels by
<code>...</code>	Extra parameters passed to <code>geom_text</code>

**Value**

A ggplot object

**See Also**

[geom\\_text](#)

**Examples**

```
data("pbmc_small")
ff <- TopFeatures(object = pbmc_small[['pca']])
cc <- TopCells(object = pbmc_small[['pca']])
plot <- FeatureScatter(object = pbmc_small, feature1 = ff[1], feature2 = ff[2])
LabelPoints(plot = plot, points = cc)
```

---

LinkedPlots

*Visualize spatial and clustering (dimensional reduction) data in a linked, interactive framework*

---

**Description**

Visualize spatial and clustering (dimensional reduction) data in a linked, interactive framework

**Usage**

```
LinkedDimPlot(
  object,
  dims = 1:2,
  reduction = NULL,
  image = NULL,
  group.by = NULL,
  alpha = c(0.1, 1),
  combine = TRUE
)
```



```

LinkedFeaturePlot(
  object,
  feature,
  dims = 1:2,
  reduction = NULL,
  image = NULL,
  slot = "data",
  alpha = c(0.1, 1),
  combine = TRUE
)

```

### Arguments

object	Seurat object
dims	Dimensions to plot, must be a two-length numeric vector specifying x- and y-dimensions
reduction	Which dimensionality reduction to use. If not specified, first searches for umap, then tsne, then pca
image	Name of the image to use in the plot
group.by	Name of one or more metadata columns to group (color) cells by (for example, orig.ident); pass 'ident' to group by identity class
alpha	Controls opacity of spots. Provide as a vector specifying the min and max for SpatialFeaturePlot. For SpatialDimPlot, provide a single alpha value for each plot.
combine	Combine plots into a single <a href="#">patchworked</a> ggplot object. If FALSE, return a list of ggplot objects
feature	Feature to visualize
slot	Which slot to pull expression data from?

### Value

Returns final plots. If combine, plots are stiched together using [CombinePlots](#); otherwise, returns a list of ggplot objects

### Examples

```

## Not run:
LinkedDimPlot(seurat.object)
LinkedFeaturePlot(seurat.object, feature = 'Hpca')

## End(Not run)

```

---

Load10X\_Spatial      *Load a 10x Genomics Visium Spatial Experiment into a Seurat object*

---

### Description

Load a 10x Genomics Visium Spatial Experiment into a Seurat object

### Usage

```
Load10X_Spatial(
  data.dir,
  filename = "filtered_feature_bc_matrix.h5",
  assay = "Spatial",
  slice = "slice1",
  filter.matrix = TRUE,
  to.upper = FALSE,
  image = NULL,
  ...
)
```

### Arguments

<code>data.dir</code>	Directory containing the H5 file specified by <code>filename</code> and the image data in a subdirectory called <code>spatial</code>
<code>filename</code>	Name of H5 file containing the feature barcode matrix
<code>assay</code>	Name of the initial assay
<code>slice</code>	Name for the stored image of the tissue slice
<code>filter.matrix</code>	Only keep spots that have been determined to be over tissue
<code>to.upper</code>	Converts all feature names to upper case. This can provide an approximate conversion of mouse to human gene names which can be useful in an explorative analysis. For cross-species comparisons, orthologous genes should be identified across species and used instead.
<code>image</code>	An object of class <code>VisiumV1</code> . Typically, an output from <a href="#">Read10X_Image</a>
<code>...</code>	Arguments passed to <a href="#">Read10X_h5</a>

### Value

A Seurat object

### Examples

```
## Not run:
data_dir <- 'path/to/data/directory'
list.files(data_dir) # Should show filtered_feature_bc_matrix.h5
Load10X_Spatial(data.dir = data_dir)
```

```
## End(Not run)
```

---

LoadAnnoyIndex	<i>Load the Annoy index file</i>
----------------	----------------------------------

---

**Description**

Load the Annoy index file

**Usage**

```
LoadAnnoyIndex(object, file)
```

**Arguments**

object	Neighbor object
file	Path to file with annoy index

**Value**

Returns the Neighbor object with the index stored

---

LoadSTARmap	<i>Load STARmap data</i>
-------------	--------------------------

---

**Description**

Load STARmap data

**Usage**

```
LoadSTARmap(  
  data.dir,  
  counts.file = "cell_barcode_count.csv",  
  gene.file = "genes.csv",  
  qhull.file = "qhulls.tsv",  
  centroid.file = "centroids.tsv",  
  assay = "Spatial",  
  image = "image"  
)
```

**Arguments**

<code>data.dir</code>	location of data directory that contains the counts matrix, gene name, qhull, and centroid files.
<code>counts.file</code>	name of file containing the counts matrix (csv)
<code>gene.file</code>	name of file containing the gene names (csv)
<code>qhull.file</code>	name of file containing the hull coordinates (tsv)
<code>centroid.file</code>	name of file containing the centroid positions (tsv)
<code>assay</code>	Name of assay to associate spatial data to
<code>image</code>	Name of "image" object storing spatial coordinates

**Value**

A [Seurat](#) object

**See Also**

[STARmap](#)

---

LoadXenium

*Read and Load 10x Genomics Xenium in-situ data*

---

**Description**

Read and Load 10x Genomics Xenium in-situ data

**Usage**

```
LoadXenium(data.dir, fov = "fov", assay = "Xenium")
```

```
ReadXenium(
  data.dir,
  outs = c("matrix", "microns"),
  type = "centroids",
  mols.qv.threshold = 20
)
```

**Arguments**

<code>data.dir</code>	Directory containing all Xenium output files with default filenames
<code>fov</code>	FOV name
<code>assay</code>	Assay name
<code>outs</code>	Types of molecular outputs to read; choose one or more of: <ul style="list-style-type: none"> <li>• “matrix”: the counts matrix</li> <li>• “microns”: molecule coordinates</li> </ul>

type	Type of cell spatial coordinate matrices to read; choose one or more of: <ul style="list-style-type: none"> <li>• “centroids”: cell centroids in pixel coordinate space</li> <li>• “segmentations”: cell segmentations in pixel coordinate space</li> </ul>
mols.qv.threshold	Remove transcript molecules with a QV less than this threshold. QV $\geq$ 20 is the standard threshold used to construct the cell x gene count matrix.

## Value

LoadXenium: A [Seurat](#) object

ReadXenium: A list with some combination of the following values:

- “matrix”: a [sparse matrix](#) with expression data; cells are columns and features are rows
- “centroids”: a data frame with cell centroid coordinates in three columns: “x”, “y”, and “cell”
- “pixels”: a data frame with molecule pixel coordinates in three columns: “x”, “y”, and “gene”

---

LocalStruct

*Calculate the local structure preservation metric*

---

## Description

Calculates a metric that describes how well the local structure of each group prior to integration is preserved after integration. This procedure works as follows: For each group, compute a PCA, compute the top num.neighbors in pca space, compute the top num.neighbors in corrected pca space, compute the size of the intersection of those two sets of neighbors. Return the average over all groups.

## Usage

```
LocalStruct(
  object,
  grouping.var,
  idents = NULL,
  neighbors = 100,
  reduction = "pca",
  reduced.dims = 1:10,
  orig.dims = 1:10,
  verbose = TRUE
)
```

**Arguments**

object	Seurat object
grouping.var	Grouping variable
idents	Optionally specify a set of idents to compute metric for
neighbors	Number of neighbors to compute in pca/corrected pca space
reduction	Dimensional reduction to use for corrected space
reduced.dims	Number of reduced dimensions to use
orig.dims	Number of PCs to use in original space
verbose	Display progress bar

**Value**

Returns the average preservation metric

---

LogNormalize	<i>Normalize raw data</i>
--------------	---------------------------

---

**Description**

Normalize count data per cell and transform to log scale

**Usage**

```
LogNormalize(data, scale.factor = 10000, verbose = TRUE)
```

**Arguments**

data	Matrix with the raw count data
scale.factor	Scale the data. Default is 1e4
verbose	Print progress

**Value**

Returns a matrix with the normalize and log transformed data

**Examples**

```
mat <- matrix(data = rbinom(n = 25, size = 5, prob = 0.2), nrow = 5)
mat
mat_norm <- LogNormalize(data = mat)
mat_norm
```

---

LogVMR	<i>Calculate the variance to mean ratio of logged values</i>
--------	--

---

**Description**

Calculate the variance to mean ratio (VMR) in non-logspace (return answer in log-space)

**Usage**

LogVMR(x, ...)

**Arguments**

x	A vector of values
...	Other arguments (not used)

**Value**

Returns the VMR in log-space

**Examples**

LogVMR(x = c(1, 2, 3))

---

MappingScore	<i>Metric for evaluating mapping success</i>
--------------	--

---

**Description**

This metric was designed to help identify query cells that aren't well represented in the reference dataset. The intuition for the score is that we are going to project the query cells into a reference-defined space and then project them back onto the query. By comparing the neighborhoods before and after projection, we identify cells whose local neighborhoods are the most affected by this transformation. This could be because there is a population of query cells that aren't present in the reference or the state of the cells in the query is significantly different from the equivalent cell type in the reference.

**Usage**

```

MappingScore(anchors, ...)

## Default S3 method:
MappingScore(
  anchors,
  combined.object,
  query.neighbors,
  ref.embeddings,
  query.embeddings,
  kanchors = 50,
  ndim = 50,
  ksmooth = 100,
  ksnn = 20,
  snn.prune = 0,
  subtract.first.nn = TRUE,
  nn.method = "annoy",
  n.trees = 50,
  query.weights = NULL,
  verbose = TRUE,
  ...
)

## S3 method for class 'AnchorSet'
MappingScore(
  anchors,
  kanchors = 50,
  ndim = 50,
  ksmooth = 100,
  ksnn = 20,
  snn.prune = 0,
  subtract.first.nn = TRUE,
  nn.method = "annoy",
  n.trees = 50,
  query.weights = NULL,
  verbose = TRUE,
  ...
)

```

**Arguments**

anchors	AnchorSet object or just anchor matrix from the Anchorset object returned from FindTransferAnchors
...	Reserved for internal use
combined.object	Combined object (ref + query) from the Anchorset object returned
query.neighbors	Neighbors object computed on query cells



<code>ref.embeddings</code>	Reference embeddings matrix
<code>query.embeddings</code>	Query embeddings matrix
<code>kanchors</code>	Number of anchors to use in projection steps when computing weights
<code>ndim</code>	Number of dimensions to use when working with low dimensional projections of the data
<code>ksmooth</code>	Number of cells to average over when computing transition probabilities
<code>ksnn</code>	Number of cells to average over when determining the kernel bandwidth from the SNN graph
<code>snn.prune</code>	Amount of pruning to apply to edges in SNN graph
<code>subtract.first.nn</code>	Option to the scoring function when computing distances to subtract the distance to the first nearest neighbor
<code>nn.method</code>	Nearest neighbor method to use (annoy or RANN)
<code>n.trees</code>	More trees gives higher precision when using annoy approximate nearest neighbor search
<code>query.weights</code>	Query weights matrix for reuse
<code>verbose</code>	Display messages/progress

**Value**

Returns a vector of cell scores

---

MapQuery

*Map query cells to a reference*

---

**Description**

This is a convenience wrapper function around the following three functions that are often run together when mapping query data to a reference: [TransferData](#), [IntegrateEmbeddings](#), [ProjectUMAP](#). Note that by default, the `weight.reduction` parameter for all functions will be set to the dimension reduction method used in the [FindTransferAnchors](#) function call used to construct the anchor object, and the `dims` parameter will be the same dimensions used to find anchors.

**Usage**

```
MapQuery(
  anchorset,
  query,
  reference,
  refdata = NULL,
  new.reduction.name = NULL,
  reference.reduction = NULL,
  reference.dims = NULL,
```

```

query.dims = NULL,
reduction.model = NULL,
transferdata.args = list(),
integrateembeddings.args = list(),
projectumap.args = list(),
verbose = TRUE
)

```

## Arguments

anchorset	An AnchorSet object
query	Query object used in anchorset construction
reference	Reference object used in anchorset construction
refdata	Data to transfer. This can be specified in one of two ways: <ul style="list-style-type: none"> <li>• The reference data itself as either a vector where the names correspond to the reference cells, or a matrix, where the column names correspond to the reference cells.</li> <li>• The name of the metadata field or assay from the reference object provided. This requires the reference parameter to be specified. If pulling assay data in this manner, it will pull the data from the data slot. To transfer data from other slots, please pull the data explicitly with <a href="#">GetAssayData</a> and provide that matrix here.</li> </ul>
new.reduction.name	Name for new integrated dimensional reduction.
reference.reduction	Name of reduction to use from the reference for neighbor finding
reference.dims	Dimensions (columns) to use from reference
query.dims	Dimensions (columns) to use from query
reduction.model	DimReduc object that contains the umap model
transferdata.args	A named list of additional arguments to <a href="#">TransferData</a>
integrateembeddings.args	A named list of additional arguments to <a href="#">IntegrateEmbeddings</a>
projectumap.args	A named list of additional arguments to <a href="#">ProjectUMAP</a>
verbose	Print progress bars and output

## Value

Returns a modified query Seurat object containing:

- New Assays corresponding to the features transferred and/or their corresponding prediction scores from [TransferData](#)
- An integrated reduction from [IntegrateEmbeddings](#)
- A projected UMAP reduction of the query cells projected into the reference UMAP using [ProjectUMAP](#)

---

merge.SCTAssay	<i>Merge SCTAssay objects</i>
----------------	-------------------------------

---

**Description**

Merge SCTAssay objects

**Usage**

```
## S3 method for class 'SCTAssay'
merge(
  x = NULL,
  y = NULL,
  add.cell.ids = NULL,
  merge.data = TRUE,
  na.rm = TRUE,
  ...
)
```

**Arguments**

x	A <a href="#">Seurat</a> object
y	A single Seurat object or a list of Seurat objects
add.cell.ids	A character vector of length(x = c(x, y)); appends the corresponding values to the start of each objects' cell names
merge.data	Merge the data slots instead of just merging the counts (which requires renormalization); this is recommended if the same normalization approach was applied to all objects
na.rm	If na.rm = TRUE, this will only preserve residuals that are present in all SCTAssays being merged. Otherwise, missing residuals will be populated with NAs.
...	Arguments passed to other methods

---

MetaFeature	<i>Aggregate expression of multiple features into a single feature</i>
-------------	--

---

**Description**

Calculates relative contribution of each feature to each cell for given set of features.

**Usage**

```
MetaFeature(
  object,
  features,
  meta.name = "metafeature",
  cells = NULL,
  assay = NULL,
  slot = "data"
)
```

**Arguments**

object	A Seurat object
features	List of features to aggregate
meta.name	Name of column in metadata to store metafeature
cells	List of cells to use (default all cells)
assay	Which assay to use
slot	Which slot to take data from (default data)

**Value**

Returns a Seurat object with metafeature stored in object metadata

**Examples**

```
data("pbmc_small")
pbmc_small <- MetaFeature(
  object = pbmc_small,
  features = c("LTB", "EAF2"),
  meta.name = 'var.aggregate'
)
head(pbmc_small[[[]]])
```

---

 MinMax

*Apply a ceiling and floor to all values in a matrix*

---

**Description**

Apply a ceiling and floor to all values in a matrix

**Usage**

```
MinMax(data, min, max)
```

**Arguments**

data	Matrix or data frame
min	all values below this min value will be replaced with min
max	all values above this max value will be replaced with max

**Value**

Returns matrix after performing these floor and ceil operations

**Examples**

```
mat <- matrix(data = rbinom(n = 25, size = 20, prob = 0.2 ), nrow = 5)
mat
MinMax(data = mat, min = 4, max = 5)
```

---

MixingMetric	<i>Calculates a mixing metric</i>
--------------	-----------------------------------

---

**Description**

Here we compute a measure of how well mixed a composite dataset is. To compute, we first examine the local neighborhood for each cell (looking at max.k neighbors) and determine for each group (could be the dataset after integration) the k nearest neighbor and what rank that neighbor was in the overall neighborhood. We then take the median across all groups as the mixing metric per cell.

**Usage**

```
MixingMetric(
  object,
  grouping.var,
  reduction = "pca",
  dims = 1:2,
  k = 5,
  max.k = 300,
  eps = 0,
  verbose = TRUE
)
```

**Arguments**

object	Seurat object
grouping.var	Grouping variable for dataset
reduction	Which dimensionally reduced space to use
dims	Dimensions to use

k	Neighbor number to examine per group
max.k	Maximum size of local neighborhood to compute
eps	Error bound on the neighbor finding algorithm (from RANN)
verbose	Displays progress bar

**Value**

Returns a vector of values of the mixing metric for each cell

---

MixscapeHeatmap	<i>Differential expression heatmap for mixscape</i>
-----------------	---

---

**Description**

Draws a heatmap of single cell feature expression with cells ordered by their mixscape ko probabilities.

**Usage**

```
MixscapeHeatmap(
  object,
  ident.1 = NULL,
  ident.2 = NULL,
  balanced = TRUE,
  logfc.threshold = 0.25,
  assay = "RNA",
  max.genes = 100,
  test.use = "wilcox",
  max.cells.group = NULL,
  order.by.prob = TRUE,
  group.by = NULL,
  mixscape.class = "mixscape_class",
  prt.type = "K0",
  fc.name = "avg_log2FC",
  pval.cutoff = 0.05,
  ...
)
```

**Arguments**

object	An object
ident.1	Identity class to define markers for; pass an object of class phylo or 'clustertree' to find markers for a node in a cluster tree; passing 'clustertree' requires <a href="#">BuildClusterTree</a> to have been run
ident.2	A second identity class for comparison; if NULL, use all other cells for comparison; if an object of class phylo or 'clustertree' is passed to ident.1, must pass a node to find markers for

<code>balanced</code>	Plot an equal number of genes with both groups of cells.
<code>logfc.threshold</code>	Limit testing to genes which show, on average, at least X-fold difference (log-scale) between the two groups of cells. Default is 0.25 Increasing <code>logfc.threshold</code> speeds up the function, but can miss weaker signals.
<code>assay</code>	Assay to use in differential expression testing
<code>max.genes</code>	Total number of DE genes to plot.
<code>test.use</code>	Denotes which test to use. Available options are: <ul style="list-style-type: none"> <li>• "wilcox" : Identifies differentially expressed genes between two groups of cells using a Wilcoxon Rank Sum test (default)</li> <li>• "bimod" : Likelihood-ratio test for single cell gene expression, (McDavid et al., Bioinformatics, 2013)</li> <li>• "roc" : Identifies 'markers' of gene expression using ROC analysis. For each gene, evaluates (using AUC) a classifier built on that gene alone, to classify between two groups of cells. An AUC value of 1 means that expression values for this gene alone can perfectly classify the two groupings (i.e. Each of the cells in <code>cells.1</code> exhibit a higher level than each of the cells in <code>cells.2</code>). An AUC value of 0 also means there is perfect classification, but in the other direction. A value of 0.5 implies that the gene has no predictive power to classify the two groups. Returns a 'predictive power' (<math>\text{abs}(\text{AUC} - 0.5) * 2</math>) ranked matrix of putative differentially expressed genes.</li> <li>• "t" : Identify differentially expressed genes between two groups of cells using the Student's t-test.</li> <li>• "negbinom" : Identifies differentially expressed genes between two groups of cells using a negative binomial generalized linear model. Use only for UMI-based datasets</li> <li>• "poisson" : Identifies differentially expressed genes between two groups of cells using a poisson generalized linear model. Use only for UMI-based datasets</li> <li>• "LR" : Uses a logistic regression framework to determine differentially expressed genes. Constructs a logistic regression model predicting group membership based on each feature individually and compares this to a null model with a likelihood ratio test.</li> <li>• "MAST" : Identifies differentially expressed genes between two groups of cells using a hurdle model tailored to scRNA-seq data. Utilizes the MAST package to run the DE testing.</li> <li>• "DESeq2" : Identifies differentially expressed genes between two groups of cells based on a model using DESeq2 which uses a negative binomial distribution (Love et al, Genome Biology, 2014). This test does not support pre-filtering of genes based on average difference (or percent detection rate) between cell groups. However, genes may be pre-filtered based on their minimum detection rate (<code>min.pct</code>) across both cell groups. To use this method, please install DESeq2, using the instructions at <a href="https://bioconductor.org/packages/release/bioc/html/DESeq2">https://bioconductor.org/packages/release/bioc/html/DESeq2</a></li> </ul>
<code>max.cells.group</code>	Number of cells per identity to plot.

<code>order.by.prob</code>	Order cells on heatmap based on their mixscape knockout probability from highest to lowest score.
<code>group.by</code>	(Deprecated) Option to split densities based on mixscape classification. Please use <code>mixscape.class</code> instead
<code>mixscape.class</code>	metadata column with mixscape classifications.
<code>prtb.type</code>	specify type of CRISPR perturbation expected for labeling mixscape classifications. Default is KO.
<code>fc.name</code>	Name of the fold change, average difference, or custom function column in the output data.frame. Default is <code>avg_log2FC</code>
<code>pval.cutoff</code>	P-value cut-off for selection of significantly DE genes.
<code>...</code>	Arguments passed to other methods and to specific DE methods

**Value**

A ggplot object.

---

MixscapeLDA

*Linear discriminant analysis on pooled CRISPR screen data.*

---

**Description**

This function performs unsupervised PCA on each mixscape class separately and projects each subspace onto all cells in the data. Finally, it uses the first 10 principle components from each projection as input to `lda` in MASS package together with mixscape class labels.

**Usage**

```
MixscapeLDA(
  object,
  assay = NULL,
  ndims.print = 1:5,
  nfeatures.print = 30,
  reduction.key = "LDA_",
  seed = 42,
  pc.assay = "PRTB",
  labels = "gene",
  nt.label = "NT",
  npcs = 10,
  verbose = TRUE,
  logfc.threshold = 0.25
)
```



**Arguments**

<code>object</code>	An object of class Seurat.
<code>assay</code>	Assay to use for performing Linear Discriminant Analysis (LDA).
<code>ndims.print</code>	Number of LDA dimensions to print.
<code>nfeatures.print</code>	Number of features to print for each LDA component.
<code>reduction.key</code>	Reduction key name.
<code>seed</code>	Value for random seed
<code>pc.assay</code>	Assay to use for running Principle components analysis.
<code>labels</code>	Meta data column with target gene class labels.
<code>nt.label</code>	Name of non-targeting cell class.
<code>npcs</code>	Number of principle components to use.
<code>verbose</code>	Print progress bar.
<code>logfc.threshold</code>	Limit testing to genes which show, on average, at least X-fold difference (log-scale) between the two groups of cells. Default is 0.25 Increasing <code>logfc.threshold</code> speeds up the function, but can miss weaker signals.

**Value**

Returns a Seurat object with LDA added in the reduction slot.

---

ModalityWeights-class *The ModalityWeights Class*

---

**Description**

The ModalityWeights class is an intermediate data storage class that stores the modality weight and other related information needed for performing downstream analyses - namely data integration (`FindModalityWeights`) and data transfer (`FindMultiModalNeighbors`).

**Slots**

<code>modality.weight.list</code>	A list of modality weights value from all modalities
<code>modality.assay</code>	Names of assays for the list of dimensional reductions
<code>params</code>	A list of parameters used in the <code>FindModalityWeights</code>
<code>score.matrix</code>	a list of score matrices representing cross and within-modality prediction score, and kernel value
<code>command</code>	Store log of parameters that were used

---

MULTIseqDemux	<i>Demultiplex samples based on classification method from MULTI-seq (McGinnis et al., bioRxiv 2018)</i>
---------------	--

---

### Description

Identify singlets, doublets and negative cells from multiplexing experiments. Annotate singlets by tags.

### Usage

```
MULTIseqDemux(
  object,
  assay = "HTO",
  quantile = 0.7,
  autoThresh = FALSE,
  maxiter = 5,
  qrang = seq(from = 0.1, to = 0.9, by = 0.05),
  verbose = TRUE
)
```

### Arguments

object	Seurat object. Assumes that the specified assay data has been added
assay	Name of the multiplexing assay (HTO by default)
quantile	The quantile to use for classification
autoThresh	Whether to perform automated threshold finding to define the best quantile. Default is FALSE
maxiter	Maximum number of iterations if autoThresh = TRUE. Default is 5
qrang	A range of possible quantile values to try if autoThresh = TRUE
verbose	Prints the output

### Value

A Seurat object with demultiplexing results stored at object\$MULTI\_ID

### References

<https://www.biorxiv.org/content/10.1101/387241v1>

### Examples

```
## Not run:
object <- MULTIseqDemux(object)

## End(Not run)
```

---

Neighbor-class	<i>The Neighbor Class</i>
----------------	---------------------------

---

**Description**

For more details, please see the documentation in [SeuratObject](#)

**See Also**

[SeuratObject::Neighbor-class](#)

---

NNPlot	<i>Highlight Neighbors in DimPlot</i>
--------	---------------------------------------

---

**Description**

It will color the query cells and the neighbors of the query cells in the DimPlot

**Usage**

```
NNPlot(
  object,
  reduction,
  nn.idx,
  query.cells,
  dims = 1:2,
  label = FALSE,
  label.size = 4,
  repel = FALSE,
  sizes.highlight = 2,
  pt.size = 1,
  cols.highlight = c("#377eb8", "#e41a1c"),
  na.value = "#bdbdbd",
  order = c("self", "neighbors", "other"),
  show.all.cells = TRUE,
  ...
)
```

**Arguments**

object	Seurat object
reduction	Which dimensionality reduction to use. If not specified, first searches for umap, then tsne, then pca
nn.idx	the neighbor index of all cells

query.cells	cells used to find their neighbors
dims	Dimensions to plot, must be a two-length numeric vector specifying x- and y-dimensions
label	Whether to label the clusters
label.size	Sets size of labels
repel	Repel labels
sizes.highlight	Size of highlighted cells; will repeat to the length groups in cells.highlight
pt.size	Adjust point size for plotting
cols.highlight	A vector of colors to highlight the cells as; will repeat to the length groups in cells.highlight
na.value	Color value for NA points when using custom scale
order	Specify the order of plotting for the ids. This can be useful for crowded plots if points of interest are being buried. Provide either a full list of valid ids or a subset to be plotted last (on top)
show.all.cells	Show all cells or only query and neighbor cells
...	Extra parameters passed to DimPlot

**Value**

A [patchwork](#)ed ggplot object if combine = TRUE; otherwise, a list of ggplot objects

---

NormalizeData	<i>Normalize Data</i>
---------------	-----------------------

---

**Description**

Normalize the count data present in a given assay.

**Usage**

```
NormalizeData(object, ...)

## Default S3 method:
NormalizeData(
  object,
  normalization.method = "LogNormalize",
  scale.factor = 10000,
  margin = 1,
  block.size = NULL,
  verbose = TRUE,
  ...
)
```

```

## S3 method for class 'Assay'
NormalizeData(
  object,
  normalization.method = "LogNormalize",
  scale.factor = 10000,
  margin = 1,
  verbose = TRUE,
  ...
)

## S3 method for class 'Seurat'
NormalizeData(
  object,
  assay = NULL,
  normalization.method = "LogNormalize",
  scale.factor = 10000,
  margin = 1,
  verbose = TRUE,
  ...
)

```

### Arguments

object	An object
...	Arguments passed to other methods
normalization.method	Method for normalization. <ul style="list-style-type: none"> <li>• LogNormalize: Feature counts for each cell are divided by the total counts for that cell and multiplied by the scale.factor. This is then natural-log transformed using <math>\log_1 p</math>.</li> <li>• CLR: Applies a centered log ratio transformation</li> <li>• RC: Relative counts. Feature counts for each cell are divided by the total counts for that cell and multiplied by the scale.factor. No log-transformation is applied. For counts per million (CPM) set <code>scale.factor = 1e6</code></li> </ul>
scale.factor	Sets the scale factor for cell-level normalization
margin	If performing CLR normalization, normalize across features (1) or cells (2)
block.size	How many cells should be run in each chunk, will try to split evenly across threads
verbose	display progress bar for normalization procedure
assay	Name of assay to use

### Value

Returns object after normalization

**Examples**

```
## Not run:
data("pbmc_small")
pbmc_small
pbmc_small <- NormalizeData(object = pbmc_small)

## End(Not run)
```

---

PCASigGenes

*Significant genes from a PCA*

---

**Description**

Returns a set of genes, based on the JackStraw analysis, that have statistically significant associations with a set of PCs.

**Usage**

```
PCASigGenes(
  object,
  pcs.use,
  pval.cut = 0.1,
  use.full = FALSE,
  max.per.pc = NULL
)
```

**Arguments**

<code>object</code>	Seurat object
<code>pcs.use</code>	PCS to use.
<code>pval.cut</code>	P-value cutoff
<code>use.full</code>	Use the full list of genes (from the projected PCA). Assumes that ProjectDim has been run. Currently, must be set to FALSE.
<code>max.per.pc</code>	Maximum number of genes to return per PC. Used to avoid genes from one PC dominating the entire analysis.

**Value**

A vector of genes whose p-values are statistically significant for at least one of the given PCs.

**See Also**

[ProjectDim JackStraw](#)

**Examples**

```
data("pbmc_small")
PCASigGenes(pbmc_small, pcs.use = 1:2)
```

---

PercentAbove	<i>Calculate the percentage of a vector above some threshold</i>
--------------	--

---

**Description**

Calculate the percentage of a vector above some threshold

**Usage**

```
PercentAbove(x, threshold)
```

**Arguments**

x	Vector of values
threshold	Threshold to use when calculating percentage

**Value**

Returns the percentage of x values above the given threshold

**Examples**

```
set.seed(42)
PercentAbove(sample(1:100, 10), 75)
```

---

PercentageFeatureSet	<i>Calculate the percentage of all counts that belong to a given set of features</i>
----------------------	--

---

**Description**

This function enables you to easily calculate the percentage of all the counts belonging to a subset of the possible features for each cell. This is useful when trying to compute the percentage of transcripts that map to mitochondrial genes for example. The calculation here is simply the column sum of the matrix present in the counts slot for features belonging to the set divided by the column sum for all features times 100.

**Usage**

```
PercentageFeatureSet(
  object,
  pattern = NULL,
  features = NULL,
  col.name = NULL,
  assay = NULL
)
```

**Arguments**

object	A Seurat object
pattern	A regex pattern to match features against
features	A defined feature set. If features provided, will ignore the pattern matching
col.name	Name in meta.data column to assign. If this is not null, returns a Seurat object with the proportion of the feature set stored in metadata.
assay	Assay to use

**Value**

Returns a vector with the proportion of the feature set or if md.name is set, returns a Seurat object with the proportion of the feature set stored in metadata.

**Examples**

```
data("pbmc_small")
# Calculate the proportion of transcripts mapping to mitochondrial genes
# NOTE: The pattern provided works for human gene names. You may need to adjust depending on your
# system of interest
pbmc_small[["percent.mt"]] <- PercentageFeatureSet(object = pbmc_small, pattern = "^MT-")
```

---

PlotClusterTree      *Plot clusters as a tree*

---

**Description**

Plots previously computed tree (from BuildClusterTree)

**Usage**

```
PlotClusterTree(object, direction = "downwards", ...)
```



**Arguments**

object            Seurat object

direction        A character string specifying the direction of the tree (default is downwards)  
Possible options: "rightwards", "leftwards", "upwards", and "downwards".

...                Additional arguments to [ape::plot.phylo](#)

**Value**

Plots dendrogram (must be precomputed using BuildClusterTree), returns no value

**Examples**

```
if (requireNamespace("ape", quietly = TRUE)) {
  data("pbmc_small")
  pbmc_small <- BuildClusterTree(object = pbmc_small)
  PlotClusterTree(object = pbmc_small)
}
```

---

PlotPerturbScore        *Function to plot perturbation score distributions.*

---

**Description**

Density plots to visualize perturbation scores calculated from RunMixscape function.

**Usage**

```
PlotPerturbScore(
  object,
  target.gene.class = "gene",
  target.gene.ident = NULL,
  mixscape.class = "mixscape_class",
  col = "orange2",
  split.by = NULL,
  before.mixscape = FALSE,
  prtb.type = "KO"
)
```

**Arguments**

object            An object of class Seurat.

target.gene.class        meta data column specifying all target gene names in the experiment.

target.gene.ident        Target gene name to visualize perturbation scores for.

mixscape.class        meta data column specifying mixscape classifications.

<code>col</code>	Specify color of target gene class or knockout cell class. For control non-targeting and non-perturbed cells, colors are set to different shades of grey.
<code>split.by</code>	For datasets with more than one cell type. Set equal TRUE to visualize perturbation scores for each cell type separately.
<code>before.mixscape</code>	Option to split densities based on mixscape classification (default) or original target gene classification. Default is set to NULL and plots cells by original class ID.
<code>prtb.type</code>	specify type of CRISPR perturbation expected for labeling mixscape classifications. Default is KO.

**Value**

A ggplot object.

---

PolyDimPlot

*Polygon DimPlot*

---

**Description**

Plot cells as polygons, rather than single points. Color cells by identity, or a categorical variable in metadata

**Usage**

```
PolyDimPlot(
  object,
  group.by = NULL,
  cells = NULL,
  poly.data = "spatial",
  flip.coords = FALSE
)
```

**Arguments**

<code>object</code>	Seurat object
<code>group.by</code>	A grouping variable present in the metadata. Default is to use the groupings present in the current cell identities ( <code>Idents(object = object)</code> )
<code>cells</code>	Vector of cells to plot (default is all cells)
<code>poly.data</code>	Name of the polygon dataframe in the misc slot
<code>flip.coords</code>	Flip x and y coordinates

**Value**

Returns a ggplot object

---

PolyFeaturePlot	<i>Polygon FeaturePlot</i>
-----------------	----------------------------

---

## Description

Plot cells as polygons, rather than single points. Color cells by any value accessible by [FetchData](#).

## Usage

```
PolyFeaturePlot(
  object,
  features,
  cells = NULL,
  poly.data = "spatial",
  ncol = ceiling(x = length(x = features)/2),
  min.cutoff = 0,
  max.cutoff = NA,
  common.scale = TRUE,
  flip.coords = FALSE
)
```

## Arguments

object	Seurat object
features	Vector of features to plot. Features can come from: <ul style="list-style-type: none"> <li>• An Assay feature (e.g. a gene name - "MS4A1")</li> <li>• A column name from meta.data (e.g. mitochondrial percentage - "percent.mito")</li> <li>• A column name from a DimReduc object corresponding to the cell embedding values (e.g. the PC 1 scores - "PC_1")</li> </ul>
cells	Vector of cells to plot (default is all cells)
poly.data	Name of the polygon dataframe in the misc slot
ncol	Number of columns to split the plot into
min.cutoff, max.cutoff	Vector of minimum and maximum cutoff values for each feature, may specify quantile in the form of 'q##' where '##' is the quantile (eg, 'q1', 'q10')
common.scale	...
flip.coords	Flip x and y coordinates

## Value

Returns a ggplot object

---

PredictAssay	<i>Predict value from nearest neighbors</i>
--------------	---

---

### Description

This function will predict expression or cell embeddings from its k nearest neighbors index. For each cell, it will average its k neighbors value to get its new imputed value. It can average expression value in assays and cell embeddings from dimensional reductions.

### Usage

```
PredictAssay(
  object,
  nn.idx,
  assay,
  reduction = NULL,
  dims = NULL,
  return.assay = TRUE,
  slot = "scale.data",
  features = NULL,
  mean.function = rowMeans,
  seed = 4273,
  verbose = TRUE
)
```

### Arguments

object	The object used to calculate knn
nn.idx	k near neighbour indices. A cells x k matrix.
assay	Assay used for prediction
reduction	Cell embedding of the reduction used for prediction
dims	Number of dimensions of cell embedding
return.assay	Return an assay or a predicted matrix
slot	slot used for prediction
features	features used for prediction
mean.function	the function used to calculate row mean
seed	Sets the random seed to check if the nearest neighbor is query cell
verbose	Print progress

### Value

return an assay containing predicted expression value in the data slot

---

PrepLDA

*Function to prepare data for Linear Discriminant Analysis.*

---

## Description

This function performs unsupervised PCA on each mixscape class separately and projects each subspace onto all cells in the data.

## Usage

```
PrepLDA(  
  object,  
  de.assay = "RNA",  
  pc.assay = "PRTB",  
  labels = "gene",  
  nt.label = "NT",  
  npcs = 10,  
  verbose = TRUE,  
  logfc.threshold = 0.25  
)
```

## Arguments

<code>object</code>	An object of class Seurat.
<code>de.assay</code>	Assay to use for selection of DE genes.
<code>pc.assay</code>	Assay to use for running Principle components analysis.
<code>labels</code>	Meta data column with target gene class labels.
<code>nt.label</code>	Name of non-targeting cell class.
<code>npcs</code>	Number of principle components to use.
<code>verbose</code>	Print progress bar.
<code>logfc.threshold</code>	Limit testing to genes which show, on average, at least X-fold difference (log-scale) between the two groups of cells. Default is 0.25 Increasing <code>logfc.threshold</code> speeds up the function, but can miss weaker signals.

## Value

Returns a list of the first 10 PCs from each projection.

---

PrepSCTFindMarkers      *Prepare object to run differential expression on SCT assay with multiple models*

---

### Description

Given a merged object with multiple SCT models, this function uses minimum of the median UMI (calculated using the raw UMI counts) of individual objects to reverse the individual SCT regression model using minimum of median UMI as the sequencing depth covariate. The counts slot of the SCT assay is replaced with recorrected counts and the data slot is replaced with log<sub>1p</sub> of recorrected counts.

### Usage

```
PrepSCTFindMarkers(object, assay = "SCT", verbose = TRUE)
```

### Arguments

object	Seurat object with SCT assays
assay	Assay name where for SCT objects are stored; Default is 'SCT'
verbose	Print messages and progress

### Value

Returns a Seurat object with recorrected counts and data in the SCT assay.

### Examples

```
data("pbmc_small")
pbmc_small1 <- SCTransform(object = pbmc_small, variable.features.n = 20)
pbmc_small2 <- SCTransform(object = pbmc_small, variable.features.n = 20)
pbmc_merged <- merge(x = pbmc_small1, y = pbmc_small2)
pbmc_merged <- PrepSCTFindMarkers(object = pbmc_merged)
markers <- FindMarkers(
  object = pbmc_merged,
  ident.1 = "0",
  ident.2 = "1",
  assay = "SCT"
)
pbmc_subset <- subset(pbmc_merged, ids = c("0", "1"))
markers_subset <- FindMarkers(
  object = pbmc_subset,
  ident.1 = "0",
  ident.2 = "1",
  assay = "SCT",
  recorrect_umi = FALSE
)
```

---

PrepSCTIntegration     *Prepare an object list normalized with sctransform for integration.*

---

## Description

This function takes in a list of objects that have been normalized with the [SCTransform](#) method and performs the following steps:

- If `anchor.features` is a numeric value, calls [SelectIntegrationFeatures](#) to determine the features to use in the downstream integration procedure.
- Ensures that the `sctransform` residuals for the features specified to `anchor.features` are present in each object in the list. This is necessary because the default behavior of [SCTransform](#) is to only store the residuals for the features determined to be variable. Residuals are recomputed for missing features using the stored model parameters via the [GetResidual](#) function.
- Subsets the `scale.data` slot to only contain the residuals for `anchor.features` for efficiency in downstream processing.

## Usage

```
PrepSCTIntegration(  
  object.list,  
  assay = NULL,  
  anchor.features = 2000,  
  sct.clip.range = NULL,  
  verbose = TRUE  
)
```

## Arguments

<code>object.list</code>	A list of <a href="#">Seurat</a> objects to prepare for integration
<code>assay</code>	The name of the <a href="#">Assay</a> to use for integration. This can be a single name if all the assays to be integrated have the same name, or a character vector containing the name of each <a href="#">Assay</a> in each object to be integrated. The specified assays must have been normalized using <a href="#">SCTransform</a> . If <code>NULL</code> (default), the current default assay for each object is used.
<code>anchor.features</code>	Can be either: <ul style="list-style-type: none"><li>• A numeric value. This will call <a href="#">SelectIntegrationFeatures</a> to select the provided number of features to be used in anchor finding</li><li>• A vector of features to be used as input to the anchor finding process</li></ul>
<code>sct.clip.range</code>	Numeric of length two specifying the min and max values the Pearson residual will be clipped to
<code>verbose</code>	Display output/messages

**Value**

A list of `Seurat` objects with the appropriate `scale.data` slots containing only the required `anchor.features`.

**Examples**

```
## Not run:
# to install the SeuratData package see https://github.com/satijalab/seurat-data
library(SeuratData)
data("panc8")

# panc8 is a merged Seurat object containing 8 separate pancreas datasets
# split the object by dataset and take the first 2 to integrate
pancreas.list <- SplitObject(panc8, split.by = "tech")[1:2]

# perform SCTransform normalization
pancreas.list <- lapply(X = pancreas.list, FUN = SCTransform)

# select integration features and prep step
features <- SelectIntegrationFeatures(pancreas.list)
pancreas.list <- PrepSCTIntegration(
  pancreas.list,
  anchor.features = features
)

# downstream integration steps
anchors <- FindIntegrationAnchors(
  pancreas.list,
  normalization.method = "SCT",
  anchor.features = features
)
pancreas.integrated <- IntegrateData(anchors, normalization.method = "SCT")

## End(Not run)
```

---

ProjectDim

*Project Dimensional reduction onto full dataset*

---

**Description**

Takes a pre-computed dimensional reduction (typically calculated on a subset of genes) and projects this onto the entire dataset (all genes). Note that the cell loadings will remain unchanged, but now there are gene loadings for all genes.

**Usage**

```
ProjectDim(
  object,
  reduction = "pca",
```



```

    assay = NULL,
    dims.print = 1:5,
    nfeatures.print = 20,
    overwrite = FALSE,
    do.center = FALSE,
    verbose = TRUE
  )

```

### Arguments

object	Seurat object
reduction	Reduction to use
assay	Assay to use
dims.print	Number of dims to print features for
nfeatures.print	Number of features with highest/lowest loadings to print for each dimension
overwrite	Replace the existing data in feature.loadings
do.center	Center the dataset prior to projection (should be set to TRUE)
verbose	Print top genes associated with the projected dimensions

### Value

Returns Seurat object with the projected values

### Examples

```

data("pbmc_small")
pbmc_small
pbmc_small <- ProjectDim(object = pbmc_small, reduction = "pca")
# Vizualize top projected genes in heatmap
DimHeatmap(object = pbmc_small, reduction = "pca", dims = 1, balanced = TRUE)

```

---

ProjectUMAP

*Project query into UMAP coordinates of a reference*


---

### Description

This function will take a query dataset and project it into the coordinates of a provided reference UMAP. This is essentially a wrapper around two steps:

- FindNeighbors - Find the nearest reference cell neighbors and their distances for each query cell.
- RunUMAP - Perform umap projection by providing the neighbor set calculated above and the umap model previously computed in the reference.

**Usage**

```
ProjectUMAP(query, ...)  
  
## Default S3 method:  
ProjectUMAP(  
  query,  
  query.dims = NULL,  
  reference,  
  reference.dims = NULL,  
  k.param = 30,  
  nn.method = "annoy",  
  n.trees = 50,  
  annoy.metric = "cosine",  
  l2.norm = FALSE,  
  cache.index = TRUE,  
  index = NULL,  
  neighbor.name = "query_ref.nn",  
  reduction.model,  
  ...  
)  
  
## S3 method for class 'DimReduc'  
ProjectUMAP(  
  query,  
  query.dims = NULL,  
  reference,  
  reference.dims = NULL,  
  k.param = 30,  
  nn.method = "annoy",  
  n.trees = 50,  
  annoy.metric = "cosine",  
  l2.norm = FALSE,  
  cache.index = TRUE,  
  index = NULL,  
  neighbor.name = "query_ref.nn",  
  reduction.model,  
  ...  
)  
  
## S3 method for class 'Seurat'  
ProjectUMAP(  
  query,  
  query.reduction,  
  query.dims = NULL,  
  reference,  
  reference.reduction,  
  reference.dims = NULL,  
  k.param = 30,
```

```

    nn.method = "annoy",
    n.trees = 50,
    annoy.metric = "cosine",
    l2.norm = FALSE,
    cache.index = TRUE,
    index = NULL,
    neighbor.name = "query_ref.nn",
    reduction.model,
    reduction.name = "ref.umap",
    reduction.key = "refUMAP_",
    ...
)

```

### Arguments

query	Query dataset
...	Additional parameters to <a href="#">RunUMAP</a>
query.dims	Dimensions (columns) to use from query
reference	Reference dataset
reference.dims	Dimensions (columns) to use from reference
k.param	Defines k for the k-nearest neighbor algorithm
nn.method	Method for nearest neighbor finding. Options include: rann, annoy
n.trees	More trees gives higher precision when using annoy approximate nearest neighbor search
annoy.metric	Distance metric for annoy. Options include: euclidean, cosine, manhattan, and hamming
l2.norm	Take L2Norm of the data
cache.index	Include cached index in returned Neighbor object (only relevant if return.neighbor = TRUE)
index	Precomputed index. Useful if querying new data against existing index to avoid recomputing.
neighbor.name	Name to store neighbor information in the query
reduction.model	DimReduc object that contains the umap model
query.reduction	Name of reduction to use from the query for neighbor finding
reference.reduction	Name of reduction to use from the reference for neighbor finding
reduction.name	Name of projected UMAP to store in the query
reduction.key	Value for the projected UMAP key

---

Radius.SlideSeq	<i>Get Spot Radius</i>
-----------------	------------------------

---

**Description**

Get Spot Radius

**Usage**

```
## S3 method for class 'SlideSeq'  
Radius(object)  
  
## S3 method for class 'STARmap'  
Radius(object)  
  
## S3 method for class 'VisiumV1'  
Radius(object)
```

**Arguments**

object            An image object

**See Also**

[SeuratObject::Radius](#)

---

Read10X	<i>Load in data from 10X</i>
---------	------------------------------

---

**Description**

Enables easy loading of sparse data matrices provided by 10X genomics.

**Usage**

```
Read10X(  
  data.dir,  
  gene.column = 2,  
  cell.column = 1,  
  unique.features = TRUE,  
  strip.suffix = FALSE  
)
```

**Arguments**

<code>data.dir</code>	Directory containing the <code>matrix.mtx</code> , <code>genes.tsv</code> (or <code>features.tsv</code> ), and <code>barcodes.tsv</code> files provided by 10X. A vector or named vector can be given in order to load several data directories. If a named vector is given, the cell barcode names will be prefixed with the name.
<code>gene.column</code>	Specify which column of <code>genes.tsv</code> or <code>features.tsv</code> to use for gene names; default is 2
<code>cell.column</code>	Specify which column of <code>barcodes.tsv</code> to use for cell names; default is 1
<code>unique.features</code>	Make feature names unique (default TRUE)
<code>strip.suffix</code>	Remove trailing "-1" if present in all cell barcodes.

**Value**

If `features.csv` indicates the data has multiple data types, a list containing a sparse matrix of the data from each type will be returned. Otherwise a sparse matrix containing the expression data will be returned.

**Examples**

```
## Not run:
# For output from CellRanger < 3.0
data_dir <- 'path/to/data/directory'
list.files(data_dir) # Should show barcodes.tsv, genes.tsv, and matrix.mtx
expression_matrix <- Read10X(data.dir = data_dir)
seurat_object = CreateSeuratObject(counts = expression_matrix)

# For output from CellRanger >= 3.0 with multiple data types
data_dir <- 'path/to/data/directory'
list.files(data_dir) # Should show barcodes.tsv.gz, features.tsv.gz, and matrix.mtx.gz
data <- Read10X(data.dir = data_dir)
seurat_object = CreateSeuratObject(counts = data$`Gene Expression`)
seurat_object[['Protein']] = CreateAssayObject(counts = data$`Antibody Capture`)

## End(Not run)
```

---

Read10X\_h5

*Read 10X hdf5 file*


---

**Description**

Read count matrix from 10X CellRanger hdf5 file. This can be used to read both scATAC-seq and scRNA-seq matrices.

**Usage**

```
Read10X_h5(filename, use.names = TRUE, unique.features = TRUE)
```

**Arguments**

filename	Path to h5 file
use.names	Label row names with feature names rather than ID numbers.
unique.features	Make feature names unique (default TRUE)

**Value**

Returns a sparse matrix with rows and columns labeled. If multiple genomes are present, returns a list of sparse matrices (one per genome).

---

Read10X_Image	<i>Load a 10X Genomics Visium Image</i>
---------------	---

---

**Description**

Load a 10X Genomics Visium Image

**Usage**

```
Read10X_Image(
  image.dir,
  image.name = "tissue_lowres_image.png",
  filter.matrix = TRUE,
  ...
)
```

**Arguments**

image.dir	Path to directory with 10X Genomics visium image data; should include files tissue_lowres_image.png,
image.name	The file name of the image. Defaults to tissue_lowres_image.png. scalefactors_json.json and tissue_positions_list.csv
filter.matrix	Filter spot/feature matrix to only include spots that have been determined to be over tissue.
...	Ignored for now

**Value**

A [VisiumV1](#) object

**See Also**

[VisiumV1 Load10X\\_Spatial](#)

---

ReadAkoya	<i>Read and Load Akoya CODEX data</i>
-----------	---------------------------------------

---

**Description**

Read and Load Akoya CODEX data

**Usage**

```
ReadAkoya(
  filename,
  type = c("inform", "processor", "qupath"),
  filter = "DAPI|Blank|Empty",
  inform.quant = c("mean", "total", "min", "max", "std")
)

LoadAkoya(
  filename,
  type = c("inform", "processor", "qupath"),
  fov,
  assay = "Akoya",
  ...
)
```

**Arguments**

filename	Path to matrix generated by upstream processing.
type	Specify which type matrix is being provided. <ul style="list-style-type: none"> <li>• “processor”: matrix generated by CODEX Processor</li> <li>• “inform”: matrix generated by inForm</li> <li>• “qupath”: matrix generated by QuPath</li> </ul>
filter	A pattern to filter features by; pass NA to skip feature filtering
inform.quant	When type is “inform”, the quantification level to read in
fov	Name to store FOV as
assay	Name to store expression matrix as
...	Arguments passed on to <a href="#">ReadAkoya</a>

**Value**

ReadAkoya: A list with some combination of the following values

- “matrix”: a [sparse matrix](#) with expression data; cells are columns and features are rows
- “centroids”: a data frame with cell centroid coordinates in three columns: “x”, “y”, and “cell”

- “metadata”: a data frame with cell-level meta data; includes all columns in filename that aren’t in “matrix” or “centroids”

When type is “inform”, additional expression matrices are returned and named using their segmentation type (eg. “nucleus”, “membrane”). The “Entire Cell” segmentation type is returned in the “matrix” entry of the list

LoadAkoya: A [Seurat](#) object

### Progress Updates with `progressr`

This function uses **progressr** to render status updates and progress bars. To enable progress updates, wrap the function call in `with_progress` or run `handlers(global = TRUE)` before running this function. For more details about **progressr**, please read `vignette("progressr-intro")`

### Note

This function requires the **data.table** package to be installed

---

ReadMtx

*Load in data from remote or local mtx files*

---

### Description

Enables easy loading of sparse data matrices

### Usage

```
ReadMtx(
  mtx,
  cells,
  features,
  cell.column = 1,
  feature.column = 2,
  cell.sep = "\t",
  feature.sep = "\t",
  skip.cell = 0,
  skip.feature = 0,
  mtx.transpose = FALSE,
  unique.features = TRUE,
  strip.suffix = FALSE
)
```

### Arguments

<code>mtx</code>	Name or remote URL of the mtx file
<code>cells</code>	Name or remote URL of the cells/barcodes file
<code>features</code>	Name or remote URL of the features/genes file



cell.column	Specify which column of cells file to use for cell names; default is 1
feature.column	Specify which column of features files to use for feature/gene names; default is 2
cell.sep	Specify the delimiter in the cell name file
feature.sep	Specify the delimiter in the feature name file
skip.cell	Number of lines to skip in the cells file before beginning to read cell names
skip.feature	Number of lines to skip in the features file before beginning to gene names
mtx.transpose	Transpose the matrix after reading in
unique.features	Make feature names unique (default TRUE)
strip.suffix	Remove trailing "-1" if present in all cell barcodes.

**Value**

A sparse matrix containing the expression data.

**Examples**

```
## Not run:
# For local files:

expression_matrix <- ReadMtx(
  mtx = "count_matrix.mtx.gz", features = "features.tsv.gz",
  cells = "barcodes.tsv.gz"
)
seurat_object <- CreateSeuratObject(counts = expression_matrix)

# For remote files:

expression_matrix <- ReadMtx(mtx = "http://localhost/matrix.mtx",
  cells = "http://localhost/barcodes.tsv",
  features = "http://localhost/genes.tsv")
seurat_object <- CreateSeuratObject(counts = data)

## End(Not run)
```

**Description**

Read and Load Nanostring SMI data

**Usage**

```

ReadNanostring(
  data.dir,
  mtx.file = NULL,
  metadata.file = NULL,
  molecules.file = NULL,
  segmentations.file = NULL,
  type = "centroids",
  mol.type = "pixels",
  metadata = NULL,
  mols.filter = NA_character_,
  genes.filter = NA_character_,
  fov.filter = NULL,
  subset.counts.matrix = NULL,
  cell.mols.only = TRUE
)

```

```
LoadNanostring(data.dir, fov, assay = "Nanostring")
```

**Arguments**

<code>data.dir</code>	Path to folder containing Nanostring SMI outputs
<code>mtx.file</code>	Path to Nanostring cell x gene matrix CSV
<code>metadata.file</code>	Contains metadata including cell center, area, and stain intensities
<code>molecules.file</code>	Path to molecules file
<code>segmentations.file</code>	Path to segmentations CSV
<code>type</code>	Type of cell spatial coordinate matrices to read; choose one or more of: <ul style="list-style-type: none"> <li>• “centroids”: cell centroids in pixel coordinate space</li> <li>• “segmentations”: cell segmentations in pixel coordinate space</li> </ul>
<code>mol.type</code>	Type of molecule spatial coordinate matrices to read; choose one or more of: <ul style="list-style-type: none"> <li>• “pixels”: molecule coordinates in pixel space</li> </ul>
<code>metadata</code>	Type of available metadata to read; choose zero or more of: <ul style="list-style-type: none"> <li>• “Area”: number of pixels in cell segmentation</li> <li>• “fov”: cell’s fov</li> <li>• “Mean.MembraneStain”: mean membrane stain intensity</li> <li>• “Mean.DAPI”: mean DAPI stain intensity</li> <li>• “Mean.G”: mean green channel stain intensity</li> <li>• “Mean.Y”: mean yellow channel stain intensity</li> <li>• “Mean.R”: mean red channel stain intensity</li> <li>• “Max.MembraneStain”: max membrane stain intensity</li> <li>• “Max.DAPI”: max DAPI stain intensity</li> <li>• “Max.G”: max green channel stain intensity</li> <li>• “Max.Y”: max yellow stain intensity</li> </ul>

	<ul style="list-style-type: none"> <li>• “Max.R”: max red stain intensity</li> </ul>
<code>mols.filter</code>	Filter molecules that match provided string
<code>genes.filter</code>	Filter genes from cell x gene matrix that match provided string
<code>fov.filter</code>	Only load in select FOVs. Nanostring SMI data contains 30 total FOVs.
<code>subset.counts.matrix</code>	<p>If the counts matrix should be built from molecule coordinates for a specific segmentation; One of:</p> <ul style="list-style-type: none"> <li>• “Nuclear”: nuclear segmentations</li> <li>• “Cytoplasm”: cell cytoplasm segmentations</li> <li>• “Membrane”: cell membrane segmentations</li> </ul>
<code>cell.mols.only</code>	If TRUE, only load molecules within a cell
<code>fov</code>	Name to store FOV as
<code>assay</code>	Name to store expression matrix as

### Value

ReadNanostring: A list with some combination of the following values:

- “matrix”: a [sparse matrix](#) with expression data; cells are columns and features are rows
- “centroids”: a data frame with cell centroid coordinates in three columns: “x”, “y”, and “cell”
- “pixels”: a data frame with molecule pixel coordinates in three columns: “x”, “y”, and “gene”

LoadNanostring: A [Seurat](#) object

### Progress Updates with `progressr`

This function uses [progressr](#) to render status updates and progress bars. To enable progress updates, wrap the function call in `with_progress` or run `handlers(global = TRUE)` before running this function. For more details about [progressr](#), please read `vignette("progressr-intro")`

### Parallelization with `future`

This function uses [future](#) to enable parallelization. Parallelization strategies can be set using `plan`. Common plans include “sequential” for non-parallelized processing or “multisession” for parallel evaluation using multiple R sessions; for other plans, see the “Implemented evaluation strategies” section of `?future::plan`. For a more thorough introduction to [future](#), see `vignette("future-1-overview")`

### Note

This function requires the [data.table](#) package to be installed

ReadParseBio      *Read output from Parse Biosciences*

---

**Description**

Read output from Parse Biosciences

**Usage**

```
ReadParseBio(data.dir, ...)
```

**Arguments**

data.dir	Directory containing the data files
...	Extra parameters passed to <a href="#">ReadMtx</a>

---

ReadSlideSeq      *Load Slide-seq spatial data*

---

**Description**

Load Slide-seq spatial data

**Usage**

```
ReadSlideSeq(coord.file, assay = "Spatial")
```

**Arguments**

coord.file	Path to csv file containing bead coordinate positions
assay	Name of assay to associate image to

**Value**

A [SlideSeq](#) object

**See Also**

[SlideSeq](#)

---

ReadSTARsolo	<i>Read output from STARsolo</i>
--------------	----------------------------------

---

**Description**

Read output from STARsolo

**Usage**

```
ReadSTARsolo(data.dir, ...)
```

**Arguments**

data.dir	Directory containing the data files
...	Extra parameters passed to <a href="#">ReadMtx</a>

---

ReadVitesce	<i>Read Data From Vitesce</i>
-------------	-------------------------------

---

**Description**

Read in data from Vitesce-formatted JSON files

**Usage**

```
ReadVitesce(
  counts = NULL,
  coords = NULL,
  molecules = NULL,
  type = c("segmentations", "centroids"),
  filter = NA_character_
)

LoadHuBMAPCODEX(data.dir, fov, assay = "CODEX")
```

**Arguments**

counts	Path or URL to a Vitesce-formatted JSON file with expression data; should end in “.genes.json” or “.clusters.json”; pass NULL to skip
coords	Path or URL to a Vitesce-formatted JSON file with cell/spot spatial coordinates; should end in “.cells.json”; pass NULL to skip
molecules	Path or URL to a Vitesce-formatted JSON file with molecule spatial coordinates; should end in “.molecules.json”; pass NULL to skip
type	Type of cell/spot spatial coordinates to return, choose one or more from:

	<ul style="list-style-type: none"> <li>• “segmentations” cell/spot segmentations</li> <li>• “centroids” cell/spot centroids</li> </ul>
filter	A character to filter molecules by, pass NA to skip molecule filtering
data.dir	Path to a directory containing Vitesce cells and clusters JSONs
fov	Name to store FOV as
assay	Name to store expression matrix as

### Value

ReadVitesce: A list with some combination of the following values:

- “counts”: if counts is not NULL, an expression matrix with cells as columns and features as rows
- “centroids”: if coords is not NULL and type is contains “centroids”, a data frame with cell centroids in three columns: “x”, “y”, and “cell”
- “segmentations”: if coords is not NULL and type contains “centroids”, a data frame with cell segmentations in three columns: “x”, “y” and “cell”
- “molecules”: if molecules is not NULL, a data frame with molecule spatial coordinates in three columns: “x”, “y”, and “gene”

LoadHuBMAPCODEX: A [Seurat](#) object

### Progress Updates with progressr

This function uses **progressr** to render status updates and progress bars. To enable progress updates, wrap the function call in [with\\_progress](#) or run [handlers\(global = TRUE\)](#) before running this function. For more details about **progressr**, please read [vignette\("progressr-intro"\)](#)

### Note

This function requires the **jsonlite** package to be installed

### Examples

```
## Not run:
coords <- ReadVitesce(
  counts =
    "https://s3.amazonaws.com/vitesce-data/0.0.31/master_release/wang/wang.genes.json",
  coords =
    "https://s3.amazonaws.com/vitesce-data/0.0.31/master_release/wang/wang.cells.json",
  molecules =
    "https://s3.amazonaws.com/vitesce-data/0.0.31/master_release/wang/wang.molecules.json"
)
names(coords)
coords$counts[1:10, 1:10]
head(coords$centroids)
head(coords$segmentations)
head(coords$molecules)
```

```
## End(Not run)
```

---

 ReadVizgen

*Read and Load MERFISH Input from Vizgen*


---

## Description

Read and load in MERFISH data from Vizgen-formatted files

## Usage

```
ReadVizgen(
  data.dir,
  transcripts = NULL,
  spatial = NULL,
  molecules = NULL,
  type = "segmentations",
  mol.type = "microns",
  metadata = NULL,
  filter = NA_character_,
  z = 3L
)
```

```
LoadVizgen(data.dir, fov, assay = "Vizgen", z = 3L)
```

## Arguments

<code>data.dir</code>	Path to the directory with Vizgen MERFISH files; requires at least one of the following files present: <ul style="list-style-type: none"> <li>• “<code>cell_by_gene.csv</code>”: used for reading count matrix</li> <li>• “<code>cell_metadata.csv</code>”: used for reading cell spatial coordinate matrices</li> <li>• “<code>detected_transcripts.csv</code>”: used for reading molecule spatial coordinate matrices</li> </ul>
<code>transcripts</code>	Optional file path for counts matrix; pass NA to suppress reading counts matrix
<code>spatial</code>	Optional file path for spatial metadata; pass NA to suppress reading spatial coordinates. If <code>spatial</code> is provided and <code>type</code> is “segmentations”, uses <code>dirname(spatial)</code> instead of <code>data.dir</code> to find HDF5 files
<code>molecules</code>	Optional file path for molecule coordinates file; pass NA to suppress reading spatial molecule information
<code>type</code>	Type of cell spatial coordinate matrices to read; choose one or more of: <ul style="list-style-type: none"> <li>• “segmentations”: cell segmentation vertices; requires <b>hdf5r</b> to be installed and requires a directory “<code>cell_boundaries</code>” within <code>data.dir</code>. Within “<code>cell_boundaries</code>”, there must be one or more HDF5 file named “<code>feature_data_##.hdf5</code>”</li> <li>• “centroids”: cell centroids in micron coordinate space</li> </ul>

	<ul style="list-style-type: none"> <li>• “boxes”: cell box outlines in micron coordinate space</li> </ul>
mol.type	Type of molecule spatial coordinate matrices to read; choose one or more of: <ul style="list-style-type: none"> <li>• “pixels”: molecule coordinates in pixel space</li> <li>• “microns”: molecule coordinates in micron space</li> </ul>
metadata	Type of available metadata to read; choose zero or more of: <ul style="list-style-type: none"> <li>• “volume”: estimated cell volume</li> <li>• “fov”: cell’s fov</li> </ul>
filter	A character to filter molecules by, pass NA to skip molecule filtering
z	Z-index to load; must be between 0 and 6, inclusive
fov	Name to store FOV as
assay	Name to store expression matrix as

**Value**

ReadVizgen: A list with some combination of the following values:

- “transcripts”: a [sparse matrix](#) with expression data; cells are columns and features are rows
- “segmentations”: a data frame with cell polygon outlines in three columns: “x”, “y”, and “cell”
- “centroids”: a data frame with cell centroid coordinates in three columns: “x”, “y”, and “cell”
- “boxes”: a data frame with cell box outlines in three columns: “x”, “y”, and “cell”
- “microns”: a data frame with molecule micron coordinates in three columns: “x”, “y”, and “gene”
- “pixels”: a data frame with molecule pixel coordinates in three columns: “x”, “y”, and “gene”
- “metadata”: a data frame with the cell-level metadata requested by metadata

LoadVizgen: A [Seurat](#) object

**Progress Updates with progressr**

This function uses **progressr** to render status updates and progress bars. To enable progress updates, wrap the function call in [with\\_progress](#) or run [handlers\(global = TRUE\)](#) before running this function. For more details about **progressr**, please read [vignette\("progressr-intro"\)](#)

**Parallelization with future**

This function uses **future** to enable parallelization. Parallelization strategies can be set using [plan](#). Common plans include “sequential” for non-parallelized processing or “multisession” for parallel evaluation using multiple R sessions; for other plans, see the “Implemented evaluation strategies” section of [?future::plan](#). For a more thorough introduction to **future**, see [vignette\("future-1-overview"\)](#)

**Note**

This function requires the **data.table** package to be installed



---

RegroupIdents	<i>Regroup idents based on meta.data info</i>
---------------	---

---

**Description**

For cells in each ident, set a new identity based on the most common value of a specified metadata column.

**Usage**

```
RegroupIdents(object, metadata)
```

**Arguments**

object	Seurat object
metadata	Name of metadata column

**Value**

A Seurat object with the active idents regrouped

**Examples**

```
data("pbmc_small")
pbmc_small <- RegroupIdents(pbmc_small, metadata = "groups")
```

---

RelativeCounts	<i>Normalize raw data to fractions</i>
----------------	--

---

**Description**

Normalize count data to relative counts per cell by dividing by the total per cell. Optionally use a scale factor, e.g. for counts per million (CPM) use `scale.factor = 1e6`.

**Usage**

```
RelativeCounts(data, scale.factor = 1, verbose = TRUE)
```

**Arguments**

data	Matrix with the raw count data
scale.factor	Scale the result. Default is 1
verbose	Print progress

**Value**

Returns a matrix with the relative counts

**Examples**

```
mat <- matrix(data = rbinom(n = 25, size = 5, prob = 0.2), nrow = 5)
mat
mat_norm <- RelativeCounts(data = mat)
mat_norm
```

---

RenameCells.SCTAssay *Rename Cells in an Object*

---

**Description**

Rename Cells in an Object

**Usage**

```
## S3 method for class 'SCTAssay'
RenameCells(object, new.names = NULL, ...)

## S3 method for class 'SlideSeq'
RenameCells(object, new.names = NULL, ...)

## S3 method for class 'STARmap'
RenameCells(object, new.names = NULL, ...)

## S3 method for class 'VisiumV1'
RenameCells(object, new.names = NULL, ...)
```

**Arguments**

object	An object
new.names	vector of new cell names
...	Arguments passed to other methods

**See Also**

[SeuratObject::RenameCells](#)

RidgePlot

*Single cell ridge plot***Description**

Draws a ridge plot of single cell data (gene expression, metrics, PC scores, etc.)

**Usage**

```
RidgePlot(
  object,
  features,
  cols = NULL,
  idents = NULL,
  sort = FALSE,
  assay = NULL,
  group.by = NULL,
  y.max = NULL,
  same.y.lims = FALSE,
  log = FALSE,
  ncol = NULL,
  slot = "data",
  stack = FALSE,
  combine = TRUE,
  fill.by = "feature"
)
```

**Arguments**

object	Seurat object
features	Features to plot (gene expression, metrics, PC scores, anything that can be retrieved by FetchData)
cols	Colors to use for plotting
idents	Which classes to include in the plot (default is all)
sort	Sort identity classes (on the x-axis) by the average expression of the attribute being potted, can also pass 'increasing' or 'decreasing' to change sort direction
assay	Name of assay to use, defaults to the active assay
group.by	Group (color) cells in different ways (for example, orig.ident)
y.max	Maximum y axis value
same.y.lims	Set all the y-axis limits to the same values
log	plot the feature axis on log scale
ncol	Number of columns if multiple plots are displayed
slot	Slot to pull expression data from (e.g. "counts" or "data")

stack	Horizontally stack plots for each feature
combine	Combine plots into a single <code>patchworked</code> ggplot object. If FALSE, return a list of ggplot
fill.by	Color violins/ridges based on either 'feature' or 'ident'

**Value**

A `patchworked` ggplot object if `combine = TRUE`; otherwise, a list of ggplot objects

**Examples**

```
data("pbmc_small")
RidgePlot(object = pbmc_small, features = 'PC_1')
```

---

RunCCA

---

*Perform Canonical Correlation Analysis*


---

**Description**

Runs a canonical correlation analysis using a diagonal implementation of CCA. For details about stored CCA calculation parameters, see `PrintCCAParams`.

**Usage**

```
RunCCA(object1, object2, ...)

## Default S3 method:
RunCCA(
  object1,
  object2,
  standardize = TRUE,
  num.cc = 20,
  seed.use = 42,
  verbose = FALSE,
  ...
)

## S3 method for class 'Seurat'
RunCCA(
  object1,
  object2,
  assay1 = NULL,
  assay2 = NULL,
  num.cc = 20,
  features = NULL,
  renormalize = FALSE,
```

```

    rescale = FALSE,
    compute.gene.loadings = TRUE,
    add.cell.id1 = NULL,
    add.cell.id2 = NULL,
    verbose = TRUE,
    ...
)

```

### Arguments

object1	First Seurat object
object2	Second Seurat object.
...	Extra parameters (passed onto MergeSeurat in case with two objects passed, passed onto ScaleData in case with single object and rescale.groups set to TRUE)
standardize	Standardize matrices - scales columns to have unit variance and mean 0
num.cc	Number of canonical vectors to calculate
seed.use	Random seed to set. If NULL, does not set a seed
verbose	Show progress messages
assay1, assay2	Assays to pull from in the first and second objects, respectively
features	Set of genes to use in CCA. Default is the union of both the variable features sets present in both objects.
renormalize	Renormalize raw data after merging the objects. If FALSE, merge the data matrices also.
rescale	Rescale the datasets prior to CCA. If FALSE, uses existing data in the scale data slots.
compute.gene.loadings	Also compute the gene loadings. NOTE - this will scale every gene in the dataset which may impose a high memory cost.
add.cell.id1, add.cell.id2	Add ...

### Value

Returns a combined Seurat object with the CCA results stored.

### See Also

[merge.Seurat](#)

### Examples

```

data("pbmc_small")
pbmc_small
# As CCA requires two datasets, we will split our test object into two just for this example
pbmc1 <- subset(pbmc_small, cells = colnames(pbmc_small)[1:40])
pbmc2 <- subset(pbmc_small, cells = colnames(x = pbmc_small)[41:80])

```

```
pbmc1[["group"]] <- "group1"
pbmc2[["group"]] <- "group2"
pbmc_cca <- RunCCA(object1 = pbmc1, object2 = pbmc2)
# Print results
print(x = pbmc_cca[["cca"]])
```

---

RunICA

*Run Independent Component Analysis on gene expression*


---

## Description

Run fastica algorithm from the ica package for ICA dimensionality reduction. For details about stored ICA calculation parameters, see PrintICAParams.

## Usage

```
RunICA(object, ...)

## Default S3 method:
RunICA(
  object,
  assay = NULL,
  nics = 50,
  rev.ica = FALSE,
  ica.function = "icafast",
  verbose = TRUE,
  ndims.print = 1:5,
  nfeatures.print = 30,
  reduction.name = "ica",
  reduction.key = "ica_",
  seed.use = 42,
  ...
)

## S3 method for class 'Assay'
RunICA(
  object,
  assay = NULL,
  features = NULL,
  nics = 50,
  rev.ica = FALSE,
  ica.function = "icafast",
  verbose = TRUE,
  ndims.print = 1:5,
  nfeatures.print = 30,
  reduction.name = "ica",
```

```

    reduction.key = "ica_",
    seed.use = 42,
    ...
)

## S3 method for class 'Seurat'
RunICA(
  object,
  assay = NULL,
  features = NULL,
  nics = 50,
  rev.ica = FALSE,
  ica.function = "icafast",
  verbose = TRUE,
  ndims.print = 1:5,
  nfeatures.print = 30,
  reduction.name = "ica",
  reduction.key = "IC_",
  seed.use = 42,
  ...
)

```

### Arguments

object	Seurat object
...	Additional arguments to be passed to fastica
assay	Name of Assay ICA is being run on
nics	Number of ICs to compute
rev.ica	By default, computes the dimensional reduction on the cell x feature matrix. Setting to true will compute it on the transpose (feature x cell matrix).
ica.function	ICA function from ica package to run (options: icafast, icaimax, icajade)
verbose	Print the top genes associated with high/low loadings for the ICs
ndims.print	ICs to print genes for
nfeatures.print	Number of genes to print for each IC
reduction.name	dimensional reduction name
reduction.key	dimensional reduction key, specifies the string before the number for the dimension names.
seed.use	Set a random seed. Setting NULL will not set a seed.
features	Features to compute ICA on

---

RunLDA

*Run Linear Discriminant Analysis*

---

## Description

Run Linear Discriminant Analysis

Function to perform Linear Discriminant Analysis.

## Usage

```
RunLDA(object, ...)
```

```
## Default S3 method:
```

```
RunLDA(  
  object,  
  labels,  
  assay = NULL,  
  verbose = TRUE,  
  ndims.print = 1:5,  
  nfeatures.print = 30,  
  reduction.key = "LDA_",  
  seed = 42,  
  ...  
)
```

```
## S3 method for class 'Assay'
```

```
RunLDA(  
  object,  
  assay = NULL,  
  labels,  
  features = NULL,  
  verbose = TRUE,  
  ndims.print = 1:5,  
  nfeatures.print = 30,  
  reduction.key = "LDA_",  
  seed = 42,  
  ...  
)
```

```
## S3 method for class 'Seurat'
```

```
RunLDA(  
  object,  
  assay = NULL,  
  labels,  
  features = NULL,  
  reduction.name = "lda",
```



```

    reduction.key = "LDA_",
    seed = 42,
    verbose = TRUE,
    ndims.print = 1:5,
    nfeatures.print = 30,
    ...
  )

```

### Arguments

object	An object of class Seurat.
...	Arguments passed to other methods
labels	Meta data column with target gene class labels.
assay	Assay to use for performing Linear Discriminant Analysis (LDA).
verbose	Print the top genes associated with high/low loadings for the PCs
ndims.print	Number of LDA dimensions to print.
nfeatures.print	Number of features to print for each LDA component.
reduction.key	Reduction key name.
seed	Value for random seed
features	Features to compute LDA on
reduction.name	dimensional reduction name, lda by default

---

RunMarkVario	<i>Run the mark variogram computation on a given position matrix and expression matrix.</i>
--------------	---

---

### Description

Wraps the functionality of markvario from the spatstat package.

### Usage

```
RunMarkVario(spatial.location, data, ...)
```

### Arguments

spatial.location	A 2 column matrix giving the spatial locations of each of the data points also in data
data	Matrix containing the data used as "marks" (e.g. gene expression)
...	Arguments passed to markvario

RunMixscape

*Run Mixscape***Description**

Function to identify perturbed and non-perturbed gRNA expressing cells that accounts for multiple treatments/conditions/chemical perturbations.

**Usage**

```
RunMixscape(
  object,
  assay = "PRTB",
  slot = "scale.data",
  labels = "gene",
  nt.class.name = "NT",
  new.class.name = "mixscape_class",
  min.de.genes = 5,
  min.cells = 5,
  de.assay = "RNA",
  logfc.threshold = 0.25,
  iter.num = 10,
  verbose = FALSE,
  split.by = NULL,
  fine.mode = FALSE,
  fine.mode.labels = "guide_ID",
  prtb.type = "KO"
)
```

**Arguments**

object	An object of class Seurat.
assay	Assay to use for mixscape classification.
slot	Assay data slot to use.
labels	metadata column with target gene labels.
nt.class.name	Classification name of non-targeting gRNA cells.
new.class.name	Name of mixscape classification to be stored in metadata.
min.de.genes	Required number of genes that are differentially expressed for method to separate perturbed and non-perturbed cells.
min.cells	Minimum number of cells in target gene class. If fewer than this many cells are assigned to a target gene class during classification, all are assigned NP.
de.assay	Assay to use when performing differential expression analysis. Usually RNA.

<code>logfc.threshold</code>	Limit testing to genes which show, on average, at least X-fold difference (log-scale) between the two groups of cells. Default is 0.25 Increasing <code>logfc.threshold</code> speeds up the function, but can miss weaker signals.
<code>iter.num</code>	Number of normalmixEM iterations to run if convergence does not occur.
<code>verbose</code>	Display messages
<code>split.by</code>	metadata column with experimental condition/cell type classification information. This is meant to be used to account for cases a perturbation is condition/cell type -specific.
<code>fine.mode</code>	When this is equal to TRUE, DE genes for each target gene class will be calculated for each gRNA separately and pooled into one DE list for calculating the perturbation score of every cell and their subsequent classification.
<code>fine.mode.labels</code>	metadata column with gRNA ID labels.
<code>prtb.type</code>	specify type of CRISPR perturbation expected for labeling mixscape classifications. Default is KO.

### Value

Returns Seurat object with with the following information in the meta data and tools slots:

**mixscape\_class** Classification result with cells being either classified as perturbed (KO, by default) or non-perturbed (NP) based on their target gene class.

**mixscape\_class.global** Global classification result (perturbed, NP or NT)

**p\_ko** Posterior probabilities used to determine if a cell is KO (default). Name of this item will change to match `prtb.type` parameter setting. (>0.5) or NP

**perturbation score** Perturbation scores for every cell calculated in the first iteration of the function.

---

RunMoransI

*Compute Moran's I value.*

---

### Description

Wraps the functionality of the Moran.I function from the ape package. Weights are computed as 1/distance.

### Usage

```
RunMoransI(data, pos, verbose = TRUE)
```

### Arguments

<code>data</code>	Expression matrix
<code>pos</code>	Position matrix
<code>verbose</code>	Display messages/progress

---

RunPCA

*Run Principal Component Analysis*

---

### Description

Run a PCA dimensionality reduction. For details about stored PCA calculation parameters, see `PrintPCAParams`.

### Usage

```
RunPCA(object, ...)  
  
## Default S3 method:  
RunPCA(  
  object,  
  assay = NULL,  
  npcs = 50,  
  rev.pca = FALSE,  
  weight.by.var = TRUE,  
  verbose = TRUE,  
  ndims.print = 1:5,  
  nfeatures.print = 30,  
  reduction.key = "PC_",  
  seed.use = 42,  
  approx = TRUE,  
  ...  
)  
  
## S3 method for class 'Assay'  
RunPCA(  
  object,  
  assay = NULL,  
  features = NULL,  
  npcs = 50,  
  rev.pca = FALSE,  
  weight.by.var = TRUE,  
  verbose = TRUE,  
  ndims.print = 1:5,  
  nfeatures.print = 30,  
  reduction.key = "PC_",  
  seed.use = 42,  
  ...  
)  
  
## S3 method for class 'Seurat'  
RunPCA(  
  object,
```

```

    assay = NULL,
    features = NULL,
    npcs = 50,
    rev.pca = FALSE,
    weight.by.var = TRUE,
    verbose = TRUE,
    ndims.print = 1:5,
    nfeatures.print = 30,
    reduction.name = "pca",
    reduction.key = "PC_",
    seed.use = 42,
    ...
)

```

### Arguments

object	An object
...	Arguments passed to other methods and IRLBA
assay	Name of Assay PCA is being run on
npcs	Total Number of PCs to compute and store (50 by default)
rev.pca	By default computes the PCA on the cell x gene matrix. Setting to true will compute it on gene x cell matrix.
weight.by.var	Weight the cell embeddings by the variance of each PC (weights the gene loadings if rev.pca is TRUE)
verbose	Print the top genes associated with high/low loadings for the PCs
ndims.print	PCs to print genes for
nfeatures.print	Number of genes to print for each PC
reduction.key	dimensional reduction key, specifies the string before the number for the dimension names. PC by default
seed.use	Set a random seed. By default, sets the seed to 42. Setting NULL will not set a seed.
approx	Use truncated singular value decomposition to approximate PCA
features	Features to compute PCA on. If features=NULL, PCA will be run using the variable features for the Assay. Note that the features must be present in the scaled data. Any requested features that are not scaled or have 0 variance will be dropped, and the PCA will be run using the remaining features.
reduction.name	dimensional reduction name, pca by default

### Value

Returns Seurat object with the PCA calculation stored in the reductions slot

---

`RunSLSI`*Run Supervised Latent Semantic Indexing*

---

**Description**

Run a supervised LSI (SLSI) dimensionality reduction supervised by a cell-cell kernel. SLSI is used to capture a linear transformation of peaks that maximizes its dependency to the given cell-cell kernel.

**Usage**

```
RunSLSI(object, ...)  
  
## Default S3 method:  
RunSLSI(  
  object,  
  assay = NULL,  
  n = 50,  
  reduction.key = "SLSI_",  
  graph = NULL,  
  verbose = TRUE,  
  seed.use = 42,  
  ...  
)  
  
## S3 method for class 'Assay'  
RunSLSI(  
  object,  
  assay = NULL,  
  features = NULL,  
  n = 50,  
  reduction.key = "SLSI_",  
  graph = NULL,  
  verbose = TRUE,  
  seed.use = 42,  
  ...  
)  
  
## S3 method for class 'Seurat'  
RunSLSI(  
  object,  
  assay = NULL,  
  features = NULL,  
  n = 50,  
  reduction.name = "slsi",  
  reduction.key = "SLSI_",  
  graph = NULL,
```

```

    verbose = TRUE,
    seed.use = 42,
    ...
)

```

### Arguments

object	An object
...	Arguments passed to IRLBA irlba
assay	Name of Assay SLSI is being run on
n	Total Number of SLSI components to compute and store
reduction.key	dimensional reduction key, specifies the string before the number for the dimension names
graph	Graph used supervised by SLSI
verbose	Display messages
seed.use	Set a random seed. Setting NULL will not set a seed.
features	Features to compute SLSI on. If NULL, SLSI will be run using the variable features for the Assay.
reduction.name	dimensional reduction name

### Value

Returns Seurat object with the SLSI calculation stored in the reductions slot

---

RunSPCA

*Run Supervised Principal Component Analysis*


---

### Description

Run a supervised PCA (SPCA) dimensionality reduction supervised by a cell-cell kernel. SPCA is used to capture a linear transformation which maximizes its dependency to the given cell-cell kernel. We use SNN graph as the kernel to supervise the linear matrix factorization.

### Usage

```
RunSPCA(object, ...)
```

```
## Default S3 method:
```

```
RunSPCA(
  object,
  assay = NULL,
  npcs = 50,
  reduction.key = "SPC_",
  graph = NULL,
  verbose = FALSE,

```

```

    seed.use = 42,
    ...
)

## S3 method for class 'Assay'
RunSPCA(
  object,
  assay = NULL,
  features = NULL,
  npcs = 50,
  reduction.key = "SPC_",
  graph = NULL,
  verbose = TRUE,
  seed.use = 42,
  ...
)

## S3 method for class 'Seurat'
RunSPCA(
  object,
  assay = NULL,
  features = NULL,
  npcs = 50,
  reduction.name = "spca",
  reduction.key = "SPC_",
  graph = NULL,
  verbose = TRUE,
  seed.use = 42,
  ...
)

```

### Arguments

object	An object
...	Arguments passed to other methods and IRLBA
assay	Name of Assay SPCA is being run on
npcs	Total Number of SPCs to compute and store (50 by default)
reduction.key	dimensional reduction key, specifies the string before the number for the dimension names. SPC by default
graph	Graph used supervised by SPCA
verbose	Print the top genes associated with high/low loadings for the SPCs
seed.use	Set a random seed. By default, sets the seed to 42. Setting NULL will not set a seed.
features	Features to compute SPCA on. If features=NULL, SPCA will be run using the variable features for the Assay.
reduction.name	dimensional reduction name, spca by default



**Value**

Returns Seurat object with the SPCA calculation stored in the reductions slot

**References**

Barshan E, Ghodsi A, Azimifar Z, Jahromi MZ. Supervised principal component analysis: Visualization, classification and regression on subspaces and submanifolds. *Pattern Recognition*. 2011 Jul 1;44(7):1357-71. [https://www.sciencedirect.com/science/article/pii/S0031320310005819?casa\\_token=AZMFg50tPnAAAAAA:\\_Udu7GJ7G2ed1-XSmr-3IGSISUwcHfMpNtCj-qacXH5SBC4nwzVid36GXI3r8XG8dK5W0Qu](https://www.sciencedirect.com/science/article/pii/S0031320310005819?casa_token=AZMFg50tPnAAAAAA:_Udu7GJ7G2ed1-XSmr-3IGSISUwcHfMpNtCj-qacXH5SBC4nwzVid36GXI3r8XG8dK5W0Qu)

RunTSNE

*Run t-distributed Stochastic Neighbor Embedding***Description**

Run t-SNE dimensionality reduction on selected features. Has the option of running in a reduced dimensional space (i.e. spectral tSNE, recommended), or running based on a set of genes. For details about stored TSNE calculation parameters, see `PrintTSNEParams`.

**Usage**

```
RunTSNE(object, ...)

## S3 method for class 'matrix'
RunTSNE(
  object,
  assay = NULL,
  seed.use = 1,
  tsne.method = "Rtsne",
  dim.embed = 2,
  reduction.key = "tSNE_",
  ...
)

## S3 method for class 'DimReduc'
RunTSNE(
  object,
  cells = NULL,
  dims = 1:5,
  seed.use = 1,
  tsne.method = "Rtsne",
  dim.embed = 2,
  reduction.key = "tSNE_",
  ...
)

## S3 method for class 'dist'
```

```

RunTSNE(
  object,
  assay = NULL,
  seed.use = 1,
  tsne.method = "Rtsne",
  dim.embed = 2,
  reduction.key = "tSNE_",
  ...
)

## S3 method for class 'Seurat'
RunTSNE(
  object,
  reduction = "pca",
  cells = NULL,
  dims = 1:5,
  features = NULL,
  seed.use = 1,
  tsne.method = "Rtsne",
  dim.embed = 2,
  distance.matrix = NULL,
  reduction.name = "tsne",
  reduction.key = "tSNE_",
  ...
)

```

### Arguments

object	Seurat object
...	Arguments passed to other methods and to t-SNE call (most commonly used is perplexity)
assay	Name of assay that that t-SNE is being run on
seed.use	Random seed for the t-SNE. If NULL, does not set the seed
tsne.method	Select the method to use to compute the tSNE. Available methods are: <ul style="list-style-type: none"> <li>• Rtsne: Use the Rtsne package Barnes-Hut implementation of tSNE (default)</li> <li>• FIt-SNE: Use the FFT-accelerated Interpolation-based t-SNE. Based on Kluger Lab code found here: <a href="https://github.com/KlugerLab/FIt-SNE">https://github.com/KlugerLab/FIt-SNE</a></li> </ul>
dim.embed	The dimensional space of the resulting tSNE embedding (default is 2). For example, set to 3 for a 3d tSNE
reduction.key	dimensional reduction key, specifies the string before the number for the dimension names. tSNE_ by default
cells	Which cells to analyze (default, all cells)
dims	Which dimensions to use as input features
reduction	Which dimensional reduction (e.g. PCA, ICA) to use for the tSNE. Default is PCA

features	If set, run the tSNE on this subset of features (instead of running on a set of reduced dimensions). Not set (NULL) by default; dims must be NULL to run on features
distance.matrix	If set, runs tSNE on the given distance matrix instead of data matrix (experimental)
reduction.name	dimensional reduction name, specifies the position in the object\$dr list. tsne by default

---

RunUMAP

*Run UMAP*


---

### Description

Runs the Uniform Manifold Approximation and Projection (UMAP) dimensional reduction technique. To run using `umap.method="umap-learn"`, you must first install the `umap-learn` python package (e.g. via `pip install umap-learn`). Details on this package can be found here: <https://github.com/lmcinnes/umap>. For a more in depth discussion of the mathematics underlying UMAP, see the ArXiv paper here: <https://arxiv.org/abs/1802.03426>.

### Usage

```
RunUMAP(object, ...)
```

```
## Default S3 method:
```

```
RunUMAP(
  object,
  reduction.key = "UMAP_",
  assay = NULL,
  reduction.model = NULL,
  return.model = FALSE,
  umap.method = "uwot",
  n.neighbors = 30L,
  n.components = 2L,
  metric = "cosine",
  n.epochs = NULL,
  learning.rate = 1,
  min.dist = 0.3,
  spread = 1,
  set.op.mix.ratio = 1,
  local.connectivity = 1L,
  repulsion.strength = 1,
  negative.sample.rate = 5,
  a = NULL,
  b = NULL,
  uwot.sgd = FALSE,
  seed.use = 42,
```

```
metric.kwds = NULL,  
angular.rp.forest = FALSE,  
densmap = FALSE,  
dens.lambda = 2,  
dens.frac = 0.3,  
dens.var.shift = 0.1,  
verbose = TRUE,  
...  
)  
  
## S3 method for class 'Graph'  
RunUMAP(  
  object,  
  assay = NULL,  
  umap.method = "umap-learn",  
  n.components = 2L,  
  metric = "correlation",  
  n.epochs = 0L,  
  learning.rate = 1,  
  min.dist = 0.3,  
  spread = 1,  
  repulsion.strength = 1,  
  negative.sample.rate = 5L,  
  a = NULL,  
  b = NULL,  
  uwot.sgd = FALSE,  
  seed.use = 42L,  
  metric.kwds = NULL,  
  densmap = FALSE,  
  densmap.kwds = NULL,  
  verbose = TRUE,  
  reduction.key = "UMAP_",  
  ...  
)  
  
## S3 method for class 'Neighbor'  
RunUMAP(object, reduction.model, ...)  
  
## S3 method for class 'Seurat'  
RunUMAP(  
  object,  
  dims = NULL,  
  reduction = "pca",  
  features = NULL,  
  graph = NULL,  
  assay = DefaultAssay(object = object),  
  nn.name = NULL,  
  slot = "data",
```

```

umap.method = "uwot",
reduction.model = NULL,
return.model = FALSE,
n.neighbors = 30L,
n.components = 2L,
metric = "cosine",
n.epochs = NULL,
learning.rate = 1,
min.dist = 0.3,
spread = 1,
set.op.mix.ratio = 1,
local.connectivity = 1L,
repulsion.strength = 1,
negative.sample.rate = 5L,
a = NULL,
b = NULL,
uwot.sgd = FALSE,
seed.use = 42L,
metric.kwds = NULL,
angular.rp.forest = FALSE,
densmap = FALSE,
dens.lambda = 2,
dens.frac = 0.3,
dens.var.shift = 0.1,
verbose = TRUE,
reduction.name = "umap",
reduction.key = "UMAP_",
...
)

```

### Arguments

object	An object
...	Arguments passed to other methods and UMAP
reduction.key	dimensional reduction key, specifies the string before the number for the dimension names. UMAP by default
assay	Assay to pull data for when using features, or assay used to construct Graph if running UMAP on a Graph
reduction.model	DimReduc object that contains the umap model
return.model	whether UMAP will return the uwot model
umap.method	UMAP implementation to run. Can be uwot: Runs umap via the uwot R package uwot-learn: Runs umap via the uwot R package and return the learned umap model umap-learn: Run the Seurat wrapper of the python umap-learn package

<code>n.neighbors</code>	This determines the number of neighboring points used in local approximations of manifold structure. Larger values will result in more global structure being preserved at the loss of detailed local structure. In general this parameter should often be in the range 5 to 50.
<code>n.components</code>	The dimension of the space to embed into.
<code>metric</code>	<code>metric</code> : This determines the choice of metric used to measure distance in the input space. A wide variety of metrics are already coded, and a user defined function can be passed as long as it has been JITd by numba.
<code>n.epochs</code>	he number of training epochs to be used in optimizing the low dimensional embedding. Larger values result in more accurate embeddings. If NULL is specified, a value will be selected based on the size of the input dataset (200 for large datasets, 500 for small).
<code>learning.rate</code>	The initial learning rate for the embedding optimization.
<code>min.dist</code>	This controls how tightly the embedding is allowed compress points together. Larger values ensure embedded points are more evenly distributed, while smaller values allow the algorithm to optimise more accurately with regard to local structure. Sensible values are in the range 0.001 to 0.5.
<code>spread</code>	The effective scale of embedded points. In combination with <code>min.dist</code> this determines how clustered/clumped the embedded points are.
<code>set.op.mix.ratio</code>	Interpolate between (fuzzy) union and intersection as the set operation used to combine local fuzzy simplicial sets to obtain a global fuzzy simplicial sets. Both fuzzy set operations use the product t-norm. The value of this parameter should be between 0.0 and 1.0; a value of 1.0 will use a pure fuzzy union, while 0.0 will use a pure fuzzy intersection.
<code>local.connectivity</code>	The local connectivity required - i.e. the number of nearest neighbors that should be assumed to be connected at a local level. The higher this value the more connected the manifold becomes locally. In practice this should be not more than the local intrinsic dimension of the manifold.
<code>repulsion.strength</code>	Weighting applied to negative samples in low dimensional embedding optimization. Values higher than one will result in greater weight being given to negative samples.
<code>negative.sample.rate</code>	The number of negative samples to select per positive sample in the optimization process. Increasing this value will result in greater repulsive force being applied, greater optimization cost, but slightly more accuracy.
<code>a</code>	More specific parameters controlling the embedding. If NULL, these values are set automatically as determined by <code>min. dist</code> and <code>spread</code> . Parameter of differentiable approximation of right adjoint functor.
<code>b</code>	More specific parameters controlling the embedding. If NULL, these values are set automatically as determined by <code>min. dist</code> and <code>spread</code> . Parameter of differentiable approximation of right adjoint functor.
<code>uwot.sgd</code>	Set <code>uwot::umap(fast_sgd = TRUE)</code> ; see <a href="#">umap</a> for more details

<code>seed.use</code>	Set a random seed. By default, sets the seed to 42. Setting NULL will not set a seed
<code>metric.kwds</code>	A dictionary of arguments to pass on to the metric, such as the p value for Minkowski distance. If NULL then no arguments are passed on.
<code>angular.rp.forest</code>	Whether to use an angular random projection forest to initialise the approximate nearest neighbor search. This can be faster, but is mostly on useful for metric that use an angular style distance such as cosine, correlation etc. In the case of those metrics angular forests will be chosen automatically.
<code>densmap</code>	Whether to use the density-augmented objective of densMAP. Turning on this option generates an embedding where the local densities are encouraged to be correlated with those in the original space. Parameters below with the prefix 'dens' further control the behavior of this extension. Default is FALSE. Only compatible with 'umap-learn' method and version of umap-learn $\geq 0.5.0$
<code>dens.lambda</code>	Specific parameter which controls the regularization weight of the density correlation term in densMAP. Higher values prioritize density preservation over the UMAP objective, and vice versa for values closer to zero. Setting this parameter to zero is equivalent to running the original UMAP algorithm. Default value is 2.
<code>dens.frac</code>	Specific parameter which controls the fraction of epochs (between 0 and 1) where the density-augmented objective is used in densMAP. The first $(1 - \text{dens\_frac})$ fraction of epochs optimize the original UMAP objective before introducing the density correlation term. Default is 0.3.
<code>dens.var.shift</code>	Specific parameter which specifies a small constant added to the variance of local radii in the embedding when calculating the density correlation objective to prevent numerical instability from dividing by a small number. Default is 0.1.
<code>verbose</code>	Controls verbosity
<code>densmap.kwds</code>	A dictionary of arguments to pass on to the densMAP optimization.
<code>dims</code>	Which dimensions to use as input features, used only if features is NULL
<code>reduction</code>	Which dimensional reduction (PCA or ICA) to use for the UMAP input. Default is PCA
<code>features</code>	If set, run UMAP on this subset of features (instead of running on a set of reduced dimensions). Not set (NULL) by default; dims must be NULL to run on features
<code>graph</code>	Name of graph on which to run UMAP
<code>nn.name</code>	Name of knn output on which to run UMAP
<code>slot</code>	The slot used to pull data for when using features. data slot is by default.
<code>reduction.name</code>	Name to store dimensional reduction under in the Seurat object

**Value**

Returns a Seurat object containing a UMAP representation

**References**

McInnes, L, Healy, J, UMAP: Uniform Manifold Approximation and Projection for Dimension Reduction, ArXiv e-prints 1802.03426, 2018

**Examples**

```
## Not run:
data("pbmc_small")
pbmc_small
# Run UMAP map on first 5 PCs
pbmc_small <- RunUMAP(object = pbmc_small, dims = 1:5)
# Plot results
DimPlot(object = pbmc_small, reduction = 'umap')

## End(Not run)
```

---

SampleUMI

*Sample UMI*

---

**Description**

Downsample each cell to a specified number of UMIs. Includes an option to upsample cells below specified UMI as well.

**Usage**

```
SampleUMI(data, max.umi = 1000, upsample = FALSE, verbose = FALSE)
```

**Arguments**

data	Matrix with the raw count data
max.umi	Number of UMIs to sample to
upsample	Upsamples all cells with fewer than max.umi
verbose	Display the progress bar

**Value**

Matrix with downsampled data

**Examples**

```
data("pbmc_small")
counts = as.matrix(x = GetAssayData(object = pbmc_small, assay = "RNA", slot = "counts"))
downsampled = SampleUMI(data = counts)
head(x = downsampled)
```



---

SaveAnnoyIndex	<i>Save the Annoy index</i>
----------------	-----------------------------

---

**Description**

Save the Annoy index

**Usage**

```
SaveAnnoyIndex(object, file)
```

**Arguments**

object	A Neighbor object with the annoy index stored
file	Path to file to write index to

---

ScaleData	<i>Scale and center the data.</i>
-----------	-----------------------------------

---

**Description**

Scales and centers features in the dataset. If variables are provided in vars.to.regress, they are individually regressed against each feature, and the resulting residuals are then scaled and centered.

**Usage**

```
ScaleData(object, ...)  
  
## Default S3 method:  
ScaleData(  
  object,  
  features = NULL,  
  vars.to.regress = NULL,  
  latent.data = NULL,  
  split.by = NULL,  
  model.use = "linear",  
  use.umi = FALSE,  
  do.scale = TRUE,  
  do.center = TRUE,  
  scale.max = 10,  
  block.size = 1000,  
  min.cells.to.block = 3000,  
  verbose = TRUE,  
  ...  
)
```

```

## S3 method for class 'Assay'
ScaleData(
  object,
  features = NULL,
  vars.to.regress = NULL,
  latent.data = NULL,
  split.by = NULL,
  model.use = "linear",
  use.umi = FALSE,
  do.scale = TRUE,
  do.center = TRUE,
  scale.max = 10,
  block.size = 1000,
  min.cells.to.block = 3000,
  verbose = TRUE,
  ...
)

## S3 method for class 'Seurat'
ScaleData(
  object,
  features = NULL,
  assay = NULL,
  vars.to.regress = NULL,
  split.by = NULL,
  model.use = "linear",
  use.umi = FALSE,
  do.scale = TRUE,
  do.center = TRUE,
  scale.max = 10,
  block.size = 1000,
  min.cells.to.block = 3000,
  verbose = TRUE,
  ...
)

```

### Arguments

object	An object
...	Arguments passed to other methods
features	Vector of features names to scale/center. Default is variable features.
vars.to.regress	Variables to regress out (previously latent.vars in RegressOut). For example, nUMI, or percent.mito.
latent.data	Extra data to regress out, should be cells x latent data
split.by	Name of variable in object metadata or a vector or factor defining grouping of cells. See argument f in <a href="#">split</a> for more details

<code>model.use</code>	Use a linear model or generalized linear model (poisson, negative binomial) for the regression. Options are 'linear' (default), 'poisson', and 'negbinom'
<code>use.umi</code>	Regress on UMI count data. Default is FALSE for linear modeling, but automatically set to TRUE if model.use is 'negbinom' or 'poisson'
<code>do.scale</code>	Whether to scale the data.
<code>do.center</code>	Whether to center the data.
<code>scale.max</code>	Max value to return for scaled data. The default is 10. Setting this can help reduce the effects of features that are only expressed in a very small number of cells. If regressing out latent variables and using a non-linear model, the default is 50.
<code>block.size</code>	Default size for number of features to scale at in a single computation. Increasing block.size may speed up calculations but at an additional memory cost.
<code>min.cells.to.block</code>	If object contains fewer than this number of cells, don't block for scaling calculations.
<code>verbose</code>	Displays a progress bar for scaling procedure
<code>assay</code>	Name of Assay to scale

### Details

ScaleData now incorporates the functionality of the function formerly known as RegressOut (which regressed out given the effects of provided variables and then scaled the residuals). To make use of the regression functionality, simply pass the variables you want to remove to the `vars.to.regress` parameter.

Setting `center` to TRUE will center the expression for each feature by subtracting the average expression for that feature. Setting `scale` to TRUE will scale the expression level for each feature by dividing the centered feature expression levels by their standard deviations if `center` is TRUE and by their root mean square otherwise.

---

ScaleFactors                      *Get image scale factors*

---

### Description

Get image scale factors

### Usage

```
ScaleFactors(object, ...)

scalefactors(spot, fiducial, hires, lowres)

## S3 method for class 'VisiumV1'
ScaleFactors(object, ...)

## S3 method for class 'VisiumV1'
ScaleFactors(object, ...)
```

**Arguments**

object	An object to get scale factors from
...	Arguments passed to other methods
spot	Spot full resolution scale factor
fiducial	Fiducial full resolution scale factor
hires	High resolution scale factor
lowres	Low resolution scale factor

**Value**

An object of class `scalefactors`

**Note**

`scalefactors` objects can be created with `scalefactors()`

---

ScoreJackStraw	<i>Compute Jackstraw scores significance.</i>
----------------	---

---

**Description**

Significant PCs should show a p-value distribution that is strongly skewed to the left compared to the null distribution. The p-value for each PC is based on a proportion test comparing the number of features with a p-value below a particular threshold (`score.thresh`), compared with the proportion of features expected under a uniform distribution of p-values.

**Usage**

```
ScoreJackStraw(object, ...)

## S3 method for class 'JackStrawData'
ScoreJackStraw(object, dims = 1:5, score.thresh = 1e-05, ...)

## S3 method for class 'DimReduc'
ScoreJackStraw(object, dims = 1:5, score.thresh = 1e-05, ...)

## S3 method for class 'Seurat'
ScoreJackStraw(
  object,
  reduction = "pca",
  dims = 1:5,
  score.thresh = 1e-05,
  do.plot = FALSE,
  ...
)
```

**Arguments**

object	An object
...	Arguments passed to other methods
dims	Which dimensions to examine
score.thresh	Threshold to use for the proportion test of PC significance (see Details)
reduction	Reduction associated with JackStraw to score
do.plot	Show plot. To return ggplot object, use JackStrawPlot after running Score-JackStraw.

**Value**

Returns a Seurat object

**Author(s)**

Omri Wurtzel

**See Also**

[JackStrawPlot](#)

[JackStrawPlot](#)

---

SCTAssay-class	<i>The SCTModel Class</i>
----------------	---------------------------

---

**Description**

The SCTModel object is a model and parameters storage from SCTransform. It can be used to calculate Pearson residuals for new genes.

The SCTAssay object contains all the information found in an [Assay](#) object, with extra information from the results of [SCTransform](#)

**Usage**

```
## S3 method for class 'SCTAssay'
levels(x)

## S3 replacement method for class 'SCTAssay'
levels(x) <- value
```

**Arguments**

x	An SCTAssay object
value	New levels, must be in the same order as the levels present

**Value**

levels: SCT model names  
 levels<-: x with updated SCT model names

**Slots**

feature.attributes A data.frame with feature attributes in SCTransform  
 cell.attributes A data.frame with cell attributes in SCTransform  
 clips A list of two numeric of length two specifying the min and max values the Pearson residual will be clipped to. One for vst and one for SCTransform  
 umi.assay Name of the assay of the seurat object containing UMI matrix and the default is RNA  
 model A formula used in SCTransform  
 arguments other information used in SCTransform  
 median\_umi Median UMI (or scale factor) used to calculate corrected counts  
 SCTModel.list A list containing SCT models

**Get and set SCT model names**

SCT results are named by initial run of [SCTransform](#) in order to keep SCT parameters straight between runs. When working with merged SCTAssay objects, these model names are important. `levels` allows querying the models present. `levels<-` allows the changing of the names of the models present, useful when merging SCTAssay objects. Note: unlike normal `levels<-`, `levels<-`.SCTAssay allows complete changing of model names, not reordering.

**Creating an SCTAssay from an Assay**

Conversion from an Assay object to an SCTAssay object by is done by adding the additional slots to the object. If `from` has results generated by [SCTransform](#) from Seurat v3.0.0 to v3.1.1, the conversion will automatically fill the new slots with the data

**See Also**

[Assay](#)  
[Assay](#)

**Examples**

```
## Not run:
# SCTAssay objects are generated from SCTransform
pbmc_small <- SCTransform(pbmc_small)

## End(Not run)

# SCTAssay objects are generated from SCTransform
pbmc_small <- SCTransform(pbmc_small)
pbmc_small[["SCT"]]
```

```
## Not run:
# Query and change SCT model names
levels(pbmc_small[['SCT']])
levels(pbmc_small[['SCT']]) <- '3'
levels(pbmc_small[['SCT']])

## End(Not run)
```

---

SCTransform	<i>Use regularized negative binomial regression to normalize UMI count data</i>
-------------	---

---

## Description

This function calls `sctransform::vst`. The `sctransform` package is available at <https://github.com/ChristophH/sctransform>. Use this function as an alternative to the `NormalizeData`, `FindVariableFeatures`, `ScaleData` workflow. Results are saved in a new assay (named `SCT` by default) with counts being (corrected) counts, data being  $\log_{1p}(\text{counts})$ , `scale.data` being pearson residuals; `sctransform::vst` intermediate results are saved in misc slot of new assay.

## Usage

```
SCTransform(
  object,
  assay = "RNA",
  new.assay.name = "SCT",
  reference.SCT.model = NULL,
  do.correct.umi = TRUE,
  ncells = 5000,
  residual.features = NULL,
  variable.features.n = 3000,
  variable.features.rv.th = 1.3,
  vars.to.regress = NULL,
  do.scale = FALSE,
  do.center = TRUE,
  clip.range = c(-sqrt(x = ncol(x = object[[assay]])/30), sqrt(x = ncol(x =
    object[[assay]])/30)),
  conserve.memory = FALSE,
  return.only.var.genes = TRUE,
  seed.use = 1448145,
  verbose = TRUE,
  ...
)
```

**Arguments**

<code>object</code>	A <code>seurat</code> object
<code>assay</code>	Name of assay to pull the count data from; default is 'RNA'
<code>new.assay.name</code>	Name for the new assay containing the normalized data
<code>reference.SCT.model</code>	If not NULL, compute residuals for the object using the provided SCT model; supports only <code>log_umi</code> as the latent variable. If <code>residual.features</code> are not specified, compute for the top <code>variable.features.n</code> specified in the model which are also present in the object. If <code>residual.features</code> are specified, the variable features of the resulting SCT assay are set to the top <code>variable.features.n</code> in the model.
<code>do.correct.umi</code>	Place corrected UMI matrix in assay counts slot; default is TRUE
<code>ncells</code>	Number of subsampling cells used to build NB regression; default is 5000
<code>residual.features</code>	Genes to calculate residual features for; default is NULL (all genes). If specified, will be set to <code>VariableFeatures</code> of the returned object.
<code>variable.features.n</code>	Use this many features as variable features after ranking by residual variance; default is 3000. Only applied if <code>residual.features</code> is not set.
<code>variable.features.rv.th</code>	Instead of setting a fixed number of variable features, use this residual variance cutoff; this is only used when <code>variable.features.n</code> is set to NULL; default is 1.3. Only applied if <code>residual.features</code> is not set.
<code>vars.to.regress</code>	Variables to regress out in a second non-regularized linear regression. For example, <code>percent.mito</code> . Default is NULL
<code>do.scale</code>	Whether to scale residuals to have unit variance; default is FALSE
<code>do.center</code>	Whether to center residuals to have mean zero; default is TRUE
<code>clip.range</code>	Range to clip the residuals to; default is $c(-\sqrt{n/30}, \sqrt{n/30})$ , where <code>n</code> is the number of cells
<code>conserve.memory</code>	If set to TRUE the residual matrix for all genes is never created in full; useful for large data sets, but will take longer to run; this will also set <code>return.only.var.genes</code> to TRUE; default is FALSE
<code>return.only.var.genes</code>	If set to TRUE the <code>scale.data</code> matrices in output assay are subset to contain only the variable genes; default is TRUE
<code>seed.use</code>	Set a random seed. By default, sets the seed to 1448145. Setting NULL will not set a seed.
<code>verbose</code>	Whether to print messages and progress bars
<code>...</code>	Additional parameters passed to <code>sctransform::vst</code>

**Value**

Returns a `Seurat` object with a new assay (named `SCT` by default) with counts being (corrected) counts, data being  $\log_1p(\text{counts})$ , `scale.data` being pearson residuals; `sctransform::vst` intermediate results are saved in `misc` slot of the new assay.



**See Also**

[correct\\_counts](#) [get\\_residuals](#)

**Examples**

```
data("pbmc_small")
SCTransform(object = pbmc_small)
```

---

SCTResults	<i>Get SCT results from an Assay</i>
------------	--------------------------------------

---

**Description**

Pull the [SCTResults](#) information from an [SCTAssay](#) object.

**Usage**

```
SCTResults(object, ...)

SCTResults(object, ...) <- value

## S3 method for class 'SCTModel'
SCTResults(object, slot, ...)

## S3 replacement method for class 'SCTModel'
SCTResults(object, slot, ...) <- value

## S3 method for class 'SCTAssay'
SCTResults(object, slot, model = NULL, ...)

## S3 replacement method for class 'SCTAssay'
SCTResults(object, slot, model = NULL, ...) <- value

## S3 method for class 'Seurat'
SCTResults(object, assay = "SCT", slot, model = NULL, ...)
```

**Arguments**

object	An object
...	Arguments passed to other methods (not used)
value	new data to set
slot	Which slot to pull the SCT results from
model	Name of SCTModel to pull result from. Available names can be retrieved with <code>levels</code> .
assay	Assay in the Seurat object to pull from

**Value**

Returns the value present in the requested slot for the requested group. If group is not specified, returns a list of slot results for each group unless there is only one group present (in which case it just returns the slot directly).

---

SelectIntegrationFeatures

*Select integration features*

---

**Description**

Choose the features to use when integrating multiple datasets. This function ranks features by the number of datasets they are deemed variable in, breaking ties by the median variable feature rank across datasets. It returns the top scoring features by this ranking.

**Usage**

```
SelectIntegrationFeatures(
  object.list,
  nfeatures = 2000,
  assay = NULL,
  verbose = TRUE,
  fvf.nfeatures = 2000,
  ...
)
```

**Arguments**

<code>object.list</code>	List of seurat objects
<code>nfeatures</code>	Number of features to return
<code>assay</code>	Name or vector of assay names (one for each object) from which to pull the variable features.
<code>verbose</code>	Print messages
<code>fvf.nfeatures</code>	<code>nfeatures</code> for <a href="#">FindVariableFeatures</a> . Used if <code>VariableFeatures</code> have not been set for any object in <code>object.list</code> .
<code>...</code>	Additional parameters to <a href="#">FindVariableFeatures</a>

**Details**

If for any assay in the list, [FindVariableFeatures](#) hasn't been run, this method will try to run it using the `fvf.nfeatures` parameter and any additional ones specified through the `...`

**Value**

A vector of selected features

## Examples

```
## Not run:
# to install the SeuratData package see https://github.com/satijalab/seurat-data
library(SeuratData)
data("panc8")

# panc8 is a merged Seurat object containing 8 separate pancreas datasets
# split the object by dataset and take the first 2
pancreas.list <- SplitObject(panc8, split.by = "tech")[1:2]

# perform SCTransform normalization
pancreas.list <- lapply(X = pancreas.list, FUN = SCTransform)

# select integration features
features <- SelectIntegrationFeatures(pancreas.list)

## End(Not run)
```

---

SetIntegrationData      *Set integration data*

---

## Description

Set integration data

## Usage

```
SetIntegrationData(object, integration.name, slot, new.data)
```

## Arguments

object	Seurat object
integration.name	Name of integration object
slot	Which slot in integration object to set
new.data	New data to insert

## Value

Returns a [Seurat](#) object

---

`SetQuantile`*Find the Quantile of Data*

---

**Description**

Converts a quantile in character form to a number regarding some data. String form for a quantile is represented as a number prefixed with “q”; for example, 10th quantile is “q10” while 2nd quantile is “q2”. Will only take a quantile of non-zero data values

**Usage**

```
SetQuantile(cutoff, data)
```

**Arguments**

<code>cutoff</code>	The cutoff to turn into a quantile
<code>data</code>	The data to turn find the quantile of

**Value**

The numerical representation of the quantile

**Examples**

```
set.seed(42)
SetQuantile('q10', sample(1:100, 10))
```

---

`Seurat-class`*The Seurat Class*

---

**Description**

The Seurat object is a representation of single-cell expression data for R; for more details, please see the documentation in [SeuratObject](#)

**See Also**

[SeuratObject::Seurat-class](#)

---

SeuratCommand-class     *The SeuratCommand Class*

---

**Description**

For more details, please see the documentation in [SeuratObject](#)

**See Also**

[SeuratObject::SeuratCommand-class](#)

---

SeuratTheme                     *Seurat Themes*

---

**Description**

Various themes to be applied to ggplot2-based plots

SeuratTheme The curated Seurat theme, consists of ...

DarkTheme A dark theme, axes and text turn to white, the background becomes black

NoAxes Removes axis lines, text, and ticks

NoLegend Removes the legend

FontSize Sets axis and title font sizes

NoGrid Removes grid lines

SeuratAxes Set Seurat-style axes

SpatialTheme A theme designed for spatial visualizations (eg [PolyFeaturePlot](#), [PolyDimPlot](#))

RestoreLegend Restore a legend after removal

RotatedAxis Rotate X axis text 45 degrees

BoldTitle Enlarges and emphasizes the title

**Usage**

```
SeuratTheme()
```

```
CenterTitle(...)
```

```
DarkTheme(...)
```

```
FontSize(
  x.text = NULL,
  y.text = NULL,
  x.title = NULL,
  y.title = NULL,
```

```

    main = NULL,
    ...
)
NoAxes(..., keep.text = FALSE, keep.ticks = FALSE)
NoLegend(...)
NoGrid(...)
SeuratAxes(...)
SpatialTheme(...)
RestoreLegend(..., position = "right")
RotatedAxis(...)
BoldTitle(...)
WhiteBackground(...)

```

### Arguments

...	Extra parameters to be passed to theme
x.text, y.text	X and Y axis text sizes
x.title, y.title	X and Y axis title sizes
main	Plot title size
keep.text	Keep axis text
keep.ticks	Keep axis ticks
position	A position to restore the legend to

### Value

A ggplot2 theme object

### See Also

[theme](#)

### Examples

```

# Generate a plot with a dark theme
library(ggplot2)
df <- data.frame(x = rnorm(n = 100, mean = 20, sd = 2), y = rbinom(n = 100, size = 100, prob = 0.2))
p <- ggplot(data = df, mapping = aes(x = x, y = y)) + geom_point(mapping = aes(color = 'red'))
p + DarkTheme(legend.position = 'none')

```

```

# Generate a plot with no axes
library(ggplot2)
df <- data.frame(x = rnorm(n = 100, mean = 20, sd = 2), y = rbinom(n = 100, size = 100, prob = 0.2))
p <- ggplot(data = df, mapping = aes(x = x, y = y)) + geom_point(mapping = aes(color = 'red'))
p + NoAxes()

# Generate a plot with no legend
library(ggplot2)
df <- data.frame(x = rnorm(n = 100, mean = 20, sd = 2), y = rbinom(n = 100, size = 100, prob = 0.2))
p <- ggplot(data = df, mapping = aes(x = x, y = y)) + geom_point(mapping = aes(color = 'red'))
p + NoLegend()

# Generate a plot with no grid lines
library(ggplot2)
df <- data.frame(x = rnorm(n = 100, mean = 20, sd = 2), y = rbinom(n = 100, size = 100, prob = 0.2))
p <- ggplot(data = df, mapping = aes(x = x, y = y)) + geom_point(mapping = aes(color = 'red'))
p + NoGrid()

```

---

SlideSeq-class

*The SlideSeq class*


---

### Description

The SlideSeq class represents spatial information from the Slide-seq platform

### Slots

coordinates ...

### Slots

assay Name of assay to associate image data with; will give this image priority for visualization when the assay is set as the active/default assay in a Seurat object

key Key for the image

---

SpatialImage-class

*The SpatialImage Class*


---

### Description

For more details, please see the documentation in [SeuratObject](#)

### See Also

[SeuratObject::SpatialImage-class](#)

---

**SpatialPlot***Visualize spatial clustering and expression data.*

---

**Description**

SpatialPlot plots a feature or discrete grouping (e.g. cluster assignments) as spots over the image that was collected. We also provide SpatialFeaturePlot and SpatialDimPlot as wrapper functions around SpatialPlot for a consistent naming framework.

**Usage**

```
SpatialPlot(  
  object,  
  group.by = NULL,  
  features = NULL,  
  images = NULL,  
  cols = NULL,  
  image.alpha = 1,  
  crop = TRUE,  
  slot = "data",  
  min.cutoff = NA,  
  max.cutoff = NA,  
  cells.highlight = NULL,  
  cols.highlight = c("#DE2D26", "grey50"),  
  facet.highlight = FALSE,  
  label = FALSE,  
  label.size = 5,  
  label.color = "white",  
  label.box = TRUE,  
  repel = FALSE,  
  ncol = NULL,  
  combine = TRUE,  
  pt.size.factor = 1.6,  
  alpha = c(1, 1),  
  stroke = 0.25,  
  interactive = FALSE,  
  do.identify = FALSE,  
  identify.ident = NULL,  
  do.hover = FALSE,  
  information = NULL  
)
```

```
SpatialDimPlot(  
  object,  
  group.by = NULL,  
  images = NULL,  
  cols = NULL,
```



```

crop = TRUE,
cells.highlight = NULL,
cols.highlight = c("#DE2D26", "grey50"),
facet.highlight = FALSE,
label = FALSE,
label.size = 7,
label.color = "white",
repel = FALSE,
ncol = NULL,
combine = TRUE,
pt.size.factor = 1.6,
alpha = c(1, 1),
image.alpha = 1,
stroke = 0.25,
label.box = TRUE,
interactive = FALSE,
information = NULL
)

```

```

SpatialFeaturePlot(
  object,
  features,
  images = NULL,
  crop = TRUE,
  slot = "data",
  min.cutoff = NA,
  max.cutoff = NA,
  ncol = NULL,
  combine = TRUE,
  pt.size.factor = 1.6,
  alpha = c(1, 1),
  image.alpha = 1,
  stroke = 0.25,
  interactive = FALSE,
  information = NULL
)

```

### Arguments

object	A Seurat object
group.by	Name of meta.data column to group the data by
features	Name of the feature to visualize. Provide either group.by OR features, not both.
images	Name of the images to use in the plot(s)
cols	Vector of colors, each color corresponds to an identity class. This may also be a single character or numeric value corresponding to a palette as specified by <a href="#">brewer.pal.info</a> . By default, ggplot2 assigns colors
image.alpha	Adjust the opacity of the background images. Set to 0 to remove.

<code>crop</code>	Crop the plot in to focus on points plotted. Set to FALSE to show entire background image.
<code>slot</code>	If plotting a feature, which data slot to pull from (counts, data, or scale.data)
<code>min.cutoff, max.cutoff</code>	Vector of minimum and maximum cutoff values for each feature, may specify quantile in the form of 'q###' where '###' is the quantile (eg, 'q1', 'q10')
<code>cells.highlight</code>	A list of character or numeric vectors of cells to highlight. If only one group of cells desired, can simply pass a vector instead of a list. If set, colors selected cells to the color(s) in <code>cols.highlight</code>
<code>cols.highlight</code>	A vector of colors to highlight the cells as; ordered the same as the groups in <code>cells.highlight</code> ; last color corresponds to unselected cells.
<code>facet.highlight</code>	When highlighting certain groups of cells, split each group into its own plot
<code>label</code>	Whether to label the clusters
<code>label.size</code>	Sets the size of the labels
<code>label.color</code>	Sets the color of the label text
<code>label.box</code>	Whether to put a box around the label text ( <code>geom_text</code> vs <code>geom_label</code> )
<code>repel</code>	Repels the labels to prevent overlap
<code>ncol</code>	Number of columns if plotting multiple plots
<code>combine</code>	Combine plots into a single gg object; note that if TRUE; themeing will not work when plotting multiple features/groupings
<code>pt.size.factor</code>	Scale the size of the spots.
<code>alpha</code>	Controls opacity of spots. Provide as a vector specifying the min and max for <code>SpatialFeaturePlot</code> . For <code>SpatialDimPlot</code> , provide a single alpha value for each plot.
<code>stroke</code>	Control the width of the border around the spots
<code>interactive</code>	Launch an interactive <code>SpatialDimPlot</code> or <code>SpatialFeaturePlot</code> session, see <a href="#">ISpatialDimPlot</a> or <a href="#">ISpatialFeaturePlot</a> for more details
<code>do.identify, do.hover</code>	DEPRECATED in favor of <code>interactive</code>
<code>identify.ident</code>	DEPRECATED
<code>information</code>	An optional dataframe or matrix of extra information to be displayed on hover

### Value

If `do.identify`, either a vector of cells selected or the object with selected cells set to the value of `identify.ident` (if set). Else, if `do.hover`, a plotly object with interactive graphics. Else, a ggplot object

## Examples

```
## Not run:
# For functionality analagous to FeaturePlot
SpatialPlot(seurat.object, features = "MS4A1")
SpatialFeaturePlot(seurat.object, features = "MS4A1")

# For functionality analagous to DimPlot
SpatialPlot(seurat.object, group.by = "clusters")
SpatialDimPlot(seurat.object, group.by = "clusters")

## End(Not run)
```

---

SplitObject

*Splits object into a list of subsetted objects.*

---

## Description

Splits object based on a single attribute into a list of subsetted objects, one for each level of the attribute. For example, useful for taking an object that contains cells from many patients, and subdividing it into patient-specific objects.

## Usage

```
SplitObject(object, split.by = "ident")
```

## Arguments

object	Seurat object
split.by	Attribute for splitting. Default is "ident". Currently only supported for class-level (i.e. non-quantitative) attributes.

## Value

A named list of Seurat objects, each containing a subset of cells from the original object.

## Examples

```
data("pbmc_small")
# Assign the test object a three level attribute
groups <- sample(c("group1", "group2", "group3"), size = 80, replace = TRUE)
names(groups) <- colnames(pbmc_small)
pbmc_small <- AddMetaData(object = pbmc_small, metadata = groups, col.name = "group")
obj.list <- SplitObject(pbmc_small, split.by = "group")
```

---

 STARmap-class

*The STARmap class*


---

### Description

The STARmap class

### Slots

assay Name of assay to associate image data with; will give this image priority for visualization when the assay is set as the active/default assay in a Seurat object

key Key for the image

---

subset.AnchorSet

*Subset an AnchorSet object*


---

### Description

Subset an AnchorSet object

### Usage

```
## S3 method for class 'AnchorSet'
subset(
  x,
  score.threshold = NULL,
  disallowed.dataset.pairs = NULL,
  dataset.matrix = NULL,
  group.by = NULL,
  disallowed.ident.pairs = NULL,
  ident.matrix = NULL,
  ...
)
```

### Arguments

x object to be subsetted.

score.threshold

Only anchor pairs with scores greater than this value are retained.

disallowed.dataset.pairs

Remove any anchors formed between the provided pairs. E.g. `list(c(1, 5), c(1, 2))` filters out any anchors between datasets 1 and 5 and datasets 1 and 2.

dataset.matrix Provide a binary matrix specifying whether a dataset pair is allowable (1) or not (0). Should be a dataset x dataset matrix.

<code>group.by</code>	Grouping variable to determine allowable ident pairs
<code>disallowed.ident.pairs</code>	Remove any anchors formed between provided ident pairs. E.g. <code>list(c("CD4", "CD8"), c("B-cell", "T-cell"))</code>
<code>ident.matrix</code>	Provide a binary matrix specifying whether an ident pair is allowable (1) or not (0). Should be an ident x ident symmetric matrix
<code>...</code>	further arguments to be passed to or from other methods.

**Value**

Returns an [AnchorSet](#) object with specified anchors filtered out

---

SubsetByBarcodeInflections

*Subset a Seurat Object based on the Barcode Distribution Inflection Points*

---

**Description**

This convenience function subsets a Seurat object based on calculated inflection points.

**Usage**

```
SubsetByBarcodeInflections(object)
```

**Arguments**

<code>object</code>	Seurat object
---------------------	---------------

**Details**

See `[CalculateBarcodeInflections()]` to calculate inflection points and `[BarcodeInflectionsPlot()]` to visualize and test inflection point calculations.

**Value**

Returns a subsetted Seurat object.

**Author(s)**

Robert A. Amezcua, <[robert.amezcua@fredhutch.org](mailto:robert.amezcua@fredhutch.org)>

**See Also**

[CalculateBarcodeInflections](#) [BarcodeInflectionsPlot](#)

**Examples**

```
data("pbmc_small")
pbmc_small <- CalculateBarcodeInflections(
  object = pbmc_small,
  group.column = 'groups',
  threshold.low = 20,
  threshold.high = 30
)
SubsetByBarcodeInflections(object = pbmc_small)
```

---

TopCells	<i>Find cells with highest scores for a given dimensional reduction technique</i>
----------	---

---

**Description**

Return a list of genes with the strongest contribution to a set of components

**Usage**

```
TopCells(object, dim = 1, ncells = 20, balanced = FALSE, ...)
```

**Arguments**

object	DimReduc object
dim	Dimension to use
ncells	Number of cells to return
balanced	Return an equal number of cells with both + and - scores.
...	Extra parameters passed to <a href="#">Embeddings</a>

**Value**

Returns a vector of cells

**Examples**

```
data("pbmc_small")
pbmc_small
head(TopCells(object = pbmc_small[["pca"]]))
# Can specify which dimension and how many cells to return
TopCells(object = pbmc_small[["pca"]], dim = 2, ncells = 5)
```

---

TopFeatures	<i>Find features with highest scores for a given dimensional reduction technique</i>
-------------	--

---

### Description

Return a list of features with the strongest contribution to a set of components

### Usage

```
TopFeatures(  
  object,  
  dim = 1,  
  nfeatures = 20,  
  projected = FALSE,  
  balanced = FALSE,  
  ...  
)
```

### Arguments

object	DimReduc object
dim	Dimension to use
nfeatures	Number of features to return
projected	Use the projected feature loadings
balanced	Return an equal number of features with both + and - scores.
...	Extra parameters passed to <a href="#">Loadings</a>

### Value

Returns a vector of features

### Examples

```
data("pbmc_small")  
pbmc_small  
TopFeatures(object = pbmc_small[["pca"]], dim = 1)  
# After projection:  
TopFeatures(object = pbmc_small[["pca"]], dim = 1, projected = TRUE)
```

---

TopNeighbors	<i>Get nearest neighbors for given cell</i>
--------------	---

---

**Description**

Return a vector of cell names of the nearest n cells.

**Usage**

```
TopNeighbors(object, cell, n = 5)
```

**Arguments**

object	<a href="#">Neighbor</a> object
cell	Cell of interest
n	Number of neighbors to return

**Value**

Returns a vector of cell names

---

TransferAnchorSet-class	<i>The TransferAnchorSet Class</i>
-------------------------	------------------------------------

---

**Description**

Inherits from the Anchorset class. Implemented mainly for method dispatch purposes. See [AnchorSet](#) for slot details.

---

TransferData	<i>Transfer data</i>
--------------	----------------------

---

**Description**

Transfer categorical or continuous data across single-cell datasets. For transferring categorical information, pass a vector from the reference dataset (e.g. `refdata = reference$celltype`). For transferring continuous information, pass a matrix from the reference dataset (e.g. `refdata = GetAssayData(reference[['RNA']])`).



**Usage**

```

TransferData(
  anchorset,
  refdata,
  reference = NULL,
  query = NULL,
  weight.reduction = "pcaproject",
  l2.norm = FALSE,
  dims = NULL,
  k.weight = 50,
  sd.weight = 1,
  eps = 0,
  n.trees = 50,
  verbose = TRUE,
  slot = "data",
  prediction.assay = FALSE,
  store.weights = TRUE
)

```

**Arguments**

anchorset	An <a href="#">AnchorSet</a> object generated by <a href="#">FindTransferAnchors</a>
refdata	Data to transfer. This can be specified in one of two ways: <ul style="list-style-type: none"> <li>• The reference data itself as either a vector where the names correspond to the reference cells, or a matrix, where the column names correspond to the reference cells.</li> <li>• The name of the metadata field or assay from the reference object provided. This requires the reference parameter to be specified. If pulling assay data in this manner, it will pull the data from the data slot. To transfer data from other slots, please pull the data explicitly with <a href="#">GetAssayData</a> and provide that matrix here.</li> </ul>
reference	Reference object from which to pull data to transfer
query	Query object into which the data will be transferred.
weight.reduction	Dimensional reduction to use for the weighting anchors. Options are: <ul style="list-style-type: none"> <li>• pcaproject: Use the projected PCA used for anchor building</li> <li>• lsiproject: Use the projected LSI used for anchor building</li> <li>• pca: Use an internal PCA on the query only</li> <li>• cca: Use the CCA used for anchor building</li> <li>• custom DimReduc: User provided <a href="#">DimReduc</a> object computed on the query cells</li> </ul>
l2.norm	Perform L2 normalization on the cell embeddings after dimensional reduction
dims	Set of dimensions to use in the anchor weighting procedure. If NULL, the same dimensions that were used to find anchors will be used for weighting.
k.weight	Number of neighbors to consider when weighting anchors

<code>sd.weight</code>	Controls the bandwidth of the Gaussian kernel for weighting
<code>eps</code>	Error bound on the neighbor finding algorithm (from <a href="#">RANN</a> )
<code>n.trees</code>	More trees gives higher precision when using annoy approximate nearest neighbor search
<code>verbose</code>	Print progress bars and output
<code>slot</code>	Slot to store the imputed data. Must be either "data" (default) or "counts"
<code>prediction.assay</code>	Return an Assay object with the prediction scores for each class stored in the data slot.
<code>store.weights</code>	Optionally store the weights matrix used for predictions in the returned query object.

### Details

The main steps of this procedure are outlined below. For a more detailed description of the methodology, please see Stuart, Butler, et al Cell 2019. doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031); doi: [10.1101/460147](https://doi.org/10.1101/460147)

For both transferring discrete labels and also feature imputation, we first compute the weights matrix.

- Construct a weights matrix that defines the association between each query cell and each anchor. These weights are computed as  $1 - \frac{\text{distance between the query cell and the anchor}}{\text{distance of the query cell to the } k.\text{weightth anchor}}$  multiplied by the anchor score computed in [FindIntegrationAnchors](#). We then apply a Gaussian kernel width a bandwidth defined by `sd.weight` and normalize across all `k.weight` anchors.

The main difference between label transfer (classification) and feature imputation is what gets multiplied by the weights matrix. For label transfer, we perform the following steps:

- Create a binary classification matrix, the rows corresponding to each possible class and the columns corresponding to the anchors. If the reference cell in the anchor pair is a member of a certain class, that matrix entry is filled with a 1, otherwise 0.
- Multiply this classification matrix by the transpose of weights matrix to compute a prediction score for each class for each cell in the query dataset.

For feature imputation, we perform the following step:

- Multiply the expression matrix for the reference anchor cells by the weights matrix. This returns a predicted expression matrix for the specified features for each cell in the query dataset.

### Value

If `query` is not provided, for the categorical data in `refdata`, returns a `data.frame` with label predictions. If `refdata` is a matrix, returns an Assay object where the imputed data has been stored in the provided slot.

If `query` is provided, a modified query object is returned. For the categorical data in `refdata`, prediction scores are stored as Assays (`prediction.score.NAME`) and two additional metadata fields: `predicted.NAME` and `predicted.NAME.score` which contain the class prediction and the score for that predicted class. For continuous data, an Assay called `NAME` is returned. `NAME` here corresponds to the name of the element in the `refdata` list.

## References

Stuart T, Butler A, et al. Comprehensive Integration of Single-Cell Data. Cell. 2019;177:1888-1902  
doi: [10.1016/j.cell.2019.05.031](https://doi.org/10.1016/j.cell.2019.05.031)

## Examples

```
## Not run:
# to install the SeuratData package see https://github.com/satijalab/seurat-data
library(SeuratData)
data("pbmc3k")

# for demonstration, split the object into reference and query
pbmc.reference <- pbmc3k[, 1:1350]
pbmc.query <- pbmc3k[, 1351:2700]

# perform standard preprocessing on each object
pbmc.reference <- NormalizeData(pbmc.reference)
pbmc.reference <- FindVariableFeatures(pbmc.reference)
pbmc.reference <- ScaleData(pbmc.reference)

pbmc.query <- NormalizeData(pbmc.query)
pbmc.query <- FindVariableFeatures(pbmc.query)
pbmc.query <- ScaleData(pbmc.query)

# find anchors
anchors <- FindTransferAnchors(reference = pbmc.reference, query = pbmc.query)

# transfer labels
predictions <- TransferData(anchorset = anchors, refdata = pbmc.reference$seurat_annotatations)
pbmc.query <- AddMetaData(object = pbmc.query, metadata = predictions)

## End(Not run)
```

---

UpdateSCTAssays

*Update pre-V4 Assays generated with SCTransform in the Seurat to the new SCTAssay class*

---

## Description

Update pre-V4 Assays generated with SCTransform in the Seurat to the new SCTAssay class

## Usage

```
UpdateSCTAssays(object)
```

## Arguments

object            A Seurat object

**Value**

A Seurat object with updated SCTAssays

---

UpdateSymbolList	<i>Get updated synonyms for gene symbols</i>
------------------	--

---

**Description**

Find current gene symbols based on old or alias symbols using the gene names database from the HUGO Gene Nomenclature Committee (HGNC)

**Usage**

```
GeneSymbolThesarus(
  symbols,
  timeout = 10,
  several.ok = FALSE,
  search.types = c("alias_symbol", "prev_symbol"),
  verbose = TRUE,
  ...
)

UpdateSymbolList(
  symbols,
  timeout = 10,
  several.ok = FALSE,
  verbose = TRUE,
  ...
)
```

**Arguments**

symbols	A vector of gene symbols
timeout	Time to wait before canceling query in seconds
several.ok	Allow several current gene symbols for each provided symbol
search.types	Type of query to perform: “alias_symbol” Find alternate symbols for the genes described by symbols “prev_symbol” Find new new symbols for the genes described by symbols This parameter accepts multiple options and short-hand options (eg. “prev” for “prev_symbol”)
verbose	Show a progress bar depicting search progress
...	Extra parameters passed to <a href="#">GET</a>

**Details**

For each symbol passed, we query the HGNC gene names database for current symbols that have the provided symbol as either an alias (`alias_symbol`) or old (`prev_symbol`) symbol. All other queries are **not** supported.

**Value**

GeneSymbolThesarus: if several.ok, a named list where each entry is the current symbol found for each symbol provided and the names are the provided symbols. Otherwise, a named vector with the same information.

UpdateSymbolList: symbols with updated symbols from HGNC's gene names database

**Note**

This function requires internet access

**Source**

<https://www.genenames.org/> <https://www.genenames.org/help/rest/>

**See Also**

[GET](#)

**Examples**

```
## Not run:
GeneSymbolThesarus(symbols = c("FAM64A"))

## End(Not run)

## Not run:
UpdateSymbolList(symbols = cc.genes$s.genes)

## End(Not run)
```

---

VariableFeaturePlot *View variable features*

---

**Description**

View variable features

**Usage**

```
VariableFeaturePlot(
  object,
  cols = c("black", "red"),
  pt.size = 1,
  log = NULL,
  selection.method = NULL,
  assay = NULL,
  raster = NULL,
  raster.dpi = c(512, 512)
)
```

**Arguments**

object	Seurat object
cols	Colors to specify non-variable/variable status
pt.size	Size of the points on the plot
log	Plot the x-axis in log scale
selection.method	Which method to pull. For HVFInfo and VariableFeatures, choose one from one of the following: <ul style="list-style-type: none"> <li>• “vst”</li> <li>• “sctransform” or “sct”</li> <li>• “mean.var.plot”, “dispersion”, “mvp”, or “disp”</li> </ul> For SVFInfo and SpatiallyVariableFeatures, choose from: <ul style="list-style-type: none"> <li>• “markvariogram”</li> <li>• “moransi”</li> </ul>
assay	Assay to pull variable features from
raster	Convert points to raster format, default is NULL which will automatically use raster if the number of points plotted is greater than 100,000
raster.dpi	Pixel resolution for rasterized plots, passed to geom_scattermore(). Default is c(512, 512).

**Value**

A ggplot object

**See Also**

[FindVariableFeatures](#)

**Examples**

```
data("pbmc_small")
VariableFeaturePlot(object = pbmc_small)
```

---

VisiumV1-class	<i>The VisiumV1 class</i>
----------------	---------------------------

---

**Description**

The VisiumV1 class represents spatial information from the 10X Genomics Visium platform

**Slots**

`image` A three-dimensional array with PNG image data, see [readPNG](#) for more details

`scale.factors` An object of class [scalefactors](#); see [scalefactors](#) for more information

`coordinates` A data frame with tissue coordinate information

`spot.radius` Single numeric value giving the radius of the spots

---

VizDimLoadings	<i>Visualize Dimensional Reduction genes</i>
----------------	--

---

**Description**

Visualize top genes associated with reduction components

**Usage**

```
VizDimLoadings(
  object,
  dims = 1:5,
  nfeatures = 30,
  col = "blue",
  reduction = "pca",
  projected = FALSE,
  balanced = FALSE,
  ncol = NULL,
  combine = TRUE
)
```

**Arguments**

<code>object</code>	Seurat object
<code>dims</code>	Number of dimensions to display
<code>nfeatures</code>	Number of genes to display
<code>col</code>	Color of points to use
<code>reduction</code>	Reduction technique to visualize results for

projected	Use reduction values for full dataset (i.e. projected dimensional reduction values)
balanced	Return an equal number of genes with + and - scores. If FALSE (default), returns the top genes ranked by the scores absolute values
ncol	Number of columns to display
combine	Combine plots into a single patchwork ggplot object. If FALSE, return a list of ggplot objects

**Value**

A patchwork ggplot object if combine = TRUE; otherwise, a list of ggplot objects

**Examples**

```
data("pbmc_small")
VizDimLoadings(object = pbmc_small)
```

---

VlnPlot

*Single cell violin plot*


---

**Description**

Draws a violin plot of single cell data (gene expression, metrics, PC scores, etc.)

**Usage**

```
VlnPlot(
  object,
  features,
  cols = NULL,
  pt.size = NULL,
  idents = NULL,
  sort = FALSE,
  assay = NULL,
  group.by = NULL,
  split.by = NULL,
  adjust = 1,
  y.max = NULL,
  same.y.lims = FALSE,
  log = FALSE,
  ncol = NULL,
  slot = "data",
  split.plot = FALSE,
  stack = FALSE,
  combine = TRUE,
  fill.by = "feature",
```



```

    flip = FALSE,
    add.noise = TRUE,
    raster = NULL
  )

```

### Arguments

object	Seurat object
features	Features to plot (gene expression, metrics, PC scores, anything that can be retrieved by FetchData)
cols	Colors to use for plotting
pt.size	Point size for geom_violin
idents	Which classes to include in the plot (default is all)
sort	Sort identity classes (on the x-axis) by the average expression of the attribute being plotted, can also pass 'increasing' or 'decreasing' to change sort direction
assay	Name of assay to use, defaults to the active assay
group.by	Group (color) cells in different ways (for example, orig.ident)
split.by	A variable to split the violin plots by,
adjust	Adjust parameter for geom_violin
y.max	Maximum y axis value
same.y.lims	Set all the y-axis limits to the same values
log	plot the feature axis on log scale
ncol	Number of columns if multiple plots are displayed
slot	Slot to pull expression data from (e.g. "counts" or "data")
split.plot	plot each group of the split violin plots by multiple or single violin shapes.
stack	Horizontally stack plots for each feature
combine	Combine plots into a single <a href="#">patchworked</a> ggplot object. If FALSE, return a list of ggplot
fill.by	Color violins/ridges based on either 'feature' or 'ident'
flip	flip plot orientation (identities on x-axis)
add.noise	determine if adding a small noise for plotting
raster	Convert points to raster format. Requires 'ggrastr' to be installed.

### Value

A [patchworked](#) ggplot object if combine = TRUE; otherwise, a list of ggplot objects

### See Also

[FetchData](#)

**Examples**

```
data("pbmc_small")
VlnPlot(object = pbmc_small, features = 'PC_1')
VlnPlot(object = pbmc_small, features = 'LYZ', split.by = 'groups')
```

# Index

## \* clustering

- FindClusters, [63](#)
- FindMultiModalNeighbors, [76](#)
- FindNeighbors, [77](#)
- FindSubCluster, [82](#)

## \* convenience

- DimHeatmap, [44](#)
- DimPlot, [45](#)
- ReadParseBio, [164](#)
- ReadSTARsolo, [165](#)
- SpatialPlot, [208](#)

## \* datasets

- cc.genes, [27](#)
- cc.genes.updated.2019, [28](#)

## \* data

- cc.genes, [27](#)
- cc.genes.updated.2019, [28](#)

## \* differential\_expression

- FindAllMarkers, [60](#)
- FindConservedMarkers, [65](#)
- FindMarkers, [69](#)
- FoldChange, [89](#)
- PrepSCTFindMarkers, [150](#)

## \* dimensional\_reduction

- JackStraw, [115](#)
- L2CCA, [117](#)
- L2Dim, [118](#)
- PCASigGenes, [142](#)
- ProjectDim, [152](#)
- ProjectUMAP, [153](#)
- RunCCA, [172](#)
- RunICA, [174](#)
- RunPCA, [180](#)
- RunSLSI, [182](#)
- RunSPCA, [183](#)
- RunTSNE, [185](#)
- RunUMAP, [187](#)
- ScoreJackStraw, [196](#)

## \* future

ReadNanostring, [161](#)

ReadVizgen, [167](#)

## \* integration

- AnnotateAnchors, [13](#)
- FindIntegrationAnchors, [66](#)
- FindTransferAnchors, [83](#)
- GetTransferPredictions, [96](#)
- IntegrateData, [107](#)
- IntegrateEmbeddings, [110](#)
- LocalStruct, [125](#)
- MappingScore, [127](#)
- MapQuery, [129](#)
- MixingMetric, [133](#)
- PredictAssay, [148](#)
- PrepSCTIntegration, [151](#)
- SelectIntegrationFeatures, [202](#)
- TransferData, [216](#)

## \* mixscape

- CalcPerturbSig, [24](#)
- DEenrichRPlot, [41](#)
- MixscapeHeatmap, [134](#)
- MixscapeLDA, [136](#)
- PlotPerturbScore, [145](#)
- PrepLDA, [149](#)
- RunLDA, [176](#)
- RunMixscape, [178](#)

## \* objects

- AnchorSet-class, [12](#)
- as.CellDataSet, [14](#)
- as.Seurat.CellDataSet, [15](#)
- as.SingleCellExperiment, [16](#)
- as.sparse.H5Group, [16](#)
- Cells.SCTModel, [30](#)
- CreateSCTAssayObject, [39](#)
- DietSeurat, [43](#)
- FilterSlideSeq, [59](#)
- GetAssay, [92](#)
- GetImage.SlideSeq, [93](#)
- GetIntegrationData, [93](#)

- GetTissueCoordinates.SlideSeq, 95
- IntegrationAnchorSet-class, 113
- IntegrationData-class, 113
- merge.SCTAssay, 131
- ModalityWeights-class, 137
- Radius.SlideSeq, 156
- RenameCells.SCTAssay, 170
- ScaleFactors, 195
- SCTAssay-class, 197
- SCTResults, 201
- SetIntegrationData, 203
- SplitObject, 211
- STARmap-class, 212
- subset.AnchorSet, 212
- TopCells, 214
- TopFeatures, 215
- TopNeighbors, 216
- TransferAnchorSet-class, 216
- UpdateSCTAssays, 219
- VisiumV1-class, 223
- \* preprocessing**
  - CalculateBarcodeInflections, 25
  - FindSpatiallyVariableFeatures, 81
  - FindVariableFeatures, 87
  - GetResidual, 94
  - HTODemux, 99
  - Load10X\_Spatial, 122
  - LoadSTARmap, 123
  - LoadXenium, 124
  - LogNormalize, 126
  - MULTIseqDemux, 138
  - NormalizeData, 140
  - Read10X, 156
  - Read10X\_h5, 157
  - Read10X\_Image, 158
  - ReadAkoya, 159
  - ReadMtx, 160
  - ReadNanostring, 161
  - ReadSlideSeq, 164
  - ReadVitesse, 165
  - ReadVizgen, 167
  - RelativeCounts, 169
  - RunMarkVario, 177
  - RunMoransI, 179
  - SampleUMI, 192
  - ScaleData, 193
  - SCTransform, 199
  - SubsetByBarcodeInflections, 213
- \* spatial**
  - Cells.SCTModel, 30
  - FilterSlideSeq, 59
  - FindSpatiallyVariableFeatures, 81
  - GetImage.SlideSeq, 93
  - GetTissueCoordinates.SlideSeq, 95
  - ISpatialDimPlot, 113
  - ISpatialFeaturePlot, 114
  - LinkedPlots, 120
  - PolyFeaturePlot, 147
  - Radius.SlideSeq, 156
  - ScaleFactors, 195
  - SlideSeq-class, 207
  - SpatialPlot, 208
  - STARmap-class, 212
  - VisiumV1-class, 223
- \* tree**
  - BuildClusterTree, 23
- \* utilities**
  - AddModuleScore, 9
  - AggregateExpression, 11
  - as.sparse.H5Group, 16
  - AverageExpression, 19
  - CaseMatch, 27
  - CellCycleScoring, 29
  - CollapseSpeciesExpressionMatrix, 35
  - CustomDistance, 40
  - ExpMean, 53
  - ExpSD, 53
  - ExpVar, 54
  - FastRowScale, 54
  - GroupCorrelation, 97
  - LoadAnnoyIndex, 123
  - LogVMR, 127
  - MetaFeature, 131
  - MinMax, 132
  - PercentAbove, 143
  - PercentageFeatureSet, 143
  - RegroupIdents, 169
  - SaveAnnoyIndex, 193
  - SetQuantile, 204
  - UpdateSymbolList, 220
- \* visualization**
  - AugmentPlot, 17
  - AutoPointSize, 18
  - BarcodeInflectionsPlot, 20
  - BGTextColor, 21

- BlackAndWhite, 22
- CellScatter, 31
- CellSelector, 33
- CollapseEmbeddingOutliers, 34
- ColorDimSplit, 36
- CombinePlots, 38
- contrast-theory, 39
- DimHeatmap, 44
- DimPlot, 45
- DiscretePalette, 48
- DoHeatmap, 49
- DotPlot, 50
- ElbowPlot, 52
- FeaturePlot, 55
- FeatureScatter, 58
- GroupCorrelationPlot, 98
- HoverLocator, 98
- HTOHeatmap, 100
- IFeaturePlot, 103
- ISpatialDimPlot, 113
- ISpatialFeaturePlot, 114
- JackStrawPlot, 116
- LabelClusters, 118
- LabelPoints, 119
- LinkedPlots, 120
- NNPlot, 139
- PlotClusterTree, 144
- PolyDimPlot, 146
- PolyFeaturePlot, 147
- RidgePlot, 171
- SeuratTheme, 205
- SpatialPlot, 208
- VariableFeaturePlot, 221
- VizDimLoadings, 223
- VlnPlot, 224
- ?future::plan, 163, 168
- AddAzimuthResults, 8
- AddAzimuthScores, 9
- AddModuleScore, 9, 29
- AggregateExpression, 11
- AnchorSet, 14, 68, 107, 108, 113, 213, 216, 217
- AnchorSet (AnchorSet-class), 12
- AnchorSet-class, 12
- AnnotateAnchors, 13
- annotation\_raster, 17
- ape::plot.phylo, 145
- as.CellDataSet, 14
- as.data.frame.Matrix (as.sparse.H5Group), 16
- as.Seurat.CellDataSet, 15
- as.Seurat.SingleCellExperiment (as.Seurat.CellDataSet), 15
- as.SingleCellExperiment, 16
- as.sparse.H5Group, 16
- Assay, 110, 151, 197, 198
- Assay-class, 17
- AugmentPlot, 17
- AutoPointSize, 18
- AverageExpression, 19
- BarcodeInflectionsPlot, 20, 26, 213
- BGTextColor, 21
- BlackAndWhite, 22
- BlueAndRed (BlackAndWhite), 22
- BoldTitle (SeuratTheme), 205
- brewer.pal.info, 36, 46, 104, 117, 209
- BuildClusterTree, 23, 62, 74, 91, 134
- CalcPerturbSig, 24
- CalculateBarcodeInflections, 20, 25, 213
- CaseMatch, 27
- cc.genes, 27, 28
- cc.genes.updated.2019, 28
- CellCycleScoring, 29
- CellPlot (CellScatter), 31
- Cells.SCTModel, 30
- Cells.SlideSeq (Cells.SCTModel), 30
- Cells.STARmap (Cells.SCTModel), 30
- Cells.VisiumV1 (Cells.SCTModel), 30
- CellsByImage, 31
- CellScatter, 31
- CellSelector, 33, 48, 57
- CenterTitle (SeuratTheme), 205
- CollapseEmbeddingOutliers, 34
- CollapseSpeciesExpressionMatrix, 35
- ColorDimSplit, 36
- CombinePlots, 38, 121
- contrast-theory, 39
- correct\_counts, 201
- CreateSCTAssayObject, 39
- CreateSeuratObject, 12, 19
- CustomDistance, 40
- CustomPalette (BlackAndWhite), 22
- DarkTheme (SeuratTheme), 205
- data.frame, 17

- DEenrichRPlot, 41
- DietSeurat, 43
- DimHeatmap, 44
- DimPlot, 33, 36, 37, 45, 57, 99
- DimReduc, 108, 111, 112, 217
- DimReduc-class, 48
- DiscretePalette, 36, 46, 48, 104, 117
- DoHeatmap, 49
- DotPlot, 50
  
- ElbowPlot, 52
- Embeddings, 214
- ExpMean, 53
- ExpSD, 53
- ExpVar, 54
  
- facet\_grid, 119
- facet\_wrap, 119
- FastRowScale, 54
- FeatureHeatmap (FeaturePlot), 55
- FeatureLocator (CellSelector), 33
- FeaturePlot, 33, 48, 55, 57, 99
- FeatureScatter, 58
- FetchData, 36, 47, 48, 51, 104, 147, 225
- FilterSlideSeq, 59
- FindAllMarkers, 60
- FindAllMarkersNode (FindAllMarkers), 60
- FindClusters, 63
- FindConservedMarkers, 65
- FindIntegrationAnchors, 66, 108, 109, 218
- FindMarkers, 69, 91
- FindMarkersNode (FindMarkers), 69
- FindMultiModalNeighbors, 76, 137
- FindNeighbors, 77
- FindSpatiallyVariableFeatures, 81
- FindSubCluster, 82
- FindTransferAnchors, 14, 83, 129, 217
- FindVariableFeatures, 87, 202, 222
- FindVariableGenes  
(FindVariableFeatures), 87
- FoldChange, 89
- FontSize (SeuratTheme), 205
  
- GenePlot (FeatureScatter), 58
- GeneSymbolThesaurus (UpdateSymbolList),  
220
- geom\_raster, 45
- geom\_text, 119, 120
- geom\_text\_repel, 119
  
- GET, 220, 221
- get\_residuals, 94, 201
- GetAssay, 92
- GetAssayData, 130, 217
- GetImage.SlideSeq, 93
- GetImage.STARmap (GetImage.SlideSeq), 93
- GetImage.VisiumV1 (GetImage.SlideSeq),  
93
- GetIntegrationData, 93
- GetResidual, 94, 151
- GetTissueCoordinates.SlideSeq, 95
- GetTissueCoordinates.STARmap  
(GetTissueCoordinates.SlideSeq),  
95
- GetTissueCoordinates.VisiumV1  
(GetTissueCoordinates.SlideSeq),  
95
- GetTransferPredictions, 96
- ggplot\_build, 99
- Graph, 80
- Graph-class, 97
- Graphs, 80
- GroupCorrelation, 97
- GroupCorrelationPlot, 98
  
- hclust, 109, 112
- HoverLocator, 48, 57, 98
- HTODemux, 99, 101
- HTOHeatmap, 100, 100
- HVFInfo, 102
- HVFInfo.SCTAssay, 102
  
- ICAPlot (DimPlot), 45
- IFeaturePlot, 103
- image, 45
- ImageDimPlot, 103
- ImageFeaturePlot, 105
- IntegrateData, 12, 66, 68, 107, 112
- IntegrateEmbeddings, 86, 110, 129, 130
- IntegrationAnchorSet  
(IntegrationAnchorSet-class),  
113
- IntegrationAnchorSet-class, 113
- IntegrationData  
(IntegrationData-class), 113
- IntegrationData-class, 113
- Intensity (contrast-theory), 39
- ISpatialDimPlot, 113, 210
- ISpatialFeaturePlot, 114, 210

- JackStraw, [115](#), [142](#)
- JackStrawData-class, [116](#)
- JackStrawPlot, [116](#), [197](#)
- L2CCA, [117](#)
- L2Dim, [118](#)
- LabelClusters, [118](#)
- Labeler (LabelPoints), [119](#)
- LabelPoints, [119](#)
- layout, [98](#), [99](#)
- levels.SCTAssay (SCTAssay-class), [197](#)
- levels<- .SCTAssay (SCTAssay-class), [197](#)
- LinkedDimPlot (LinkedPlots), [120](#)
- LinkedFeaturePlot (LinkedPlots), [120](#)
- LinkedPlot (LinkedPlots), [120](#)
- LinkedPlots, [120](#)
- Load10X\_Spatial, [122](#), [158](#)
- LoadAkoya (ReadAkoya), [159](#)
- LoadAnnoyIndex, [123](#)
- LoadHuBMAPCODEX (ReadVitesse), [165](#)
- Loadings, [215](#)
- LoadNanostring (ReadNanostring), [161](#)
- LoadSTARmap, [123](#)
- LoadVizgen (ReadVizgen), [167](#)
- LoadXenium, [124](#)
- LocalStruct, [125](#)
- LogNormalize, [126](#)
- LogVMR, [127](#)
- Luminance (contrast-theory), [39](#)
- make.names, [17](#)
- MappingScore, [127](#)
- MapQuery, [86](#), [129](#)
- MeanVarPlot (VariableFeaturePlot), [221](#)
- merge.SCTAssay, [131](#)
- merge.Seurat, [173](#)
- MetaFeature, [131](#)
- MinMax, [132](#)
- MixingMetric, [133](#)
- MixscapeHeatmap, [134](#)
- MixscapeLDA, [136](#)
- ModalityWeights, [77](#)
- ModalityWeights
  - (ModalityWeights-class), [137](#)
- ModalityWeights-class, [137](#)
- MULTIseqDemux, [138](#)
- Neighbor, [79](#), [80](#), [216](#)
- Neighbor-class, [139](#)
- Neighbors, [80](#)
- NNPlot, [139](#)
- NoAxes (SeuratTheme), [205](#)
- NoGrid (SeuratTheme), [205](#)
- NoLegend (SeuratTheme), [205](#)
- NormalizeData, [140](#)
- patchwork, [37](#), [45](#), [47](#), [50](#), [57](#), [59](#), [107](#), [121](#), [140](#), [172](#), [225](#)
- PCAPlot (DimPlot), [45](#)
- PCASigGenes, [142](#)
- PCHeatmap (DimHeatmap), [44](#)
- PercentAbove, [143](#)
- PercentageFeatureSet, [143](#)
- plan, [163](#), [168](#)
- PlotClusterTree, [144](#)
- PlotPerturbScore, [145](#)
- PolyDimPlot, [146](#), [205](#)
- PolyFeaturePlot, [147](#), [205](#)
- PredictAssay, [148](#)
- PrepLDA, [149](#)
- PrepSCTFindMarkers, [150](#)
- PrepSCTIntegration, [151](#)
- ProjectDim, [142](#), [152](#)
- ProjectUMAP, [129](#), [130](#), [153](#)
- PurpleAndYellow (BlackAndWhite), [22](#)
- Radius.SlideSeq, [156](#)
- Radius.STARmap (Radius.SlideSeq), [156](#)
- Radius.VisiumV1 (Radius.SlideSeq), [156](#)
- RANN, [85](#), [109](#), [218](#)
- RcppAnnoy, [85](#)
- Read10X, [156](#)
- Read10X\_h5, [122](#), [157](#)
- Read10X\_Image, [122](#), [158](#)
- ReadAkoya, [159](#), [159](#)
- ReadMtx, [160](#), [164](#), [165](#)
- ReadNanostring, [161](#)
- ReadParseBio, [164](#)
- readPNG, [223](#)
- ReadSlideSeq, [164](#)
- ReadSTARsolo, [165](#)
- ReadVitesse, [165](#)
- ReadVizgen, [167](#)
- ReadXenium (LoadXenium), [124](#)
- RegroupIdents, [169](#)
- RelativeCounts, [169](#)
- RenameCells.SCTAssay, [170](#)

- RenameCells.SlideSeq  
(RenameCells.SCTAssay), 170
- RenameCells.STARmap  
(RenameCells.SCTAssay), 170
- RenameCells.VisiumV1  
(RenameCells.SCTAssay), 170
- RestoreLegend (SeuratTheme), 205
- RidgePlot, 171
- RotatedAxis (SeuratTheme), 205
- RunCCA, 172
- RunICA, 174
- RunLDA, 176
- RunMarkVario, 82, 177
- RunMixscape, 178
- RunMoransI, 82, 179
- RunPCA, 180
- RunSLSI, 182
- RunSPCA, 183
- RunSVD, 84
- RunTFIDF, 84
- RunTSNE, 185
- RunUMAP, 7, 155, 187
  
- SampleUMI, 192
- SaveAnnoyIndex, 193
- ScaleData, 12, 19, 193
- ScaleFactors, 195
- scalefactors, 223
- scalefactors (ScaleFactors), 195
- ScaleFactors.VisiumV1 (ScaleFactors), 195
- ScoreJackStraw, 117, 196
- SCTAssay, 102, 201
- SCTAssay (SCTAssay-class), 197
- SCTAssay-class, 197
- SCTModel (SCTAssay-class), 197
- SCTransform, 151, 197, 198, 199
- SCTResults, 201, 201
- SCTResults<- (SCTResults), 201
- SelectIntegrationFeatures, 67, 68, 151, 202
- SetIntegrationData, 203
- SetQuantile, 204
- Seurat, 8, 9, 12, 20, 66, 67, 80, 84, 104, 110, 118, 124, 125, 131, 151, 152, 160, 163, 166, 168, 203
- Seurat (Seurat-package), 6
- Seurat-class, 204
- Seurat-package, 6
  
- SeuratAxes (SeuratTheme), 205
- SeuratCommand-class, 205
- SeuratObject, 17, 48, 97, 116, 139, 204, 205, 207
- SeuratObject::as.Seurat, 15
- SeuratObject::as.sparse, 17
- SeuratObject::Cells, 30
- SeuratObject::GetImage, 93
- SeuratObject::GetTissueCoordinates, 95
- SeuratObject::Radius, 156
- SeuratObject::RenameCells, 170
- SeuratTheme, 205
- SlideSeq, 164
- SlideSeq (SlideSeq-class), 207
- SlideSeq-class, 207
- sparse matrix, 125, 159, 163, 168
- SpatialDimPlot, 59, 60
- SpatialDimPlot (SpatialPlot), 208
- SpatialFeaturePlot (SpatialPlot), 208
- SpatialImage-class, 207
- SpatialPlot, 208
- SpatialTheme (SeuratTheme), 205
- split, 194
- SplitDotPlotGG (DotPlot), 50
- SplitObject, 211
- STARmap, 124
- STARmap (STARmap-class), 212
- STARmap-class, 212
- subset.AnchorSet, 212
- SubsetByBarcodeInflections, 20, 26, 213
  
- theme, 206
- Tool, 24
- TopCells, 214
- TopFeatures, 215
- TopNeighbors, 216
- TransferAnchorSet  
(TransferAnchorSet-class), 216
- TransferAnchorSet-class, 216
- TransferData, 12, 83, 86, 96, 129, 130, 216
- TSNEPlot (DimPlot), 45
  
- umap, 190
- UMAPPlot (DimPlot), 45
- UpdateSCTAssays, 219
- UpdateSymbolList, 10, 220
  
- VariableFeaturePlot, 221



VariableGenePlot (VariableFeaturePlot),  
    [221](#)  
VisiumV1, [158](#)  
VisiumV1 (VisiumV1-class), [223](#)  
VisiumV1-class, [223](#)  
VizDimLoadings, [223](#)  
VlnPlot, [224](#)  
  
WhiteBackground (SeuratTheme), [205](#)  
with\_progress, [160](#), [163](#), [166](#), [168](#)