Package 'gesisdata'

October 13, 2022

Type Package

Title Reproducible Data Retrieval from the GESIS Data Archive

Version 0.1.0 **Date** 2020-06-23

URL https://github.com/fsolt/gesisdata

BugReports https://github.com/fsolt/gesisdata/issues

Description Reproducible, programmatic retrieval of datasets from the GESIS Data Archive. The GESIS Data Archive https://search.gesis.org makes available thousands of invaluable datasets, but researchers using these datasets are caught in a bind. The archive's terms and conditions bar dissemination of downloaded datasets to third parties, but to ensure that one's work can be reproduced, assessed, and built upon by others, one must provide access to the raw data one has employed. The 'gesisdata' package cuts this knot by providing registered users with programmatic, reproducible access to GESIS datasets from within 'R'.

License MIT + file LICENSE

LazyData TRUE

Suggests knitr, rmarkdown

VignetteBuilder knitr

Imports magrittr, rio, RSelenium (>= 1.7.1), stringr, dplyr, tools, utils

Encoding UTF-8

RoxygenNote 7.1.0

NeedsCompilation no

Author Frederick Solt [aut, cre, cph]

Maintainer Frederick Solt <frederick-solt@uiowa.edu>

Repository CRAN

Date/Publication 2020-06-26 16:10:03 UTC

2 gesis_download

R topics documented:

Index 4

gesis_download

Download datasets from the GESIS data archive

Description

gesis_download provides a programmatic and reproducible means to download datasets from the GESIS data archive

Usage

```
gesis_download(
  file_id,
  email = getOption("gesis_email"),
  password = getOption("gesis_password"),
  use = getOption("gesis_use"),
  reset = FALSE,
  download_dir = "gesis_data",
  msg = TRUE,
  convert = TRUE,
  delay = 5
)
```

Arguments

file_id The unique identifier (or optionally a vector of these identifiers). for the dataset(s)

to be downloaded (see details).

email, password

Your GESIS email and password (see details).

use The number of a 'use of data' (see details).

reset If TRUE, you will be asked to re-enter your username, password, and use.

download_dir The directory (relative to your working directory) to which files from the GESIS

data archive will be downloaded.

msg If TRUE, outputs a message showing which data set is being downloaded.

convert If TRUE, converts downloaded file(s) to .RData format.

delay If the speed of your connection to the GESIS data archive is particularly slow,

gesis_download may encounter problems. Increasing the delay parameter

may help.

gesis_download 3

Details

To avoid requiring others to edit your scripts to insert their own email, password, and use or to force them to do so interactively, the default is set to fetch this information from the user's .Rprofile. Before running gesis_download, then, you should be sure to add these options to your .Rprofile substituting your info for the example below:

options("gesis_email" = "juanita-herrara@uppermidwest.edu", "gesis_password" = "password123!", "gesis_use" = 5) In addition to accepting the terms of use, you need to input a purpose for downloading a data set. The options are as follows:

1. for final thesis of the study programme (e.g. Bachelor/Master thesis) 2. for reserach with a commercial mission 3. for non-scientific purposes 4. for further education and qualification 5. for scientific research (incl. doctorate) 6. in the course of my studies 7. in a course as lecturer

Value

The function returns downloaded files.

Examples

Index

 $gesis_download, 2$