

Package ‘haarfisz’

October 13, 2022

Type Package

Title Software to Perform Haar Fisz Transforms

Version 4.5.3

Date 2022-04-29

Depends R (>= 3.3), wavethresh

Description A Haar-Fisz algorithm for Poisson intensity estimation.

Will denoise Poisson distributed sequences where underlying intensity is not constant. Uses the multiscale variance-stabilization method called the Haar-Fisz transform. Contains functions to carry out the forward and inverse Haar-Fisz transform and denoising on near-Gaussian sequences. Can also carry out cycle-spinning.

Main reference: Fryzlewicz, P. and Nason, G.P. (2004) "A Haar-Fisz algorithm for Poisson intensity estimation." Journal of Computational and Graphical Statistics, 13, 621-638. <[doi:10.1198/106186004X2697](https://doi.org/10.1198/106186004X2697)>.

License GPL (>= 2)

NeedsCompilation no

Author Piotr Fryzlewicz [aut],
Guy Nason [cre]

Maintainer Guy Nason <g.nason@imperial.ac.uk>

Repository CRAN

Date/Publication 2022-04-29 23:40:09 UTC

R topics documented:

haarfisz-package	2
denoise.poisson	3
hf.bt	4
hf.cv	5
hf.tiu	7
hf.u	8

hft	9
hft.inv	11
shift.sequence	12
xquake	13

Index	14
--------------	-----------

haarfisz-package	<i>A Haar-Fisz Algorithm for Poisson Intensity Estimation.</i>
------------------	--

Description

Package to denoise Poisson distributed sequence where underlying intensity is not constant. Uses the multiscale variance-stabilization method called the Haar-Fisz transform. Contains functions to carry out the forward and inverse Haar-Fisz transform and denoising on near-Gaussian sequences. Can also carry out cycle-spinning.

Details

Package: haarfisz
 Type: Package
 Version: 1.5.2
 Date: 2022-04-27
 License: GPL (>=2)

Author(s)

Piotr Fryzlewicz<

References

Fryzlewicz, P. (2003) Wavelet Techniques for Time Series and Poisson Data. *PhD Thesis*, University of Bristol, Bristol, UK <https://www.ma.imperial.ac.uk/~gnason/Research/MAPZFthesis.ps.gz>

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:10.1198/106186004X2697

Nason, G.P. (2008) *Wavelet Methods in Statistics with R*. Springer: New York (Section 6.4) doi:10.1007/9780387759616

See Also

[denoise.poisson](#), [hft](#), [hft.inv](#)

Examples

```
#
#
# Main Poisson denoising function is denoise.poisson
#
# Forward Haar-Fisz transform is hft
#
# Inverse Haar-Fisz transform is hft.inv
```

```
denoise.poisson      denoise.poisson
```

Description

Main routine of the package. Estimates the deterministic discretised intensity of a one-dimensional Poisson process using the Haar-Fisz transformation and partial cycle spinning.

Usage

```
denoise.poisson(y, meth.1 = hf.bt, cs.1 = 50, meth.2 = hf.cv, cs.2 = 50, hybrid = TRUE)
```

Arguments

<code>y</code>	The vector of Poisson counts, its length must be a power of 2.
<code>meth.1</code>	Unquoted name of an S-Plus routine for denoising Gaussian contaminated vectors. Must take and return a vector of length 2^J where J is an integer. The following routines supplied in this package can be used here: hf.u , hf.cv , hf.bt , hf.tiu . The user can define and plug in his or her own routines here.
<code>cs.1</code>	The number of cycle spins to be performed with <code>meth.1</code> . Must be between 1 and N-1, where N is the length of <code>y</code> .
<code>meth.2</code>	Of the same type as <code>meth.1</code> .
<code>cs.2</code>	The number of cycle spins to be performed with <code>meth.2</code> .
<code>hybrid</code>	If set to TRUE, then the estimates are computed using both <code>meth.1</code> with <code>cs.1</code> cycle spins, and <code>meth.2</code> with <code>cs.2</code> cycle spins, and the final estimate is taken to be the average of these two. If set to FALSE, only <code>meth.1</code> with <code>cs.1</code> cycle spins is used to compute the final estimate.

Details

For a given input sequence, basic operation of the code performs a cyclic shift on the data. Then applies the Haar-Fisz transform, then one of the denoising methods (specified by `meth.1`), then the inverse Haar-Fisz transform and then a shift back. This is repeated for `cs.1` cyclic shifts and the results of all shifts returned.

Value

Returns vector of the same length as the input `y` but is the denoised estimate.

Author(s)

Piotr Fryzlewicz

References

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:[10.1198/106186004X2697](https://doi.org/10.1198/106186004X2697)

See Also

[hft](#), [hft.inv](#), [hf.u](#), [hf.cv](#), [hf.bt](#), [hf.tiu](#)

Examples

```
#
# Apply denoise.poisson to xquake data
#
data(xquake)
xquake.denoised <- denoise.poisson(xquake)
#
# Now plot the original data and it's denoised version in red
#
plot(xquake, type="l")
lines(xquake.denoised, col=2)
```

hf.bt

hf.bt

Description

Denoises a Gaussian contaminated vector using a version of the wavelet-based “greedy tree” algorithm by Baraniuk, see references. Note: this function does not actually do any Haar-Fisz transform, it is a homogeneous variance Gaussian denoising function, which is used by the **haarfisz** package.

Usage

```
hf.bt(x, filter.number = 1, family = "DaubExPhase", min.level = 3, noise.level = NULL)
```

Arguments

x	The noisy vector, its length must be a power of 2.
filter.number	The filter number of the analysing wavelet. Can be set to 1, 2, ..., 10 for family == "DaubExPhase", or to 4, 5, ..., 10 for family == "DaubLeAsymm".
family	The family of wavelet bases from which the wavelet filter.number is chosen. Can be set to "DaubExPhase" or "DaubLeAsymm".
min.level	The minimum level thresholded.
noise.level	Standard deviation of the noise, can be set to a positive number or NULL; in the latter case it will be estimated using MAD.

Value

Denoised version of x .

Author(s)

Piotr Fryzlewicz

References

Baraniuk, R. G. (1999) Optimal tree approximation with wavelets. Pages 206-214 of Unser, M.A., Aldroubi, A. and Laine, A.F. (eds), *Wavelet Applications in Signal and Image Processing VII*, Proceedings of SPIE **3813**. SPIE. doi:[10.1117/12.366780](https://doi.org/10.1117/12.366780)

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:[10.1198/106186004X2697](https://doi.org/10.1198/106186004X2697)

Examples

```
#
# Generate simple sinusoidal test signal
#
test.sig <- sin(seq(from=0, to=6*pi, length=128))
#
# Invent simulated noisy signal
#
test.dat <- test.sig + rnorm(128, sd=0.2)
#
# Denoise using hf.bt
#
test.est <- hf.bt(test.dat)
#
# Now plot the results: the truth, the noisy signal, the estimate
#
ts.plot(test.dat)
lines(test.est, col=2)
lines(test.sig, col=3, lty=2)
```

hf.cv

hf.cv

Description

Denoises a Gaussian contaminated vector using wavelet thresholding with a threshold chosen by "leave-half-out" cross-validation. Note: this function does not actually do any Haar-Fisz transform, it is a homogeneous variance Gaussian denoising function, which is used by the **haarfisz** package.

Usage

```
hf.cv(x, filter.number = 1, family = "DaubExPhase", min.level = 3, type = "hard")
```

Arguments

x	The noisy vector, its length must be a power of 2.
filter.number	The filter number of the analysing wavelet. Can be set to 1, 2, ..., 10 for family == "DaubExPhase", or to 4, 5, ..., 10 for family == "DaubLeAsymm".
family	The family of wavelet bases from which the wavelet filter.number is chosen. Can be set to "DaubExPhase" or "DaubLeAsymm".
min.level	The minimum level thresholded.
type	Type of thresholding, can be set to "hard" or "soft".

Details

Uses [threshold](#), [wd](#) and [AvBasis](#)

Value

Denoised version of x

Author(s)

Piotr Fryzlewicz

References

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:[10.1198/106186004X2697](https://doi.org/10.1198/106186004X2697)

See Also

[threshold](#), [wd](#), [AvBasis](#)

Examples

```
#
# Generate simple sinusoidal test signal
#
test.sig <- sin(seq(from=0, to=6*pi, length=128))
#
# Invent simulated noisy signal
#
test.dat <- test.sig + rnorm(128, sd=0.2)
#
# Denoise using hf.bt
#
test.est <- hf.cv(test.dat)
#
# Now plot the results: the truth, the noisy signal, the estimate
#
ts.plot(test.dat)
lines(test.est, col=2)
lines(test.sig, col=3, lty=2)
```

`hf.tiu`*hf.tiu*

Description

Denoises a Gaussian contaminated vector using translation-invariant hard wavelet thresholding with the universal threshold. Note: this function does not actually do any Haar-Fisz transform, it is a homogeneous variance Gaussian denoising function, which is used by the **haarfisz** package.

Usage

```
hf.tiu(x, filter.number = 1, family = "DaubExPhase", min.level = 3, noise.level = 1)
```

Arguments

<code>x</code>	The noisy vector, its length must be a power of 2.
<code>filter.number</code>	The filter number of the analysing wavelet. Can be set to 1, 2, ..., 10 for family == "DaubExPhase", or to 4, 5, ..., 10 for family == "DaubLeAsymm".
<code>family</code>	The family of wavelet bases from which the wavelet <code>filter.number</code> is chosen. Can be set to "DaubExPhase" or "DaubLeAsymm".
<code>min.level</code>	The minimum level thresholded.
<code>noise.level</code>	Standard deviation of the noise, can be set to a positive number or to an estimate (a function of <code>x</code>).

Details

Uses [threshold](#), [wd](#) and [AvBasis](#)

Value

Denoised version of `x`.

Author(s)

Piotr Fryzlewicz

References

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:10.1198/106186004X2697

See Also

[threshold](#), [wd](#), [AvBasis](#)

Examples

```

#
# Generate simple sinusoidal test signal
#
test.sig <- sin(seq(from=0, to=6*pi, length=128))
#
# Invent simulated noisy signal
#
test.dat <- test.sig + rnorm(128, sd=0.2)
#
# Denoise using hf.bt
#
test.est <- hf.tiu(test.dat)
#
# Now plot the results: the truth, the noisy signal, the estimate
#
ts.plot(test.dat)
lines(test.est, col=2)
lines(test.sig, col=3, lty=2)

```

hf.u

hf.u

Description

Denoises a Gaussian contaminated vector using wavelet thresholding with the universal threshold. Note: this function does not actually do any Haar-Fisz transform, it is a homogeneous variance Gaussian denoising function, which is used by the **haarfisz** package.

Usage

```
hf.u(x, filter.number = 10, family = "DaubLeAsymm", min.level = 3, type = "hard")
```

Arguments

x	The noisy vector, its length must be a power of 2.
filter.number	The filter number of the analysing wavelet. Can be set to 1, 2, ..., 10 for family == "DaubExPhase", or to 4, 5, ..., 10 for family == "DaubLeAsymm".
family	The family of wavelet bases from which the wavelet filter.number is chosen. Can be set to "DaubExPhase" or "DaubLeAsymm".
min.level	The minimum level thresholded.
type	Type of thresholding, can be set to hard or soft

Details

Uses [threshold](#), [wd](#) and [AvBasis](#)

Value

Denoised version of x .

Author(s)

Piotr Fryzlewicz

References

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:10.1198/106186004X2697

See Also

[threshold](#), [wd](#), [AvBasis](#)

Examples

```
#
# Generate simple sinusoidal test signal
#
test.sig <- sin(seq(from=0, to=6*pi, length=128))
#
# Invent simulated noisy signal
#
test.dat <- test.sig + rnorm(128, sd=0.2)
#
# Denoise using hf.bt
#
test.est <- hf.u(test.dat)
#
# Now plot the results: the truth, the noisy signal, the estimate
#
ts.plot(test.dat)
lines(test.est, col=2)
lines(test.sig, col=3, lty=2)
```

hft

hft

Description

Performs the (forward) Haar-Fisz transform.

Usage

hft(data)

Arguments

data A vector of Poisson counts, its length must be a power of 2

Details

The Haar-Fisz for Poisson works, roughly speaking, by taking the Haar wavelet transform of data. Then dividing the mother wavelet coefficients by the respective father coefficients, and replacing the results of the divisions back into the same coefficient locations, and then carrying out an inverse Haar wavelet transform. This produces a nearer-Gaussian variance stabilized version of the original (or a version of the underlying intensity which is close to an ‘intensity PLUS homogeneous Gaussian noise’ signal, which is easier to denoise using ‘standard’ methods.

The inverse transform is [hft.inv](#)

Value

The Haar-Fisz transform of data, which will be the same length as data.

Author(s)

Piotr Fryzlewicz

References

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:[10.1198/106186004X2697](https://doi.org/10.1198/106186004X2697)

See Also

[denoise.poisson](#), [hft.inv](#), [hf.bt](#), [hf.cv](#), [hf.u](#), [hf.tiu](#)

Examples

```
#
# Generate Poisson data, half with one intensity, and half with a larger one
#
v <- c( rpois(64, lambda=1), rpois(64, lambda=10))
#
# Plot it to note that the variation is bigger in the second half
# (and the mean, but this is not important for this bit)
#
ts.plot(v)
#
# Now do the Haar-Fisz transform
#
vhft <- hft(v)
#
# Now plot this, and see that the variance of the second bit is now comparable
# to the first
#
ts.plot(vhft)
```

hft.inv	<i>hft.inv</i>
---------	----------------

Description

Performs the inverse Haar-Fisz transform.

Usage

```
hft.inv(data)
```

Arguments

data Vector of length 2^J where J is an integer

Value

The inverse Haar-Fisz transform of data (vector of the same length as data).

Author(s)

Piotr Fryzlewicz

References

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:[10.1198/106186004X2697](https://doi.org/10.1198/106186004X2697)

See Also

[denoise.poisson](#), [hft](#)

Examples

```
#
# Make up test set (mimics sequence with half low intensity, followed by
# half high intensity)
#
test.set <- c(8,5,6,3, 30,40,20,35)
#
# Do forward HFT
#
test.hft <- hft(test.set)
test.hft
# [1] 16.38621 15.20951 15.65216 14.23795 21.20421 22.89452 19.27753 22.13791
#
# Do inverse HFT
#
test.back <- hft.inv(test.hft)
```

```
test.back
# [1] 8 5 6 3 30 40 20 35
#
# Same as original
#
```

shift.sequence	<i>shift.sequence</i>
----------------	-----------------------

Description

One of my functions to resolve issues for a similar function that seems to have been forgotten in haarfisz.

Usage

```
shift.sequence(v, places, dir="right")
```

Arguments

v	Vector to shift
places	The number of places to shift
dir	Whether the shift should be right or left

Details

This function takes a sequence input and shifts it to the left or right by the specified number of places. This is a circular shift. For example, when shifting to the right, any numbers that drop off are appended circularly to the front, etc.

Value

a shifted output sequence.

Author(s)

Piotr Fryzlewicz

References

Fryzlewicz, P. and Nason, G.P. (2004) A Haar-Fisz algorithm for Poisson intensity estimation. *Journal of Computational and Graphical Statistics*, **13**, 621-638. doi:[10.1198/106186004X2697](https://doi.org/10.1198/106186004X2697)

Examples

```
#
# Shift 1:10 one place to the right
#
shift.sequence(1:10,1, dir="right")
# [1] 10 1 2 3 4 5 6 7 8 9

#
# Shift 1:10 twos place to the right
#
shift.sequence(1:10,2, dir="right")
# [1] 9 10 1 2 3 4 5 6 7 8

#
# Shift 1:10 one place to the left
#
shift.sequence(1:10,1, dir="left")
# [1] 2 3 4 5 6 7 8 9 10 1
```

xquake

xquake

Description

Time series of the number of earthquakes of magnitude ≥ 3.0 which occurred in Northern California in 1024 weeks, the last week being 29/11 – 05/12/2000.

Usage

data(xquake)

Source

The series was composed using the data obtained from the Northern California Earthquake Data Center.

Index

* datasets

xquake, [13](#)

* manip

denoise.poisson, [3](#)

hf.bt, [4](#)

hf.cv, [5](#)

hf.tiu, [7](#)

hf.u, [8](#)

hft, [9](#)

hft.inv, [11](#)

shift.sequence, [12](#)

* math

haarfisz-package, [2](#)

AvBasis, [6–9](#)

denoise.poisson, [2, 3, 10, 11](#)

haarfisz (haarfisz-package), [2](#)

haarfisz-package, [2](#)

hf.bt, [3, 4, 4, 10](#)

hf.cv, [3, 4, 5, 10](#)

hf.tiu, [3, 4, 7, 10](#)

hf.u, [3, 4, 8, 10](#)

hft, [2, 4, 9, 11](#)

hft.inv, [2, 4, 10, 11](#)

shift.sequence, [12](#)

threshold, [6–9](#)

wd, [6–9](#)

xquake, [13](#)