

Package ‘ibmsunburst’

October 13, 2022

Title Generate Personality Insights Sunburst Diagrams

Version 0.1.2

Description Generates Personality Insights sunburst diagrams based on 'IBM Watson' Personality Insights service output.

License MIT + file LICENSE

URL <https://github.com/jumpingrivers/ibmsunburst>,
<https://jumpingrivers.github.io/ibmsunburst/>

BugReports <https://github.com/jumpingrivers/ibmsunburst/issues>

Imports htmlwidgets, jsonlite

Suggests covr, knitr, rmarkdown, testthat

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 7.2.1

NeedsCompilation no

Author Rhian Davies [aut, cre],
Steph Locke [aut] (<<https://orcid.org/0000-0002-2387-3723>>),
IBM [cph] (IBM is author of the original JS code.),
Hendrik Feddersen [fnd] (<https://www.ibm.com/>),
Kent Russell [aut],
Maëlle Salmon [ctb] (<<https://orcid.org/0000-0002-2815-0399>>),
Jumping Rivers [fnd]

Maintainer Rhian Davies <rhian@jumpingrivers.com>

Repository CRAN

Date/Publication 2022-10-10 18:50:13 UTC

R topics documented:

ibmsunburst	2
ibmsunburst-shiny	2

Index	4
--------------	----------

ibmsunburst

ibmsunburst.

Description

Produce an IBM Sunburst Diagram from a JSON data output from IBM Watson Personality Insights service

Usage

```
ibmsunburst(  
  json = NULL,  
  version = c("v2", "v3"),  
  width = NULL,  
  height = NULL,  
  elementId = NULL  
)
```

Arguments

json	list of data or data as JSON or path to file with data from IBM Watson Personality Insights service.
version	character version ('v2', 'v3') of Watson Personality Insights profile.
width	Desired width of widget in pixels
height	Desired height of widget in pixels
elementId	Name to assign to widget

Examples

```
json_path <- system.file(  
  "extdata", "profiles",  
  "en_v2.json", package = "ibmsunburst"  
)  
  
ibmsunburst(json = json_path, version = "v2")
```

ibmsunburst-shiny*Shiny bindings for ibmsunburst*

Description

Output and render functions for using ibmsunburst within Shiny applications and interactive Rmd documents.

Usage

```
ibmsunburstOutput(outputId, width = "100%", height = "400px")
```

```
renderIbmsunburst(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

<code>outputId</code>	output variable to read from
<code>width, height</code>	Must be a valid CSS unit (like '100%', '400px', 'auto') or a number, which will be coerced to a string and have 'px' appended.
<code>expr</code>	An expression that generates a <code>ibmsunburst</code>
<code>env</code>	The environment in which to evaluate <code>expr</code> .
<code>quoted</code>	Is <code>expr</code> a quoted expression (with <code>quote()</code>)? This is useful if you want to save an expression in a variable.

Value

A `htmlwidget` of the sunburst

Index

`ibmsunburst`, [2](#)
`ibmsunburst-shiny`, [2](#)
`ibmsunburstOutput (ibmsunburst-shiny)`, [2](#)
`renderIbmsunburst (ibmsunburst-shiny)`, [2](#)