

# Package ‘lacrmr’

October 13, 2022

**Title** Connect to the 'Less Annoying CRM' API

**Version** 1.0.5

## Description

Connect to the 'Less Annoying CRM' API with ease to get your crm data in a clean and tidy format. 'Less Annoying CRM' is a simple CRM built for small businesses, more information is available on their website <<https://www.lessannoyingcrm.com/>>.

**License** GPL-3

**URL** <https://ixpantia.github.io/lacrmr/>

**BugReports** <https://github.com/ixpantia/lacrmr/issues>

**Encoding** UTF-8

**RoxygenNote** 7.2.0

**Depends** R (>= 3.6), magrittr

**Suggests** testthat (>= 2.1.0), knitr, rmarkdown, httpptest, mockery

**VignetteBuilder** knitr

**Imports** dplyr, httr, jsonlite, janitor, sjmisc, stringr

**NeedsCompilation** no

**Author** ixpantia, family = SRL [cph],

Ronny Hernández Mora [aut] (<<https://orcid.org/0000-0001-6225-7096>>),

Frans van Dunné [cre, aut] (<<https://orcid.org/0000-0002-7853-2811>>)

**Maintainer** Frans van Dunné <[frans@ixpantia.com](mailto:frans@ixpantia.com)>

**Repository** CRAN

**Date/Publication** 2022-05-25 07:30:16 UTC

## R topics documented:

get_account_information . . . . .	2
get_contact_information . . . . .	2
get_pipeline_report . . . . .	3
lacramr . . . . .	4
search_contacts . . . . .	4

<b>Index</b>	<b>5</b>
--------------	----------

---

```
get_account_information
    get_account_information
```

---

**Description**

Return your user account information from Less annoying CRM

**Usage**

```
get_account_information(user_code, api_token)
```

**Arguments**

<code>user_code</code>	The user code to identify your account
<code>api_token</code>	The api token to connect to your account

**Details**

For using this function you will need to get your credentials from your Less Annoying CRM. Make sure to have your user code and your `api_token`.

**Examples**

```
## Not run:
get_account_information(user_code = "6A6E88",
    api_token = "FBHV7C")

## End(Not run)
```

---

```
get_contact_information
    get_contact_information
```

---

**Description**

Return the contact information.

**Usage**

```
get_contact_information(user_code, api_token, contact_id = "")
```

**Arguments**

user\_code        The user code to identify your account  
api\_token        The api token to connect to your account  
contact\_id       The contact name or other term to make an specific call to the API.

**Examples**

```
## Not run:  
get_contact_information(user_code = "6A6E88",  
                        api_token = "TQ9XM",  
                        contact_id = "Fulano")  
  
## End(Not run)
```

---

*get\_pipeline\_report*    *get\_pipeline\_report*

---

**Description**

Return your pipeline report information from Less annoying CRM.

**Usage**

```
get_pipeline_report(user_code, api_token, pipelineid)
```

**Arguments**

user\_code        The user code to identify your account  
api\_token        The api token to connect to your account  
pipelineid       The id of the pipeline you want to get the report from

**Details**

For this you will need to know the pipelineId, StatusId, and CustomFieldId You can get this PipelineId's at <https://www.lessannoyingcrm.com/app/Settings/Api>

**Examples**

```
## Not run:  
get_pipeline_report(user_code = "6A6E88",  
                    api_token = "96066",  
                    pipelineid = "57102821")  
  
## End(Not run)
```

---

lacramr	lacrmr <i>package</i>
---------	-----------------------

---

**Description**

Connect to the Less Annoying CRM API to get your data clean and tidy.

**Details**

See the README on

---

search_contacts	<i>search_contacts</i>
-----------------	------------------------

---

**Description**

Return the contacts information from Less annoying CRM.

**Usage**

```
search_contacts(user_code, api_token, search_term = "")
```

**Arguments**

user_code	The user code to identify your account
api_token	The api token to connect to your account
search_term	The contact name or other term to make an specific call to the API. If you want to search for group enter "Group:GROUP_NAME"

**Examples**

```
## Not run:  
search_contacts(user_code = "6A6E88",  
               api_token = "TQ9XM",  
               search_term = "brenesii")  
  
## End(Not run)
```

# Index

`get_account_information`, 2  
`get_contact_information`, 2  
`get_pipeline_report`, 3  
  
`lacramr`, 4  
  
`search_contacts`, 4