

Package ‘neuroblastoma’

October 13, 2022

Maintainer Toby Dylan Hocking <toby@sg.cs.titech.ac.jp>

Author Toby Dylan Hocking

Version 1.0

License GPL-3

Title Neuroblastoma copy number profiles

Description Annotated neuroblastoma copy number profiles,
a benchmark data set for change-point detection algorithms.

Depends R (>= 2.10)

Repository CRAN

Date/Publication 2013-07-23 02:30:55

NeedsCompilation no

R topics documented:

neuroblastoma	1
Index	3

neuroblastoma	<i>Neuroblastoma copy number profiles and breakpoint annotations</i>
---------------	--

Description

Tumors from patients at the Institut Curie were assayed using array comparative genomic hybridization. Their normalized copy number profiles are available as `neuroblastoma$profiles` and the breakpoint annotations are available as `neuroblastoma$annotations`.

Usage

```
data(neuroblastoma)
```

Format

A named list of 2 data frames:

`profiles` A data.frame with one row for each probe, and these variables:

`profile.id` factor: id of copy number profile.

`chromosome` factor: chromosome on which the probe was mapped.

`position` integer: probe was mapped to this position in base pairs.

`logratio` numeric: normalized logratio of the probe, which should be proportional to copy number.

`annotations` a data.frame with one row for each annotated region, and these variables:

`profile.id` factor: id of copy number profile.

`chromosome` factor: chromosome of this annotation.

`min` integer: lower limit of this region in base pairs.

`max` integer: upper limit of this region in base pairs.

`annotation` factor: annotation of this region, either "normal" for no breakpoints or "breakpoint" for at least one breakpoint.

Source

Gudrun Schleiermacher and Isabelle Janoueix-Lerosey, Institut Curie.

Index

* **datasets**

neuroblastoma, [1](#)

neuroblastoma, [1](#)