

Package ‘radianit.model’

January 12, 2023

Type Package

Title Model Menu for Radianit: Business Analytics using R and Shiny

Version 1.5.0

Date 2023-1-11

Description The Radianit Model menu includes interfaces for linear and logistic regression, naive Bayes, neural networks, classification and regression trees, model evaluation, collaborative filtering, decision analysis, and simulation. The application extends the functionality in 'radianit.data'.

Depends R (>= 4.0.0), radianit.data (>= 1.5.0)

Imports radianit.basics (>= 1.5.0), shiny (>= 1.7.1), nnet (>= 7.3.12), NeuralNetTools (>= 1.5.1), sandwich (>= 2.3.4), car (>= 2.1.3), ggplot2 (>= 2.2.1), data.tree (>= 0.7.4), stringr (>= 1.1.0), lubridate (>= 1.7.2), tidyR (>= 0.8.2), dplyr (>= 1.0.7), rlang (>= 0.4.10), magrittr (>= 1.5), DiagrammeR (>= 1.0.0), import (>= 1.1.0), psych (>= 1.8.4), e1071 (>= 1.6.8), rpart (>= 4.1.11), ggrepel (>= 0.8), broom (>= 0.7.0), patchwork (>= 1.0.0), ranger (>= 0.11.2), xgboost (>= 0.90.0.2), pdp (>= 0.7.0), vip (>= 0.3.2), stringi, yaml

Suggests testthat (>= 2.0.0), pkgdown (>= 1.1.0)

URL <https://github.com/radianit-rstats/radianit.model/>,
<https://radianit-rstats.github.io/radianit.model/>,
<https://radianit-rstats.github.io/docs/>

BugReports <https://github.com/radianit-rstats/radianit.model/issues/>

License AGPL-3 | file LICENSE

LazyData true

Encoding UTF-8

Language en-US

RoxygenNote 7.2.3

NeedsCompilation no

Author Vincent Nijs [aut, cre]

Maintainer Vincent Nijs <radiant@rady.ucsd.edu>

Repository CRAN

Date/Publication 2023-01-11 23:40:02 UTC

R topics documented:

auc	4
catalog	5
confint_robust	6
confusion	6
crs	8
crtree	9
cv.crtree	11
cv.gbt	12
cv.nn	14
cv.rforest	16
direct_marketing	17
dtree	18
dtree_parser	19
dvd	19
evalbin	20
evalreg	21
find_max	22
find_min	23
gbt	23
houseprices	25
ideal	26
ketchup	26
logistic	27
MAE	28
minmax	29
mnl	29
movie_contract	31
nb	31
nn	32
onehot	34
pdp_plot	34
plot.confusion	35
plot.crs	36
plot.crtree	37
plot.dtree	38
plot.evalbin	39
plot.evalreg	40
plot.gbt	41
plot.logistic	42
plot.mnl	44
plot.mnl.predict	45

plot.model.predict	46
plot.nb	47
plot.nb.predict	48
plot.nn	49
plot.regress	50
plot repeater	52
plot.rforest	52
plot.rforest.predict	53
plot.simulator	54
predict.crtree	55
predict.gbt	57
predict.logistic	58
predict.mnl	59
predict.nb	60
predict.nn	62
predict.regress	63
predict.rforest	64
predict_model	65
pred_plot	66
print.crtree.predict	67
print.gbt.predict	68
print.logistic.predict	68
print.mnl.predict	69
print.nb.predict	69
print.nn.predict	70
print.regress.predict	70
print.rforest.predict	71
print_predict_model	71
profit	72
radiant.model	72
radiant.model-deprecated	73
radiant.model_viewer	73
radiant.model_window	74
ratings	75
regress	75
render.DiagrammeR	77
repeater	77
rforest	79
rig	80
RMSE	81
Rsq	82
scale_df	82
sdw	83
sensitivity	83
sensitivity.dtree	84
simulator	85
sim_cleaner	87
sim_cor	87

sim_splitter	88
sim_summary	89
store.crs	89
store.mnl.predict	90
store.model	91
store.model.predict	91
store.nb.predict	92
store.rforest.predict	93
summary.confusion	94
summary.crs	94
summary.crtree	95
summary.dtree	96
summary.evalbin	97
summary.evalreg	98
summary.gbt	98
summary.logistic	99
summary.mnl	100
summary.nb	101
summary.nn	102
summary.regress	103
summary.repeater	104
summary.rforest	104
summary.simulator	105
test_specs	106
varimp	106
varimp_plot	107
var_check	107
write.coeff	108

Index**110**

auc	<i>Area Under the RO Curve (AUC)</i>
-----	--------------------------------------

Description

Area Under the RO Curve (AUC)

Usage

```
auc(pred, rvar, lev)
```

Arguments

pred	Prediction or predictor
rvar	Response variable
lev	The level in the response variable defined as success

Details

See <https://radiantrstats.github.io/docs/model/evalbin.html> for an example in Radiant

Value

AUC statistic

See Also

[evalbin](#) to calculate results

[summary.evalbin](#) to summarize results

[plot.evalbin](#) to plot results

Examples

```
auc(runif(20000), dvd$buy, "yes")
auc(ifelse(dvd$buy == "yes", 1, 0), dvd$buy, "yes")
```

catalog

Catalog sales for men's and women's apparel

Description

Catalog sales for men's and women's apparel

Usage

```
data(catalog)
```

Format

A data frame with 200 rows and 5 variables

Details

Description provided in attr(catalog, "description")

confint_robust	<i>Confidence interval for robust estimators</i>
----------------	--

Description

Confidence interval for robust estimators

Usage

```
confint_robust(object, level = 0.95, dist = "norm", vcov = NULL, ...)
```

Arguments

object	A fitted model object
level	The confidence level required
dist	Distribution to use ("norm" or "t")
vcov	Covariance matrix generated by, e.g., sandwich::vcovHC
...	Additional argument(s) for methods

Details

Wrapper for confint with robust standard errors. See <https://stackoverflow.com/questions/3817182/vcovhc-and-confidence-interval/3820125#3820125>

confusion	<i>Confusion matrix</i>
-----------	-------------------------

Description

Confusion matrix

Usage

```
confusion(
  dataset,
  pred,
  rvar,
  lev = "",
  cost = 1,
  margin = 2,
  train = "All",
  data_filter = "",
  arr = "",
  rows = NULL,
  envir = parent.frame(),
  ...
)
```

Arguments

dataset	Dataset
pred	Predictions or predictors
rvar	Response variable
lev	The level in the response variable defined as success
cost	Cost for each connection (e.g., email or mailing)
margin	Margin on each customer purchase
train	Use data from training ("Training"), test ("Test"), both ("Both"), or all data ("All") to evaluate model evalbin
data_filter	Expression entered in, e.g., Data > View to filter the dataset in R radiant. The expression should be a string (e.g., "price > 10000")
arr	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
rows	Rows to select from the specified dataset
envir	Environment to extract data from
...	further arguments passed to or from other methods

Details

Confusion matrix and additional metrics to evaluate binary classification models. See <https://radiant-rstats.github.io/docs/model/evalbin.html> for an example in R radiant

Value

A list of results

See Also

[summary.confusion](#) to summarize results

[plot.confusion](#) to plot results

Examples

```
data.frame(buy = dvd$buy, pred1 = runif(20000), pred2 = ifelse(dvd$buy == "yes", 1, 0)) %>%  
  confusion(c("pred1", "pred2"), "buy") %>%  
  str()
```

crs	<i>Collaborative Filtering</i>
-----	--------------------------------

Description

Collaborative Filtering

Usage

```
crs(
  dataset,
  id,
  prod,
  pred,
  rate,
  data_filter = "",
  arr = "",
  rows = NULL,
  envir = parent.frame()
)
```

Arguments

<code>dataset</code>	Dataset
<code>id</code>	String with name of the variable containing user ids
<code>prod</code>	String with name of the variable with product ids
<code>pred</code>	Products to predict for
<code>rate</code>	String with name of the variable with product ratings
<code>data_filter</code>	Expression entered in, e.g., Data > View to filter the dataset in Radiant. The expression should be a string (e.g., "training == 1")
<code>arr</code>	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
<code>rows</code>	Rows to select from the specified dataset
<code>envir</code>	Environment to extract data from

Details

See <https://radiant-rstats.github.io/docs/model/crs.html> for an example in Radiant

Value

A data.frame with the original data and a new column with predicted ratings

See Also

[summary.crs](#) to summarize results

[plot.crs](#) to plot results if the actual ratings are available

Examples

```
crs(ratings,
  id = "Users", prod = "Movies", pred = c("M6", "M7", "M8", "M9", "M10"),
  rate = "Ratings", data_filter = "training == 1"
) %>% str()
```

crtree

Classification and regression trees based on the rpart package

Description

Classification and regression trees based on the rpart package

Usage

```
crtree(
  dataset,
  rvar,
  evar,
  type = "",
  lev = "",
  wts = "None",
  minsplit = 2,
  minbucket = round(minsplit/3),
  cp = 0.001,
  pcp = NA,
  nodes = NA,
  K = 10,
  seed = 1234,
  split = "gini",
  prior = NA,
  adjprob = TRUE,
  cost = NA,
  margin = NA,
  check = "",
  data_filter = "",
  arr = "",
  rows = NULL,
  envir = parent.frame()
)
```

Arguments

dataset	Dataset
rvar	The response variable in the model
evar	Explanatory variables in the model

<code>type</code>	Model type (i.e., "classification" or "regression")
<code>lev</code>	The level in the response variable defined as <code>_success_</code>
<code>wts</code>	Weights to use in estimation
<code>minsplit</code>	The minimum number of observations that must exist in a node in order for a split to be attempted.
<code>minbucket</code>	the minimum number of observations in any terminal <leaf> node. If only one of minbucket or minsplit is specified, the code either sets minsplit to minbucket*3 or minbucket to minsplit/3, as appropriate.
<code>cp</code>	Minimum proportion of root node deviance required for split (default = 0.001)
<code>pcp</code>	Complexity parameter to use for pruning
<code>nodes</code>	Maximum size of tree in number of nodes to return
<code>K</code>	Number of folds use in cross-validation
<code>seed</code>	Random seed used for cross-validation
<code>split</code>	Splitting criterion to use (i.e., "gini" or "information")
<code>prior</code>	Adjust the initial probability for the selected level (e.g., set to .5 in unbalanced samples)
<code>adjprob</code>	Setting a prior will rescale the predicted probabilities. Set adjprob to TRUE to adjust the probabilities back to their original scale after estimation
<code>cost</code>	Cost for each treatment (e.g., mailing)
<code>margin</code>	Margin associated with a successful treatment (e.g., a purchase)
<code>check</code>	Optional estimation parameters (e.g., "standardize")
<code>data_filter</code>	Expression entered in, e.g., Data > View to filter the dataset in R radiant. The expression should be a string (e.g., "price > 10000")
<code>arr</code>	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
<code>rows</code>	Rows to select from the specified dataset
<code>envir</code>	Environment to extract data from

Details

See <https://radiant-rstats.github.io/docs/model/crtree.html> for an example in R radiant

Value

A list with all variables defined in `crtree` as an object of class `tree`

See Also

[summary.crtree](#) to summarize results
[plot.crtree](#) to plot results
[predict.crtree](#) for prediction

Examples

```
crtree(titanic, "survived", c("pclass", "sex"), lev = "Yes") %>% summary()
result <- crtree(titanic, "survived", c("pclass", "sex")) %>% summary()
result <- crtree(diamonds, "price", c("carat", "clarity"), type = "regression") %>% str()
```

Description

Cross-validation for Classification and Regression Trees

Usage

```
cv.crtree(  
  object,  
  K = 5,  
  repeats = 1,  
  cp,  
  pcp = seq(0, 0.01, length.out = 11),  
  seed = 1234,  
  trace = TRUE,  
  fun,  
  ...  
)
```

Arguments

object	Object of type "rpart" or "crtree" to use as a starting point for cross validation
K	Number of cross validation passes to use
repeats	Number of times to repeat the K cross-validation steps
cp	Complexity parameter used when building the (e.g., 0.0001)
pcp	Complexity parameter to use for pruning
seed	Random seed to use as the starting point
trace	Print progress
fun	Function to use for model evaluation (e.g., auc for classification or RMSE for regression)
...	Additional arguments to be passed to 'fun'

Details

See <https://radiantrstats.github.io/docs/model/crtree.html> for an example in Radian

Value

A data.frame sorted by the mean, sd, min, and max of the performance metric

See Also

[crtree](#) to generate an initial model that can be passed to cv.crtree
[Rsq](#) to calculate an R-squared measure for a regression
[RMSE](#) to calculate the Root Mean Squared Error for a regression
[MAE](#) to calculate the Mean Absolute Error for a regression
[auc](#) to calculate the area under the ROC curve for classification
[profit](#) to calculate profits for classification at a cost/margin threshold

Examples

```
## Not run:
result <- crtreet(dvd, "buy", c("coupon", "purch", "last"))
cv.crtree(result, cp = 0.0001, pcp = seq(0, 0.01, length.out = 11))
cv.crtree(result, cp = 0.0001, pcp = c(0, 0.001, 0.002), fun = profit, cost = 1, margin = 5)
result <- crtreet(diamonds, "price", c("carat", "color", "clarity"), type = "regression", cp = 0.001)
cv.crtree(result, cp = 0.001, pcp = seq(0, 0.01, length.out = 11), fun = MAE)

## End(Not run)
```

Description

Cross-validation for Gradient Boosted Trees

Usage

```
cv.gbt(
  object,
  K = 5,
  repeats = 1,
  params = list(),
  nrounds = 500,
  early_stopping_rounds = 10,
  nthread = 12,
  train = NULL,
  type = "classification",
  trace = TRUE,
  seed = 1234,
  maximize = NULL,
  fun,
  ...
)
```

Arguments

object	Object of type "gbt" or "ranger"
K	Number of cross validation passes to use (aka nfold)
repeats	Repeated cross validation
params	List of parameters (see XGBoost documentation)
nrounds	Number of trees to create
early_stopping_rounds	Early stopping rule
nthread	Number of parallel threads to use. Defaults to 12 if available
train	An optional xgb.DMatrix object containing the original training data. Not needed when using R radiant's gbt function
type	Model type ("classification" or "regression")
trace	Print progress
seed	Random seed to use as the starting point
maximize	When a custom function is used, xgb.cv requires the user indicate if the function output should be maximized (TRUE) or minimized (FALSE)
fun	Function to use for model evaluation (i.e., auc for classification and RMSE for regression)
...	Additional arguments to be passed to 'fun'

Details

See <https://radiantrstats.github.io/docs/model/gbt.html> for an example in R

Value

A data.frame sorted by the mean of the performance metric

See Also

[gbt](#) to generate an initial model that can be passed to cv.gbt

[Rsq](#) to calculate an R-squared measure for a regression

[RMSE](#) to calculate the Root Mean Squared Error for a regression

[MAE](#) to calculate the Mean Absolute Error for a regression

[auc](#) to calculate the area under the ROC curve for classification

[profit](#) to calculate profits for classification at a cost/margin threshold

Examples

```
## Not run:
result <- gbt(dvd, "buy", c("coupon", "purch", "last"))
cv.gbt(result, params = list(max_depth = 1:6))
cv.gbt(result, params = list(max_depth = 1:6), fun = "logloss")
cv.gbt(
  result,
  params = list(learning_rate = seq(0.1, 1.0, 0.1)),
  maximize = TRUE, fun = profit, cost = 1, margin = 5
)
result <- gbt(diamonds, "price", c("carat", "color", "clarity"), type = "regression")
cv.gbt(result, params = list(max_depth = 1:2, min_child_weight = 1:2))
cv.gbt(result, params = list(learning_rate = seq(0.1, 0.5, 0.1)), fun = Rsq, maximize = TRUE)
cv.gbt(result, params = list(learning_rate = seq(0.1, 0.5, 0.1)), fun = MAE, maximize = FALSE)
rig_wrap <- function(preds, dtrain) {
  labels <- xgboost:::getinfo(dtrain, "label")
  value <- rig(preds, labels, lev = 1)
  list(metric = "rig", value = value)
}
result <- gbt(titanic, "survived", c("pclass", "sex"), eval_metric = rig_wrap, maximize = TRUE)
cv.gbt(result, params = list(learning_rate = seq(0.1, 0.5, 0.1)))

## End(Not run)
```

Description

Cross-validation for a Neural Network

Usage

```
cv.nn(
  object,
  K = 5,
  repeats = 1,
  decay = seq(0, 1, 0.2),
  size = 1:5,
  seed = 1234,
  trace = TRUE,
  fun,
  ...
)
```

Arguments

object	Object of type "nn" or "nnet"
K	Number of cross validation passes to use
repeats	Repeated cross validation
decay	Parameter decay
size	Number of units (nodes) in the hidden layer
seed	Random seed to use as the starting point
trace	Print progress
fun	Function to use for model evaluation (i.e., auc for classification and RMSE for regression)
...	Additional arguments to be passed to 'fun'

Details

See <https://radiantrstats.github.io/docs/model/nn.html> for an example in R radiant

Value

A data.frame sorted by the mean of the performance metric

See Also

- [nn](#) to generate an initial model that can be passed to cv.nn
- [Rsq](#) to calculate an R-squared measure for a regression
- [RMSE](#) to calculate the Root Mean Squared Error for a regression
- [MAE](#) to calculate the Mean Absolute Error for a regression
- [auc](#) to calculate the area under the ROC curve for classification
- [profit](#) to calculate profits for classification at a cost/margin threshold

Examples

```
## Not run:
result <- nn(dvd, "buy", c("coupon", "purch", "last"))
cv.nn(result, decay = seq(0, 1, .5), size = 1:2)
cv.nn(result, decay = seq(0, 1, .5), size = 1:2, fun = profit, cost = 1, margin = 5)
result <- nn(diamonds, "price", c("carat", "color", "clarity"), type = "regression")
cv.nn(result, decay = seq(0, 1, .5), size = 1:2)
cv.nn(result, decay = seq(0, 1, .5), size = 1:2, fun = Rsq)

## End(Not run)
```

`cv.rforest`*Cross-validation for a Random Forest*

Description

Cross-validation for a Random Forest

Usage

```
cv.rforest(
  object,
  K = 5,
  repeats = 1,
  mtry = 1:5,
  num.trees = NULL,
  min.node.size = 1,
  sample.fraction = NA,
  trace = TRUE,
  seed = 1234,
  fun,
  ...
)
```

Arguments

<code>object</code>	Object of type "rforest" or "ranger"
<code>K</code>	Number of cross validation passes to use
<code>repeats</code>	Repeated cross validation
<code>mtry</code>	Number of variables to possibly split at in each node. Default is the (rounded down) square root of the number variables
<code>num.trees</code>	Number of trees to create
<code>min.node.size</code>	Minimal node size
<code>sample.fraction</code>	Fraction of observations to sample. Default is 1 for sampling with replacement and 0.632 for sampling without replacement
<code>trace</code>	Print progress
<code>seed</code>	Random seed to use as the starting point
<code>fun</code>	Function to use for model evaluation (i.e., auc for classification and RMSE for regression)
<code>...</code>	Additional arguments to be passed to 'fun'

Details

See <https://radiantrstats.github.io/docs/model/rforest.html> for an example in Radiant

Value

A data.frame sorted by the mean of the performance metric

See Also

[rforest](#) to generate an initial model that can be passed to cv.rforest
[Rsq](#) to calculate an R-squared measure for a regression
[RMSE](#) to calculate the Root Mean Squared Error for a regression
[MAE](#) to calculate the Mean Absolute Error for a regression
[auc](#) to calculate the area under the ROC curve for classification
[profit](#) to calculate profits for classification at a cost/margin threshold

Examples

```
## Not run:  
result <- rforest(dvd, "buy", c("coupon", "purch", "last"))  
cv.rforest(  
  result,  
  mtry = 1:3, min.node.size = seq(1, 10, 5),  
  num.trees = c(100, 200), sample.fraction = 0.632  
)  
result <- rforest(titanic, "survived", c("pclass", "sex"), max.depth = 1)  
cv.rforest(result, mtry = 1:3, min.node.size = seq(1, 10, 5))  
cv.rforest(result, mtry = 1:3, num.trees = c(100, 200), fun = profit, cost = 1, margin = 5)  
result <- rforest(diamonds, "price", c("carat", "color", "clarity"), type = "regression")  
cv.rforest(result, mtry = 1:3, min.node.size = 1)  
cv.rforest(result, mtry = 1:3, min.node.size = 1, fun = Rsq)  
  
## End(Not run)
```

direct_marketing *Direct marketing data*

Description

Direct marketing data

Usage

```
data(direct_marketing)
```

Format

A data frame with 1,000 rows and 12 variables

Details

Description provided in attr(direct_marketing, "description")

dtree

Create a decision tree

Description

Create a decision tree

Usage

```
dtree(y1, opt = "max", base = character(0), envir = parent.frame())
```

Arguments

y1	A yaml string or a list (e.g., from yaml::yaml.load_file())
opt	Find the maximum ("max") or minimum ("min") value for each decision node
base	List of variable definitions from a base tree used when calling a sub-tree
envir	Environment to extract data from

Details

See <https://radiantrstats.github.io/docs/model/dtree.html> for an example in Radian

Value

A list with the initial tree, the calculated tree, and a data.frame with results (i.e., payoffs, probabilities, etc.)

See Also

- [summary.dtree](#) to summarize results
- [plot.dtree](#) to plot results
- [sensitivity.dtree](#) to plot results

Examples

```
yaml::as.yaml(movie_contract) %>% cat()
dtree(movie_contract, opt = "max") %>% summary(output = TRUE)
dtree(movie_contract)$payoff
dtree(movie_contract)$prob
dtree(movie_contract)$solution_df
```

dtree_parser	<i>Parse yaml input for dtree to provide (more) useful error messages</i>
--------------	---

Description

Parse yaml input for dtree to provide (more) useful error messages

Usage

```
dtree_parser(y1)
```

Arguments

y1	A yaml string
----	---------------

Details

See <https://radiant-rstats.github.io/docs/model/dtree.html> for an example in R radiant

Value

An updated yaml string or a vector messages to return to the users

See Also

- [dtree](#) to calculate tree
- [summary.dtree](#) to summarize results
- [plot.dtree](#) to plot results

dvd	<i>Data on DVD sales</i>
-----	--------------------------

Description

Data on DVD sales

Usage

```
data(dvd)
```

Format

A data frame with 20,000 rows and 4 variables

Details

Binary purchase response to coupon value. Description provided in attr(dvd,"description")

evalbin*Evaluate the performance of different (binary) classification models*

Description

Evaluate the performance of different (binary) classification models

Usage

```
evalbin(
  dataset,
  pred,
  rvar,
  lev = "",
  qnt = 10,
  cost = 1,
  margin = 2,
  train = "All",
  data_filter = "",
  arr = "",
  rows = NULL,
  envir = parent.frame()
)
```

Arguments

dataset	Dataset
pred	Predictions or predictors
rvar	Response variable
lev	The level in the response variable defined as success
qnt	Number of bins to create
cost	Cost for each connection (e.g., email or mailing)
margin	Margin on each customer purchase
train	Use data from training ("Training"), test ("Test"), both ("Both"), or all data ("All") to evaluate model evalbin
data_filter	Expression entered in, e.g., Data > View to filter the dataset in R radiant. The expression should be a string (e.g., "price > 10000")
arr	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
rows	Rows to select from the specified dataset
envir	Environment to extract data from

Details

Evaluate different (binary) classification models based on predictions. See <https://radiant-rstats.github.io/docs/model/evalbin.html> for an example in R radiant

Value

A list of results

See Also

[summary.evalbin](#) to summarize results

[plot.evalbin](#) to plot results

Examples

```
data.frame(buy = dvd$buy, pred1 = runif(20000), pred2 = ifelse(dvd$buy == "yes", 1, 0)) %>%
  evalbin(c("pred1", "pred2"), "buy") %>%
  str()
```

evalreg

Evaluate the performance of different regression models

Description

Evaluate the performance of different regression models

Usage

```
evalreg(
  dataset,
  pred,
  rvar,
  train = "All",
  data_filter = "",
  arr = "",
  rows = NULL,
  envir = parent.frame()
)
```

Arguments

dataset	Dataset
pred	Predictions or predictors
rvar	Response variable
train	Use data from training ("Training"), test ("Test"), both ("Both"), or all data ("All") to evaluate model evalreg
data_filter	Expression entered in, e.g., Data > View to filter the dataset in Radiant. The expression should be a string (e.g., "training == 1")
arr	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
rows	Rows to select from the specified dataset
envir	Environment to extract data from

Details

Evaluate different regression models based on predictions. See <https://radiantrstats.github.io/docs/model/evalreg.html> for an example in R radiant

Value

A list of results

See Also

[summary.evalreg](#) to summarize results
[plot.evalreg](#) to plot results

Examples

```
data.frame(price = diamonds$price, pred1 = rnorm(3000), pred2 = diamonds$price) %>%
  evalreg(pred = c("pred1", "pred2"), "price") %>%
  str()
```

find_max

Find maximum value of a vector

Description

Find maximum value of a vector

Usage

```
find_max(x, y)
```

Arguments

x	Variable to find the maximum for
y	Variable to find the value for at the maximum of var

Details

Find the value of y at the maximum value of x

Value

Value of val at the maximum of var

Examples

```
find_max(1:10, 21:30)
```

find_min	<i>Find minimum value of a vector</i>
----------	---------------------------------------

Description

Find minimum value of a vector

Usage

```
find_min(x, y)
```

Arguments

- | | |
|---|--|
| x | Variable to find the minimum for |
| y | Variable to find the value for at the maximum of var |

Details

Find the value of y at the minimum value of x

Value

Value of val at the minimum of var

Examples

```
find_min(1:10, 21:30)
```

gbt	<i>Gradient Boosted Trees using XGBoost</i>
-----	---

Description

Gradient Boosted Trees using XGBoost

Usage

```
gbt(  
  dataset,  
  rvar,  
  evar,  
  type = "classification",  
  lev = "",  
  max_depth = 6,  
  learning_rate = 0.3,
```

```

min_split_loss = 0,
min_child_weight = 1,
subsample = 1,
nrounds = 100,
early_stopping_rounds = 10,
nthread = 12,
wts = "None",
seed = NA,
data_filter = "",
arr = "",
rows = NULL,
envir = parent.frame(),
...
)

```

Arguments

<code>dataset</code>	Dataset
<code>rvar</code>	The response variable in the model
<code>evar</code>	Explanatory variables in the model
<code>type</code>	Model type (i.e., "classification" or "regression")
<code>lev</code>	Level to use as the first column in prediction output
<code>max_depth</code>	Maximum 'depth' of tree
<code>learning_rate</code>	Learning rate (eta)
<code>min_split_loss</code>	Minimal improvement (gamma)
<code>min_child_weight</code>	Minimum number of instances allowed in each node
<code>subsample</code>	Subsample ratio of the training instances (0-1)
<code>nrounds</code>	Number of trees to create
<code>early_stopping_rounds</code>	Early stopping rule
<code>nthread</code>	Number of parallel threads to use. Defaults to 12 if available
<code>wts</code>	Weights to use in estimation
<code>seed</code>	Random seed to use as the starting point
<code>data_filter</code>	Expression entered in, e.g., Data > View to filter the dataset in Radiant. The expression should be a string (e.g., "price > 10000")
<code>arr</code>	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
<code>rows</code>	Rows to select from the specified dataset
<code>envir</code>	Environment to extract data from
<code>...</code>	Further arguments to pass to xgboost

Details

See <https://radiant-rstats.github.io/docs/model/gbt.html> for an example in Radiant

Value

A list with all variables defined in gbt as an object of class gbt

See Also

[summary.gbt](#) to summarize results

[plot.gbt](#) to plot results

[predict.gbt](#) for prediction

Examples

```
## Not run:
gbt(titanic, "survived", c("pclass", "sex"), lev = "Yes") %>% summary()
gbt(titanic, "survived", c("pclass", "sex")) %>% str()

## End(Not run)
gbt(titanic, "survived", c("pclass", "sex"), lev = "Yes", early_stopping_rounds = 0) %>% summary()
gbt(titanic, "survived", c("pclass", "sex"), early_stopping_rounds = 0) %>% str()
gbt(titanic, "survived", c("pclass", "sex"), eval_metric = paste0("error@", 0.5 / 6)) %>% str()
gbt(diamonds, "price", c("carat", "clarity"), type = "regression") %>% summary()
rig_wrap <- function(preds, dtrain) {
  labels <- xgboost:::getinfo(dtrain, "label")
  value <- rig(preds, labels, lev = 1)
  list(metric = "rig", value = value)
}
gbt(titanic, "survived", c("pclass", "sex"), eval_metric = rig_wrap, maximize = TRUE) %>% str()
```

houseprices

*Houseprices***Description**

Houseprices

Usage

```
data(houseprices)
```

Format

A data frame with 128 home sales and 6 variables

Details

Description provided in attr(houseprices, "description")

ideal	<i>Ideal data for linear regression</i>
-------	---

Description

Ideal data for linear regression

Usage

```
data(ideal)
```

Format

A data frame with 1,000 rows and 4 variables

Details

Description provided in attr(ideal, "description")

ketchup	<i>Data on ketchup choices</i>
---------	--------------------------------

Description

Data on ketchup choices

Usage

```
data(ketchup)
```

Format

A data frame with 2,798 rows and 14 variables

Details

Choice behavior for a sample of 300 individuals in a panel of households in Springfield, Missouri (USA). Description provided in attr(ketchup,"description")

logistic	<i>Logistic regression</i>
----------	----------------------------

Description

Logistic regression

Usage

```
logistic(  
  dataset,  
  rvar,  
  evar,  
  lev = "",  
  int = "",  
  wts = "None",  
  check = "",  
  form,  
  ci_type,  
  data_filter = "",  
  arr = "",  
  rows = NULL,  
  envir = parent.frame()  
)
```

Arguments

dataset	Dataset
rvar	The response variable in the model
evar	Explanatory variables in the model
lev	The level in the response variable defined as _success_
int	Interaction term to include in the model
wts	Weights to use in estimation
check	Use "standardize" to see standardized coefficient estimates. Use "stepwise-backward" (or "stepwise-forward", or "stepwise-both") to apply step-wise selection of variables in estimation. Add "robust" for robust estimation of standard errors (HC1)
form	Optional formula to use instead of rvar, evar, and int
ci_type	To use the profile-likelihood (rather than Wald) for confidence intervals use "profile". For datasets with more than 5,000 rows the Wald method will be used, unless "profile" is explicitly set
data_filter	Expression entered in, e.g., Data > View to filter the dataset in Radiant. The expression should be a string (e.g., "price > 10000")
arr	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
rows	Rows to select from the specified dataset
envir	Environment to extract data from

Details

See <https://radiantrstats.github.io/docs/model/logistic.html> for an example in R-diant

Value

A list with all variables defined in logistic as an object of class logistic

See Also

[summary.logistic](#) to summarize the results
[plot.logistic](#) to plot the results
[predict.logistic](#) to generate predictions
[plot.model.predict](#) to plot prediction output

Examples

```
logistic(titanic, "survived", c("pclass", "sex"), lev = "Yes") %>% summary()
logistic(titanic, "survived", c("pclass", "sex")) %>% str()
```

MAE

Mean Absolute Error

Description

Mean Absolute Error

Usage

```
MAE(pred, rvar)
```

Arguments

pred	Prediction (vector)
rvar	Response (vector)

Value

Mean Absolute Error

minmax*Calculate min and max before standardization*

Description

Calculate min and max before standardization

Usage

```
minmax(dataset)
```

Arguments

dataset Data frame

Value

Data frame min and max attributes

mnl*Multinomial logistic regression*

Description

Multinomial logistic regression

Usage

```
mnl(  
  dataset,  
  rvar,  
  evar,  
  lev = "",  
  int = "",  
  wts = "None",  
  check = "",  
  data_filter = "",  
  arr = "",  
  rows = NULL,  
  envir = parent.frame()  
)
```

Arguments

dataset	Dataset
rvar	The response variable in the model
evar	Explanatory variables in the model
lev	The level in the response variable to use as the baseline
int	Interaction term to include in the model
wts	Weights to use in estimation
check	Use "standardize" to see standardized coefficient estimates. Use "stepwise-backward" (or "stepwise-forward", or "stepwise-both") to apply step-wise selection of variables in estimation.
data_filter	Expression entered in, e.g., Data > View to filter the dataset in Radiant. The expression should be a string (e.g., "price > 10000")
arr	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
rows	Rows to select from the specified dataset
envir	Environment to extract data from

Details

See <https://radiant-rstats.github.io/docs/model/mnl.html> for an example in Radiant

Value

A list with all variables defined in mnl as an object of class mnl

See Also

[summary.mnl](#) to summarize the results
[plot.mnl](#) to plot the results
[predict.mnl](#) to generate predictions
[plot.model.predict](#) to plot prediction output

Examples

```
result <- mnl(
  ketchup,
  rvar = "choice",
  evar = c("price.heinz28", "price.heinz32", "price.heinz41", "price.hunts32"),
  lev = "heinz28"
)
str(result)
```

movie_contract	<i>Movie contract decision tree</i>
----------------	-------------------------------------

Description

Movie contract decision tree

Usage

```
data(movie_contract)
```

Format

A nested list for decision and chance nodes, probabilities and payoffs

Details

Use decision analysis to create a decision tree for an actor facing a contract decision

nb	<i>Naive Bayes using e1071::naiveBayes</i>
----	--

Description

Naive Bayes using e1071::naiveBayes

Usage

```
nb(  
  dataset,  
  rvar,  
  evar,  
  laplace = 0,  
  data_filter = "",  
  arr = "",  
  rows = NULL,  
  envir = parent.frame()  
)
```

Arguments

<code>dataset</code>	Dataset
<code>rvar</code>	The response variable in the logit (probit) model
<code>evar</code>	Explanatory variables in the model
<code>laplace</code>	Positive double controlling Laplace smoothing. The default (0) disables Laplace smoothing.
<code>data_filter</code>	Expression entered in, e.g., Data > View to filter the dataset in R radiant. The expression should be a string (e.g., "price > 10000")
<code>arr</code>	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
<code>rows</code>	Rows to select from the specified dataset
<code>envir</code>	Environment to extract data from

Details

See <https://radiant-rstats.github.io/docs/model/nb.html> for an example in R radiant

Value

A list with all variables defined in nb as an object of class nb

See Also

[summary.nb](#) to summarize results

[plot.nb](#) to plot results

[predict.nb](#) for prediction

Examples

```
nb(titanic, "survived", c("pclass", "sex", "age")) %>% summary()
nb(titanic, "survived", c("pclass", "sex", "age")) %>% str()
```

Description

Neural Networks using nnet

Usage

```
nn(
  dataset,
  rvar,
  evar,
  type = "classification",
  lev = "",
  size = 1,
  decay = 0.5,
  wts = "None",
  seed = NA,
  check = "standardize",
  form,
  data_filter = "",
  arr = "",
  rows = NULL,
  envir = parent.frame()
)
```

Arguments

dataset	Dataset
rvar	The response variable in the model
evar	Explanatory variables in the model
type	Model type (i.e., "classification" or "regression")
lev	The level in the response variable defined as _success_
size	Number of units (nodes) in the hidden layer
decay	Parameter decay
wts	Weights to use in estimation
seed	Random seed to use as the starting point
check	Optional estimation parameters ("standardize" is the default)
form	Optional formula to use instead of rvar and evar
data_filter	Expression entered in, e.g., Data > View to filter the dataset in Radiant. The expression should be a string (e.g., "price > 10000")
arr	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
rows	Rows to select from the specified dataset
envir	Environment to extract data from

Details

See <https://radiant-rstats.github.io/docs/model/nn.html> for an example in Radiant

Value

A list with all variables defined in nn as an object of class nn

See Also

[summary.nn](#) to summarize results
[plot.nn](#) to plot results
[predict.nn](#) for prediction

Examples

```
nn(titanic, "survived", c("pclass", "sex"), lev = "Yes") %>% summary()
nn(titanic, "survived", c("pclass", "sex")) %>% str()
nn(diamonds, "price", c("carat", "clarity"), type = "regression") %>% summary()
```

onehot

*One hot encoding of data.frames***Description**

One hot encoding of data.frames

Usage

```
onehot(dataset, all = FALSE, df = FALSE)
```

Arguments

dataset	Dataset to encode
all	Extract all factor levels (e.g., for tree-based models)
df	Return a data.frame (tibble)

Examples

```
head(onehot(diamonds, df = TRUE))
head(onehot(diamonds, all = TRUE, df = TRUE))
```

pdp_plot

*Create Partial Dependence Plots***Description**

Create Partial Dependence Plots

Usage

```
pdp_plot(x, plot_list = list(), incl, incl_int, fix = TRUE, hline = TRUE)
```

Arguments

x	Return value from a model
plot_list	List used to store plots
incl	Which variables to include in PDP plots
incl_int	Which interactions to investigate in PDP plots
fix	Set the desired limited on yhat or have it calculated automatically. Set to FALSE to have y-axis limits set by ggplot2 for each plot
hline	Add a horizontal line at the average of the target variable. When set to FALSE no line is added. When set to a specific number, the horizontal line will be added at that value

plot.confusion

Plot method for the confusion matrix

Description

Plot method for the confusion matrix

Usage

```
## S3 method for class 'confusion'
plot(
  x,
  vars = c("kappa", "index", "ROME", "AUC"),
  scale_y = TRUE,
  size = 13,
  ...
)
```

Arguments

x	Return value from confusion
vars	Measures to plot, i.e., one or more of "TP", "FP", "TN", "FN", "total", "TPR", "TNR", "precision", "accuracy", "kappa", "profit", "index", "ROME", "contact", "AUC"
scale_y	Free scale in faceted plot of the confusion matrix (TRUE or FALSE)
size	Font size used
...	further arguments passed to or from other methods

Details

See <https://radiant-rstats.github.io/docs/model/evalbin.html> for an example in Radiant

See Also

[confusion](#) to generate results
[summary.confusion](#) to summarize results

Examples

```
data.frame(buy = dvd$buy, pred1 = runif(20000), pred2 = ifelse(dvd$buy == "yes", 1, 0)) %>%  
  confusion(c("pred1", "pred2"), "buy") %>%  
  plot()
```

[plot.crs](#)

Plot method for the crs function

Description

Plot method for the `crs` function

Usage

```
## S3 method for class 'crs'  
plot(x, ...)
```

Arguments

<code>x</code>	Return value from crs
<code>...</code>	further arguments passed to or from other methods

Details

Plot that compares actual to predicted ratings. See <https://radiantrstats.github.io/docs/model/crs.html> for an example in R radiant

See Also

[crs](#) to generate results
[summary.crs](#) to summarize results

plot.crtree *Plot method for the crtreet function*

Description

Plot method for the crtreet function

Usage

```
## S3 method for class 'crtree'
plot(
  x,
  plots = "tree",
  orient = "LR",
  width = "900px",
  labs = TRUE,
  nrobs = Inf,
  dec = 2,
  incl = NULL,
  incl_int = NULL,
  shiny = FALSE,
  custom = FALSE,
  ...
)
```

Arguments

x	Return value from crtree
plots	Plots to produce for the specified rpart tree. "tree" shows a tree diagram. "prune" shows a line graph to evaluate appropriate tree pruning. "imp" shows a variable importance plot
orient	Plot orientation for tree: LR for vertical and TD for horizontal
width	Plot width in pixels for tree (default is "900px")
labs	Use factor labels in plot (TRUE) or revert to default letters used by tree (FALSE)
nrobs	Number of data points to show in dashboard scatter plots (-1 for all)
dec	Decimal places to round results to
incl	Which variables to include in a coefficient plot or PDP plot
incl_int	Which interactions to investigate in PDP plots
shiny	Did the function call originate inside a shiny app
custom	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/crtree.html> for an example in R radiant. The standard tree plot used by the rpart package can be generated by `plot.rpart(result$model)`. See [plot.rpart](#) for additional details.

See Also

[crtree](#) to generate results
[summary.crtree](#) to summarize results
[predict.crtree](#) for prediction

Examples

```
result <- crtreetitanic, "survived", c("pclass", "sex"), lev = "Yes")
plot(result)
result <- crtreetiamonds, "price", c("carat", "clarity", "cut"))
plot(result, plots = "prune")
result <- crtreetodvd, "buy", c("coupon", "purch", "last"), cp = .01)
plot(result, plots = "imp")
```

`plot.dtree`

Plot method for the dtree function

Description

Plot method for the dtree function

Usage

```
## S3 method for class 'dtree'
plot(
  x,
  symbol = "$",
  dec = 2,
  final = FALSE,
  orient = "LR",
  width = "900px",
  ...
)
```

Arguments

<code>x</code>	Return value from dtree
<code>symbol</code>	Monetary symbol to use (\$) is the default)
<code>dec</code>	Decimal places to round results to

final	If TRUE plot the decision tree solution, else the initial decision tree
orient	Plot orientation: LR for vertical and TD for horizontal
width	Plot width in pixels (default is "900px")
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/dtree.html> for an example in R radiant

See Also

[dtree](#) to generate the result
[summary.dtree](#) to summarize results
[sensitivity.dtree](#) to plot results

Examples

```
dtree(movie_contract, opt = "max") %>% plot()  
dtree(movie_contract, opt = "max") %>% plot(final = TRUE, orient = "TD")
```

plot.evalbin

Plot method for the evalbin function

Description

Plot method for the evalbin function

Usage

```
## S3 method for class 'evalbin'  
plot(  
  x,  
  plots = c("lift", "gains"),  
  size = 13,  
  shiny = FALSE,  
  custom = FALSE,  
  ...  
)
```

Arguments

<code>x</code>	Return value from evalbin
<code>plots</code>	Plots to return
<code>size</code>	Font size used
<code>shiny</code>	Did the function call originate inside a shiny app
<code>custom</code>	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/evalbin.html> for an example in Radiant

See Also

[evalbin](#) to generate results

[summary.evalbin](#) to summarize results

Examples

```
data.frame(buy = dvd$buy, pred1 = runif(20000), pred2 = ifelse(dvd$buy == "yes", 1, 0)) %>%
  evalbin(c("pred1", "pred2"), "buy") %>%
  plot()
```

`plot.evalreg`

Plot method for the evalreg function

Description

Plot method for the evalreg function

Usage

```
## S3 method for class 'evalreg'
plot(x, vars = c("Rsq", "RMSE", "MAE"), ...)
```

Arguments

<code>x</code>	Return value from evalreg
<code>vars</code>	Measures to plot, i.e., one or more of "Rsq", "RMSE", "MAE"
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/evalreg.html> for an example in Radiant

See Also

[evalreg](#) to generate results

[summary.evalreg](#) to summarize results

Examples

```
data.frame(price = diamonds$price, pred1 = rnorm(3000), pred2 = diamonds$price) %>%  
  evalreg(pred = c("pred1", "pred2"), "price") %>%  
  plot()
```

plot.gbt

Plot method for the gbt function

Description

Plot method for the `gbt` function

Usage

```
## S3 method for class 'gbt'  
plot(  
  x,  
  plots = "",  
  nrobs = Inf,  
  incl = NULL,  
  incl_int = NULL,  
  shiny = FALSE,  
  custom = FALSE,  
  ...  
)
```

Arguments

<code>x</code>	Return value from <code>gbt</code>
<code>plots</code>	Plots to produce for the specified Gradient Boosted Tree model. Use "" to avoid showing any plots (default). Options are ...
<code>nrobs</code>	Number of data points to show in scatter plots (-1 for all)
<code>incl</code>	Which variables to include in a coefficient plot or PDP plot
<code>incl_int</code>	Which interactions to investigate in PDP plots

<code>shiny</code>	Did the function call originate inside a shiny app
<code>custom</code>	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/gbt.html> for an example in Radian

See Also

[gbt](#) to generate results
[summary.gbt](#) to summarize results
[predict.gbt](#) for prediction

Examples

```
result <- gbt(titanic, "survived", c("pclass", "sex"), early_stopping_rounds = 0)
plot(result)
```

plot.logistic *Plot method for the logistic function*

Description

Plot method for the logistic function

Usage

```
## S3 method for class 'logistic'
plot(
  x,
  plots = "coef",
  conf_lev = 0.95,
  intercept = FALSE,
  incl = NULL,
  excl = NULL,
  incl_int = NULL,
  nrobs = -1,
  shiny = FALSE,
  custom = FALSE,
  ...
)
```

Arguments

x	Return value from logistic
plots	Plots to produce for the specified GLM model. Use "" to avoid showing any plots (default). "dist" shows histograms (or frequency bar plots) of all variables in the model. "scatter" shows scatter plots (or box plots for factors) for the response variable with each explanatory variable. "coef" provides a coefficient plot and "influence" shows (potentially) influential observations
conf_lev	Confidence level to use for coefficient and odds confidence intervals (.95 is the default)
intercept	Include the intercept in the coefficient plot (TRUE or FALSE). FALSE is the default
incl	Which variables to include in a coefficient plot
excl	Which variables to exclude in a coefficient plot
incl_int	Which interactions to investigate in PDP plots
nrobs	Number of data points to show in scatter plots (-1 for all)
shiny	Did the function call originate inside a shiny app
custom	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/logistic.html> for an example in Radian

See Also

- [logistic](#) to generate results
- [plot.logistic](#) to plot results
- [predict.logistic](#) to generate predictions
- [plot.model.predict](#) to plot prediction output

Examples

```
result <- logistic(titanic, "survived", c("pclass", "sex"), lev = "Yes")
plot(result, plots = "coef")
```

plot.mnl*Plot method for the mnl function*

Description

Plot method for the `mnl` function

Usage

```
## S3 method for class 'mnl'
plot(
  x,
  plots = "coef",
  conf_lev = 0.95,
  intercept = FALSE,
  nrobs = -1,
  shiny = FALSE,
  custom = FALSE,
  ...
)
```

Arguments

<code>x</code>	Return value from <code>mnl</code>
<code>plots</code>	Plots to produce for the specified MNL model. Use "" to avoid showing any plots (default). "dist" shows histograms (or frequency bar plots) of all variables in the model. "scatter" shows scatter plots (or box plots for factors) for the response variable with each explanatory variable. "coef" provides a coefficient plot
<code>conf_lev</code>	Confidence level to use for coefficient and relative risk ratios (RRRs) intervals (.95 is the default)
<code>intercept</code>	Include the intercept in the coefficient plot (TRUE or FALSE). FALSE is the default
<code>nrobs</code>	Number of data points to show in scatter plots (-1 for all)
<code>shiny</code>	Did the function call originate inside a shiny app
<code>custom</code>	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/mnl.html> for an example in Radian

See Also

[mnl](#) to generate results
[predict.mnl](#) to generate predictions
[plot.model.predict](#) to plot prediction output

Examples

```
result <- mnl(  
  ketchup,  
  rvar = "choice",  
  evar = c("price.heinz28", "price.heinz32", "price.heinz41", "price.hunts32"),  
  lev = "heinz28"  
)  
plot(result, plots = "coef")
```

plot.mnl.predict *Plot method for mnl.predict function*

Description

Plot method for mnl.predict function

Usage

```
## S3 method for class 'mnl.predict'  
plot(x, xvar = "", facet_row = ".", facet_col = ".", color = ".class", ...)
```

Arguments

x	Return value from predict function predict.mnl
xvar	Variable to display along the X-axis of the plot
facet_row	Create vertically arranged subplots for each level of the selected factor variable
facet_col	Create horizontally arranged subplots for each level of the selected factor variable
color	Adds color to a scatter plot to generate a heat map. For a line plot one line is created for each group and each is assigned a different color
...	further arguments passed to or from other methods

See Also

[predict.mnl](#) to generate predictions

Examples

```
result <- mnl(
  ketchup,
  rvar = "choice",
  evar = c("price.heinz28", "price.heinz32", "price.heinz41", "price.hunts32"),
  lev = "heinz28"
)
pred <- predict(result, pred_cmd = "price.heinz28 = seq(3, 5, 0.1)")
plot(pred, xvar = "price.heinz28")
```

plot.model.predict *Plot method for model.predict functions*

Description

Plot method for model.predict functions

Usage

```
## S3 method for class 'model.predict'
plot(
  x,
  xvar = "",
  facet_row = ".",
  facet_col = ".",
  color = "none",
  conf_lev = 0.95,
  ...
)
```

Arguments

<code>x</code>	Return value from predict functions (e.g., predict.regress)
<code>xvar</code>	Variable to display along the X-axis of the plot
<code>facet_row</code>	Create vertically arranged subplots for each level of the selected factor variable
<code>facet_col</code>	Create horizontally arranged subplots for each level of the selected factor variable
<code>color</code>	Adds color to a scatter plot to generate a heat map. For a line plot one line is created for each group and each is assigned a different color
<code>conf_lev</code>	Confidence level to use for prediction intervals (.95 is the default)
<code>...</code>	further arguments passed to or from other methods

See Also

[predict.regress](#) to generate predictions
[predict.logistic](#) to generate predictions

Examples

```
regress(diamonds, "price", c("carat", "clarity")) %>%
  predict(pred_cmd = "carat = 1:10") %>%
  plot(xvar = "carat")
logistic(titanic, "survived", c("pclass", "sex", "age"), lev = "Yes") %>%
  predict(pred_cmd = c("pclass = levels(pclass)", "sex = levels(sex)", "age = 0:100")) %>%
  plot(xvar = "age", color = "sex", facet_col = "pclass")
```

plot.nb

Plot method for the nb function

Description

Plot method for the **nb** function

Usage

```
## S3 method for class 'nb'
plot(x, plots = "correlations", lev = "All levels", nrobs = 1000, ...)
```

Arguments

x	Return value from nb
plots	Plots to produce for the specified model. Use "" to avoid showing any plots. Use "vimp" for variable importance or "correlations" to examine conditional independence
lev	The level(s) in the response variable used as the basis for plots (defaults to "All levels")
nrobs	Number of data points to show in scatter plots (-1 for all)
...	further arguments passed to or from other methods

Details

See <https://radiator-rstats.github.io/docs/model/nb.html> for an example in Radiant

See Also

nb to generate results

summary.nb to summarize results

predict.nb for prediction

Examples

```
result <- nb(titanic, "survived", c("pclass", "sex"))
plot(result)
result <- nb(titanic, "pclass", c("sex", "age"))
plot(result)
```

plot.nb.predict*Plot method for nb.predict function***Description**

Plot method for nb.predict function

Usage

```
## S3 method for class 'nb.predict'
plot(x, xvar = "", facet_row = ".", facet_col = ".",
      color = ".class", ...)
```

Arguments

<code>x</code>	Return value from predict function predict.nb
<code>xvar</code>	Variable to display along the X-axis of the plot
<code>facet_row</code>	Create vertically arranged subplots for each level of the selected factor variable
<code>facet_col</code>	Create horizontally arranged subplots for each level of the selected factor variable
<code>color</code>	Adds color to a scatter plot to generate a heat map. For a line plot one line is created for each group and each is assigned a different color
<code>...</code>	further arguments passed to or from other methods

See Also

[predict.nb](#) to generate predictions

Examples

```
result <- nb(titanic, "survived", c("pclass", "sex", "age"))
pred <- predict(
  result,
  pred_cmd = c("pclass = levels(pclass)", "sex = levels(sex)", "age = seq(0, 100, 20)")
)
plot(pred, xvar = "age", facet_col = "sex", facet_row = "pclass")
pred <- predict(result, pred_data = titanic)
plot(pred, xvar = "age", facet_col = "sex")
```

<code>plot.nn</code>	<i>Plot method for the nn function</i>
----------------------	--

Description

Plot method for the nn function

Usage

```
## S3 method for class 'nn'
plot(
  x,
  plots = "vip",
  size = 12,
  pad_x = 0.9,
  nrobs = -1,
  incl = NULL,
  incl_int = NULL,
  shiny = FALSE,
  custom = FALSE,
  ...
)
```

Arguments

<code>x</code>	Return value from <code>nn</code>
<code>plots</code>	Plots to produce for the specified Neural Network model. Use "" to avoid showing any plots (default). Options are "olden" or "garson" for importance plots, or "net" to depict the network structure
<code>size</code>	Font size used
<code>pad_x</code>	Padding for explanatory variable labels in the network plot. Default value is 0.9, smaller numbers (e.g., 0.5) increase the amount of padding
<code>nrobs</code>	Number of data points to show in dashboard scatter plots (-1 for all)
<code>incl</code>	Which variables to include in a coefficient plot or PDP plot
<code>incl_int</code>	Which interactions to investigate in PDP plots
<code>shiny</code>	Did the function call originate inside a shiny app
<code>custom</code>	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/nn.html> for an example in Radian

See Also

[nn](#) to generate results
[summary.nn](#) to summarize results
[predict.nn](#) for prediction

Examples

```
result <- nn(titanic, "survived", c("pclass", "sex"), lev = "Yes")
plot(result, plots = "net")
plot(result, plots = "olden")
```

plot.regress*Plot method for the regress function***Description**

Plot method for the regress function

Usage

```
## S3 method for class 'regress'
plot(
  x,
  plots = "",
  lines = "",
  conf_lev = 0.95,
  intercept = FALSE,
  incl = NULL,
  excl = NULL,
  incl_int = NULL,
  nrobs = -1,
  shiny = FALSE,
  custom = FALSE,
  ...
)
```

Arguments

x	Return value from regress
plots	Regression plots to produce for the specified regression model. Enter "" to avoid showing any plots (default). "dist" to shows histograms (or frequency bar plots) of all variables in the model. "correlations" for a visual representation of the correlation matrix selected variables. "scatter" to show scatter plots (or box plots for factors) for the response variable with each explanatory variable. "dashboard" for a series of six plots that can be used to evaluate model fit visually. "resid_pred" to plot the explanatory variables against the model residuals.

	"coef" for a coefficient plot with adjustable confidence intervals and "influence" to show (potentially) influential observations
lines	Optional lines to include in the select plot. "line" to include a line through a scatter plot. "loess" to include a polynomial regression fit line. To include both use c("line", "loess")
conf_lev	Confidence level used to estimate confidence intervals (.95 is the default)
intercept	Include the intercept in the coefficient plot (TRUE, FALSE). FALSE is the default
incl	Which variables to include in a coefficient plot or PDP plot
excl	Which variables to exclude in a coefficient plot
incl_int	Which interactions to investigate in PDP plots
nrobs	Number of data points to show in scatter plots (-1 for all)
shiny	Did the function call originate inside a shiny app
custom	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
...	further arguments passed to or from other methods

Details

See <https://radiant-rstats.github.io/docs/model/regress.html> for an example in Radiant

See Also

[regress](#) to generate the results
[summary.regress](#) to summarize results
[predict.regress](#) to generate predictions

Examples

```
result <- regress(diamonds, "price", c("carat", "clarity"))
plot(result, plots = "coef", conf_lev = .99, intercept = TRUE)
## Not run:
plot(result, plots = "dist")
plot(result, plots = "scatter", lines = c("line", "loess"))
plot(result, plots = "resid_pred", lines = "line")
plot(result, plots = "dashboard", lines = c("line", "loess"))

## End(Not run)
```

`plot.repeater` *Plot repeated simulation*

Description

Plot repeated simulation

Usage

```
## S3 method for class 'repeater'
plot(x, bins = 20, shiny = FALSE, custom = FALSE, ...)
```

Arguments

<code>x</code>	Return value from repeater
<code>bins</code>	Number of bins used for histograms (1 - 50)
<code>shiny</code>	Did the function call originate inside a shiny app
<code>custom</code>	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
<code>...</code>	further arguments passed to or from other methods

See Also

[repeater](#) to run a repeated simulation
[summary.repeater](#) to summarize results from repeated simulation

`plot.rforest` *Plot method for the rforest function*

Description

Plot method for the rforest function

Usage

```
## S3 method for class 'rforest'
plot(
  x,
  plots = "",
  nrobs = Inf,
  incl = NULL,
  incl_int = NULL,
```

```
shiny = FALSE,  
custom = FALSE,  
...  
)
```

Arguments

x	Return value from rforest
plots	Plots to produce for the specified Random Forest model. Use "" to avoid showing any plots (default). Options are ...
nrobs	Number of data points to show in dashboard scatter plots (-1 for all)
incl	Which variables to include in PDP or Prediction plots
incl_int	Which interactions to investigate in PDP or Prediction plots
shiny	Did the function call originate inside a shiny app
custom	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
...	further arguments passed to or from other methods

Details

See <https://radiant-rstats.github.io/docs/model/rforest.html> for an example in Radiant

See Also

[rforest](#) to generate results
[summary.rforest](#) to summarize results
[predict.rforest](#) for prediction

Examples

```
result <- rforest(titanic, "survived", c("pclass", "sex"), lev = "Yes")
```

plot.rforest.predict *Plot method for rforest.predict function*

Description

Plot method for rforest.predict function

Usage

```
## S3 method for class 'rforest.predict'
plot(x, xvar = "", facet_row = ".", facet_col = ".", color = "none", ...)
```

Arguments

x	Return value from predict function predict.rforest
xvar	Variable to display along the X-axis of the plot
facet_row	Create vertically arranged subplots for each level of the selected factor variable
facet_col	Create horizontally arranged subplots for each level of the selected factor variable
color	Adds color to a scatter plot to generate a heat map. For a line plot one line is created for each group and each is assigned a different color
...	further arguments passed to or from other methods

See Also

[predict.mnl](#) to generate predictions

Examples

```
result <- mnl(
  ketchup,
  rvar = "choice",
  evar = c("price.heinz28", "price.heinz32", "price.heinz41", "price.hunts32"),
  lev = "heinz28"
)
pred <- predict(result, pred_cmd = "price.heinz28 = seq(3, 5, 0.1)")
plot(pred, xvar = "price.heinz28")
```

Description

Plot method for the simulator function

Usage

```
## S3 method for class 'simulator'
plot(x, bins = 20, shiny = FALSE, custom = FALSE, ...)
```

Arguments

x	Return value from simulater
bins	Number of bins used for histograms (1 - 50)
shiny	Did the function call originate inside a shiny app
custom	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/simulater> for an example in Radian

See Also

[simulater](#) to generate the result
[summary.simulater](#) to summarize results

Examples

```
simdat <- simulater(
  const = "cost 3",
  norm = "demand 2000 1000",
  discrete = "price 5 8 .3 .7",
  form = "profit = demand * (price - cost)",
  seed = 1234
)
plot(simdat, bins = 25)
```

`predict.crtree` *Predict method for the crtreet function*

Description

Predict method for the crtreet function

Usage

```
## S3 method for class 'crtree'
predict(
  object,
  pred_data = NULL,
  pred_cmd = "",
  conf_lev = 0.95,
```

```

  se = FALSE,
  dec = 3,
  envir = parent.frame(),
  ...
)

```

Arguments

object	Return value from crtree
pred_data	Provide the dataframe to generate predictions (e.g., titanic). The dataset must contain all columns used in the estimation
pred_cmd	Generate predictions using a command. For example, ‘pclass = levels(pclass)‘ would produce predictions for the different levels of factor ‘pclass‘. To add another variable, create a vector of prediction strings, (e.g., c('pclass = levels(pclass)', 'age = seq(0,100,20)')
conf_lev	Confidence level used to estimate confidence intervals (.95 is the default)
se	Logical that indicates if prediction standard errors should be calculated (default = FALSE)
dec	Number of decimals to show
envir	Environment to extract data from
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/crtree.html> for an example in R radiant

See Also

[crtree](#) to generate the result

[summary.crtree](#) to summarize results

Examples

```

result <- crtreetitanic, "survived", c("pclass", "sex"), lev = "Yes")
predict(result, pred_cmd = "pclass = levels(pclass)")
result <- crtreetitanic, "survived", "pclass", lev = "Yes")
predict(result, pred_data = titanic) %>% head()

```

predict.gbt*Predict method for the gbt function*

Description

Predict method for the gbt function

Usage

```
## S3 method for class 'gbt'  
predict(  
  object,  
  pred_data = NULL,  
  pred_cmd = "",  
  dec = 3,  
  envir = parent.frame(),  
  ...  
)
```

Arguments

object	Return value from gbt
pred_data	Provide the dataframe to generate predictions (e.g., diamonds). The dataset must contain all columns used in the estimation
pred_cmd	Generate predictions using a command. For example, ‘pclass = levels(pclass)’ would produce predictions for the different levels of factor ‘pclass’. To add another variable, create a vector of prediction strings, (e.g., c(‘pclass = levels(pclass)’, ‘age = seq(0,100,20)’))
dec	Number of decimals to show
envir	Environment to extract data from
...	further arguments passed to or from other methods

Details

See <https://radiant-rstats.github.io/docs/model/gbt.html> for an example in R radiant

See Also

[gbt](#) to generate the result

[summary.gbt](#) to summarize results

Examples

```
result <- gbt(titanic, "survived", c("pclass", "sex"), early_stopping_rounds = 0)
predict(result, pred_cmd = "pclass = levels(pclass)")
result <- gbt(diamonds, "price", "carat:color", type = "regression")
predict(result, pred_cmd = "carat = 1:3")
predict(result, pred_data = diamonds) %>% head()
```

predict.logistic *Predict method for the logistic function*

Description

Predict method for the logistic function

Usage

```
## S3 method for class 'logistic'
predict(
  object,
  pred_data = NULL,
  pred_cmd = "",
  conf_lev = 0.95,
  se = TRUE,
  interval = "confidence",
  dec = 3,
  envir = parent.frame(),
  ...
)
```

Arguments

<code>object</code>	Return value from logistic
<code>pred_data</code>	Provide the dataframe to generate predictions (e.g., <code>titanic</code>). The dataset must contain all columns used in the estimation
<code>pred_cmd</code>	Generate predictions using a command. For example, ‘ <code>pclass = levels(pclass)</code> ’ would produce predictions for the different levels of factor ‘ <code>pclass</code> ’. To add another variable, create a vector of prediction strings, (e.g., <code>c('pclass = levels(pclass)', 'age = seq(0,100,20)')</code>)
<code>conf_lev</code>	Confidence level used to estimate confidence intervals (.95 is the default)
<code>se</code>	Logical that indicates if prediction standard errors should be calculated (default = FALSE)
<code>interval</code>	Type of interval calculation ("confidence" or "none"). Set to "none" if <code>se</code> is FALSE
<code>dec</code>	Number of decimals to show
<code>envir</code>	Environment to extract data from
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/logistic.html> for an example in R-diant

See Also

[logistic](#) to generate the result
[summary.logistic](#) to summarize results
[plot.logistic](#) to plot results
[plot.model.predict](#) to plot prediction output

Examples

```
result <- logistic(titanic, "survived", c("pclass", "sex"), lev = "Yes")
predict(result, pred_cmd = "pclass = levels(pclass)")
logistic(titanic, "survived", c("pclass", "sex"), lev = "Yes") %>%
  predict(pred_cmd = "sex = c('male','female')")
logistic(titanic, "survived", c("pclass", "sex"), lev = "Yes") %>%
  predict(pred_data = titanic)
```

predict.mnl

Predict method for the mnl function

Description

Predict method for the `mnl` function

Usage

```
## S3 method for class 'mnl'
predict(
  object,
  pred_data = NULL,
  pred_cmd = "",
  pred_names = "",
  dec = 3,
  envir = parent.frame(),
  ...
)
```

Arguments

<code>object</code>	Return value from mnl
<code>pred_data</code>	Provide the dataframe to generate predictions (e.g., ketchup). The dataset must contain all columns used in the estimation

<code>pred_cmd</code>	Generate predictions using a command. For example, ‘ <code>pclass = levels(pclass)</code> ‘ would produce predictions for the different levels of factor ‘ <code>pclass</code> ‘. To add another variable, create a vector of prediction strings, (e.g., <code>c('pclass = levels(pclass)', 'age = seq(0,100,20)')</code>)
<code>pred_names</code>	Names for the predictions to be stored. If one name is provided, only the first column of predictions is stored. If empty, the levels in the response variable of the <code>mnl</code> model will be used
<code>dec</code>	Number of decimals to show
<code>envir</code>	Environment to extract data from
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/mnl.html> for an example in Radian

See Also

[mnl](#) to generate the result

[summary.mnl](#) to summarize results

Examples

```
result <- mnl(
  ketchup,
  rvar = "choice",
  evar = c("price.heinz28", "price.heinz32", "price.heinz41", "price.hunts32"),
  lev = "heinz28"
)
predict(result, pred_cmd = "price.heinz28 = seq(3, 5, 0.1)")
predict(result, pred_data = slice(ketchup, 1:20))
```

Description

Predict method for the `nb` function

Usage

```
## S3 method for class 'nb'
predict(
  object,
  pred_data = NULL,
  pred_cmd = "",
  pred_names = "",
```

```
dec = 3,
envir = parent.frame(),
...
)
```

Arguments

object	Return value from nb
pred_data	Provide the dataframe to generate predictions (e.g., titanic). The dataset must contain all columns used in the estimation
pred_cmd	Generate predictions using a command. For example, ‘pclass = levels(pclass)’ would produce predictions for the different levels of factor ‘pclass’. To add another variable, create a vector of prediction strings, (e.g., c(‘pclass = levels(pclass)’, ‘age = seq(0,100,20)’))
pred_names	Names for the predictions to be stored. If one name is provided, only the first column of predictions is stored. If empty, the level in the response variable of the nb model will be used
dec	Number of decimals to show
envir	Environment to extract data from
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/nb.html> for an example in R radiant

See Also

[nb](#) to generate the result
[summary.nb](#) to summarize results

Examples

```
result <- nb(titanic, "survived", c("pclass", "sex", "age"))
predict(result, pred_data = titanic)
predict(result, pred_data = titanic, pred_names = c("Yes", "No"))
predict(result, pred_cmd = "pclass = levels(pclass)")
result <- nb(titanic, "pclass", c("survived", "sex", "age"))
predict(result, pred_data = titanic)
predict(result, pred_data = titanic, pred_names = c("1st", "2nd", "3rd"))
predict(result, pred_data = titanic, pred_names = "")
```

predict.nn*Predict method for the nn function*

Description

Predict method for the nn function

Usage

```
## S3 method for class 'nn'
predict(
  object,
  pred_data = NULL,
  pred_cmd = "",
  dec = 3,
  envir = parent.frame(),
  ...
)
```

Arguments

<code>object</code>	Return value from nn
<code>pred_data</code>	Provide the dataframe to generate predictions (e.g., diamonds). The dataset must contain all columns used in the estimation
<code>pred_cmd</code>	Generate predictions using a command. For example, ‘pclass = levels(pclass)’ would produce predictions for the different levels of factor ‘pclass’. To add another variable, create a vector of prediction strings, (e.g., c(‘pclass = levels(pclass)’, ‘age = seq(0,100,20)’))
<code>dec</code>	Number of decimals to show
<code>envir</code>	Environment to extract data from
...	further arguments passed to or from other methods

Details

See <https://radiant-rstats.github.io/docs/model/nn.html> for an example in Radiant

See Also

[nn](#) to generate the result

[summary.nn](#) to summarize results

Examples

```
result <- nn(titanic, "survived", c("pclass", "sex"), lev = "Yes")
predict(result, pred_cmd = "pclass = levels(pclass)")
result <- nn(diamonds, "price", "carat:color", type = "regression")
predict(result, pred_cmd = "carat = 1:3")
predict(result, pred_data = diamonds) %>% head()
```

predict.regress *Predict method for the regress function*

Description

Predict method for the regress function

Usage

```
## S3 method for class 'regress'
predict(
  object,
  pred_data = NULL,
  pred_cmd = "",
  conf_lev = 0.95,
  se = TRUE,
  interval = "confidence",
  dec = 3,
  envir = parent.frame(),
  ...
)
```

Arguments

<code>object</code>	Return value from regress
<code>pred_data</code>	Provide the dataframe to generate predictions (e.g., diamonds). The dataset must contain all columns used in the estimation
<code>pred_cmd</code>	Command used to generate data for prediction
<code>conf_lev</code>	Confidence level used to estimate confidence intervals (.95 is the default)
<code>se</code>	Logical that indicates if prediction standard errors should be calculated (default = FALSE)
<code>interval</code>	Type of interval calculation ("confidence" or "prediction"). Set to "none" if se is FALSE
<code>dec</code>	Number of decimals to show
<code>envir</code>	Environment to extract data from
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/regress.html> for an example in Radiant

See Also

[regress](#) to generate the result
[summary.regress](#) to summarize results
[plot.regress](#) to plot results

Examples

```
result <- regress(diamonds, "price", c("carat", "clarity"))
predict(result, pred_cmd = "carat = 1:10")
predict(result, pred_cmd = "clarity = levels(clarity)")
result <- regress(diamonds, "price", c("carat", "clarity"), int = "carat:clarity")
predict(result, pred_data = diamonds) %>% head()
```

predict.rforest *Predict method for the rforest function*

Description

Predict method for the rforest function

Usage

```
## S3 method for class 'rforest'
predict(
  object,
  pred_data = NULL,
  pred_cmd = "",
  pred_names = "",
  OOB = NULL,
  dec = 3,
  envir = parent.frame(),
  ...
)
```

Arguments

object	Return value from rforest
pred_data	Provide the data frame to generate predictions (e.g., diamonds). The dataset must contain all columns used in the estimation

pred_cmd	Generate predictions using a command. For example, ‘pclass = levels(pclass)’ would produce predictions for the different levels of factor ‘pclass’. To add another variable, create a vector of prediction strings, (e.g., c('pclass = levels(pclass)', 'age = seq(0,100,20)')
pred_names	Names for the predictions to be stored. If one name is provided, only the first column of predictions is stored. If empty, the levels in the response variable of the rforest model will be used
OOB	Use Out-Of-Bag predictions (TRUE or FALSE). Relevant when evaluating predictions for the training sample. If missing, datasets will be compared to determine if OOB predictions should be used
dec	Number of decimals to show
envir	Environment to extract data from
...	further arguments passed to or from other methods

Details

See <https://radiant-rstats.github.io/docs/model/rforest.html> for an example in Radiant

See Also

[rforest](#) to generate the result

[summary.rforest](#) to summarize results

Examples

```
result <- rforest(titanic, "survived", c("pclass", "sex"), lev = "Yes")
predict(result, pred_cmd = "pclass = levels(pclass)")
result <- rforest(diamonds, "price", "carat:color", type = "regression")
predict(result, pred_cmd = "carat = 1:3")
predict(result, pred_data = diamonds) %>% head()
```

Description

Predict method for model functions

Usage

```
predict_model(
  object,
  pfun,
  mclass,
  pred_data = NULL,
  pred_cmd = "",
  conf_lev = 0.95,
  se = FALSE,
  dec = 3,
  envir = parent.frame(),
  ...
)
```

Arguments

object	Return value from regress
pfun	Function to use for prediction
mclass	Model class to attach
pred_data	Dataset to use for prediction
pred_cmd	Command used to generate data for prediction (e.g., 'carat = 1:10')
conf_lev	Confidence level used to estimate confidence intervals (.95 is the default)
se	Logical that indicates if prediction standard errors should be calculated (default = FALSE)
dec	Number of decimals to show
envir	Environment to extract data from
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/regress.html> for an example in Radiant

Description

Prediction Plots

Usage

```
pred_plot(
  x,
  plot_list = list(),
  incl,
  incl_int,
  fix = TRUE,
  hline = TRUE,
  nr = 20
)
```

Arguments

x	Return value from a model
plot_list	List used to store plots
incl	Which variables to include in prediction plots
incl_int	Which interactions to investigate in prediction plots
fix	Set the desired limit on yhat or have it calculated automatically. Set to FALSE to have y-axis limits set by ggplot2 for each plot
hline	Add a horizontal line at the average of the target variable. When set to FALSE no line is added. When set to a specific number, the horizontal line will be added at that value
nr	Number of values to use to generate predictions for a numeric explanatory variable

Details

Faster, but less robust, alternative for PDP plots. Variable values not included in the prediction are set to either the mean or the most common value (level)

print.crtree.predict *Print method for predict.crtree*

Description

Print method for predict.crtree

Usage

```
## S3 method for class 'crtree.predict'
print(x, ..., n = 10)
```

Arguments

x	Return value from prediction method
...	further arguments passed to or from other methods
n	Number of lines of prediction results to print. Use -1 to print all lines

print.gbt.predict *Print method for predict.gbt*

Description

Print method for predict.gbt

Usage

```
## S3 method for class 'gbt.predict'  
print(x, ..., n = 10)
```

Arguments

x	Return value from prediction method
...	further arguments passed to or from other methods
n	Number of lines of prediction results to print. Use -1 to print all lines

print.logistic.predict *Print method for logistic.predict*

Description

Print method for logistic.predict

Usage

```
## S3 method for class 'logistic.predict'  
print(x, ..., n = 10)
```

Arguments

x	Return value from prediction method
...	further arguments passed to or from other methods
n	Number of lines of prediction results to print. Use -1 to print all lines

print.mnl.predict *Print method for mnl.predict*

Description

Print method for mnl.predict

Usage

```
## S3 method for class 'mnl.predict'  
print(x, ..., n = 10)
```

Arguments

- | | |
|-----|---|
| x | Return value from prediction method |
| ... | further arguments passed to or from other methods |
| n | Number of lines of prediction results to print. Use -1 to print all lines |
-

print.nb.predict *Print method for predict.nb*

Description

Print method for predict.nb

Usage

```
## S3 method for class 'nb.predict'  
print(x, ..., n = 10)
```

Arguments

- | | |
|-----|---|
| x | Return value from prediction method |
| ... | further arguments passed to or from other methods |
| n | Number of lines of prediction results to print. Use -1 to print all lines |

print.nn.predict *Print method for predict.nn*

Description

Print method for predict.nn

Usage

```
## S3 method for class 'nn.predict'  
print(x, ..., n = 10)
```

Arguments

- | | |
|-----|---|
| x | Return value from prediction method |
| ... | further arguments passed to or from other methods |
| n | Number of lines of prediction results to print. Use -1 to print all lines |

print.regress.predict *Print method for predict.regress*

Description

Print method for predict.regress

Usage

```
## S3 method for class 'regress.predict'  
print(x, ..., n = 10)
```

Arguments

- | | |
|-----|---|
| x | Return value from prediction method |
| ... | further arguments passed to or from other methods |
| n | Number of lines of prediction results to print. Use -1 to print all lines |

`print.rforest.predict` *Print method for predict.rforest*

Description

Print method for predict.rforest

Usage

```
## S3 method for class 'rforest.predict'  
print(x, ..., n = 10)
```

Arguments

<code>x</code>	Return value from prediction method
<code>...</code>	further arguments passed to or from other methods
<code>n</code>	Number of lines of prediction results to print. Use -1 to print all lines

`print_predict_model` *Print method for the model prediction*

Description

Print method for the model prediction

Usage

```
print_predict_model(x, ..., n = 10, header = "")
```

Arguments

<code>x</code>	Return value from prediction method
<code>...</code>	further arguments passed to or from other methods
<code>n</code>	Number of lines of prediction results to print. Use -1 to print all lines
<code>header</code>	Header line

profit	<i>Calculate Profit based on cost:margin ratio</i>
--------	--

Description

Calculate Profit based on cost:margin ratio

Usage

```
profit(pred, rvar, lev, cost = 1, margin = 2)
```

Arguments

pred	Prediction or predictor
rvar	Response variable
lev	The level in the response variable defined as success
cost	Cost per treatment (e.g., mailing costs)
margin	Margin, or benefit, per 'success' (e.g., customer purchase). A cost:margin ratio of 1:2 implies the cost of False Positive are equivalent to the benefits of a True Positive

Value

profit

Examples

```
profit(runif(20000), dvd$buy, "yes", cost = 1, margin = 2)
profit(ifelse(dvd$buy == "yes", 1, 0), dvd$buy, "yes", cost = 1, margin = 20)
profit(ifelse(dvd$buy == "yes", 1, 0), dvd$buy)
```

radiant.model	<i>radiant.model</i>
---------------	----------------------

Description

Launch radiant.model in the default web browser

Usage

```
radiant.model(state, ...)
```

Arguments

state	Path to state file to load
...	additional arguments to pass to shiny::runApp (e.g, port = 8080)

Details

See <https://radiant-rstats.github.io/docs/> for documentation and tutorials

Examples

```
## Not run:  
radiant.model()  
  
## End(Not run)
```

radiant.model-deprecated

Deprecated function(s) in the radiant.model package

Description

These functions are provided for compatibility with previous versions of radiant. They will eventually be removed.

Usage

```
ann(...)
```

Arguments

... Parameters to be passed to the updated functions

Details

ann is now a synonym for nn
scaledf is now a synonym for scale_df

radiant.model_viewer *Launch radiant.model in the Rstudio viewer*

Description

Launch radiant.model in the Rstudio viewer

Usage

```
radiant.model_viewer(state, ...)
```

Arguments

state	Path to state file to load
...	additional arguments to pass to shiny::runApp (e.g, port = 8080)

Details

See <https://radiant-rstats.github.io/docs/> for documentation and tutorials

Examples

```
## Not run:  
radiant.model_viewer()  
  
## End(Not run)
```

radiant.model_window *Launch radiant.model in an Rstudio window*

Description

Launch radiant.model in an Rstudio window

Usage

```
radiant.model_window(state, ...)
```

Arguments

state	Path to state file to load
...	additional arguments to pass to shiny::runApp (e.g, port = 8080)

Details

See <https://radiant-rstats.github.io/docs/> for documentation and tutorials

Examples

```
## Not run:  
radiant.model_window()  
  
## End(Not run)
```

ratings

Movie ratings

Description

Movie ratings

Usage

```
data(ratings)
```

Format

A data frame with 110 rows and 4 variables

Details

Use collaborative filtering to create recommendations based on ratings from existing users. Description provided in attr(ratings, "description")

regress

Linear regression using OLS

Description

Linear regression using OLS

Usage

```
regress(  
  dataset,  
  rvar,  
  evar,  
  int = "",  
  check = "",  
  form,  
  data_filter = "",  
  arr = "",  
  rows = NULL,  
  envir = parent.frame()  
)
```

Arguments

dataset	Dataset
rvar	The response variable in the regression
evar	Explanatory variables in the regression
int	Interaction terms to include in the model
check	Use "standardize" to see standardized coefficient estimates. Use "stepwise-backward" (or "stepwise-forward", or "stepwise-both") to apply step-wise selection of variables in estimation. Add "robust" for robust estimation of standard errors (HC1)
form	Optional formula to use instead of rvar, evar, and int
data_filter	Expression entered in, e.g., Data > View to filter the dataset in Radiant. The expression should be a string (e.g., "price > 10000")
arr	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
rows	Rows to select from the specified dataset
envir	Environment to extract data from

Details

See <https://radiant-rstats.github.io/docs/model/regress.html> for an example in Radiant

Value

A list of all variables used in the regress function as an object of class regress

See Also

- [summary.regress](#) to summarize results
- [plot.regress](#) to plot results
- [predict.regress](#) to generate predictions

Examples

```
regress(diamonds, "price", c("carat", "clarity"), check = "standardize") %>% summary()
regress(diamonds, "price", c("carat", "clarity")) %>% str()
```

render.DiagrammeR	<i>Method to render DiagrammeR plots</i>
-------------------	--

Description

Method to render DiagrammeR plots

Usage

```
## S3 method for class 'DiagrammeR'  
render(object, shiny = shiny::getDefaultReactiveDomain(), ...)
```

Arguments

object	DiagrammeR plot
shiny	Check if function is called from a shiny application
...	Additional arguments

repeater	<i>Repeated simulation</i>
----------	----------------------------

Description

Repeated simulation

Usage

```
repeater(  
  dataset,  
  nr = 12,  
  vars = "",  
  grid = "",  
  sum_vars = "",  
  byvar = ".sim",  
  fun = "sum",  
  form = "",  
  seed = NULL,  
  name = "",  
  envir = parent.frame()  
)
```

Arguments

dataset	Return value from the simulator function
nr	Number times to repeat the simulation
vars	Variables to use in repeated simulation
grid	Character vector of expressions to use in grid search for constants
sum_vars	(Numeric) variables to summaries
byvar	Variable(s) to group data by before summarizing
fun	Functions to use for summarizing
form	A character vector with the formula to apply to the summarized data
seed	Seed for the repeated simulation
name	Deprecated argument
envir	Environment to extract data from

See Also

[summary.repeater](#) to summarize results from repeated simulation
[plot.repeater](#) to plot results from repeated simulation

Examples

```

simdat <- simulator(
  const = c("var_cost 5", "fixed_cost 1000"),
  norm = "E 0 100;",
  discrete = "price 6 8 .3 .7;",
  form = c(
    "demand = 1000 - 50*price + E",
    "profit = demand*(price-var_cost) - fixed_cost",
    "profit_small = profit < 100"
  ),
  seed = 1234
)

repdat <- repeater(
  simdat,
  nr = 12,
  vars = c("E", "price"),
  sum_vars = "profit",
  byvar = ".sim",
  form = "profit_365 = profit_sum < 36500",
  seed = 1234,
)

head(repdat)
summary(repdat)
plot(repdat)

```

rforest	<i>Random Forest using Ranger</i>
---------	-----------------------------------

Description

Random Forest using Ranger

Usage

```
rforest(  
  dataset,  
  rvar,  
  evar,  
  type = "classification",  
  lev = "",  
  mtry = NULL,  
  num.trees = 100,  
  min.node.size = 1,  
  sample.fraction = 1,  
  replace = NULL,  
  num.threads = 12,  
  wts = "None",  
  seed = NA,  
  data_filter = "",  
  arr = "",  
  rows = NULL,  
  envir = parent.frame(),  
  ...  
)
```

Arguments

dataset	Dataset
rvar	The response variable in the model
evar	Explanatory variables in the model
type	Model type (i.e., "classification" or "regression")
lev	Level to use as the first column in prediction output
mtry	Number of variables to possibly split at in each node. Default is the (rounded down) square root of the number variables
num.trees	Number of trees to create
min.node.size	Minimal node size
sample.fraction	Fraction of observations to sample. Default is 1 for sampling with replacement and 0.632 for sampling without replacement

replace	Sample with (TRUE) or without (FALSE) replacement. If replace is NULL it will be reset to TRUE if the sample.fraction is equal to 1 and will be set to FALSE otherwise
num.threads	Number of parallel threads to use. Defaults to 12 if available
wts	Case weights to use in estimation
seed	Random seed to use as the starting point
data_filter	Expression entered in, e.g., Data > View to filter the dataset in Radiant. The expression should be a string (e.g., "price > 10000")
arr	Expression to arrange (sort) the data on (e.g., "color, desc(price)")
rows	Rows to select from the specified dataset
envir	Environment to extract data from
...	Further arguments to pass to ranger

Details

See <https://radiant-rstats.github.io/docs/model/rforest.html> for an example in Radiant

Value

A list with all variables defined in rforest as an object of class rforest

See Also

[summary.rforest](#) to summarize results
[plot.rforest](#) to plot results
[predict.rforest](#) for prediction

Examples

```
rforest(titanic, "survived", c("pclass", "sex"), lev = "Yes") %>% summary()
rforest(titanic, "survived", c("pclass", "sex")) %>% str()
rforest(titanic, "survived", c("pclass", "sex"), max.depth = 1)
rforest(diamonds, "price", c("carat", "clarity"), type = "regression") %>% summary()
```

Description

Relative Information Gain (RIG)

Usage

```
rig(pred, rvar, lev, crv = 1e-07, na.rm = TRUE)
```

Arguments

pred	Prediction or predictor
rvar	Response variable
lev	The level in the response variable defined as success
crv	Correction value to avoid log(0)
na.rm	Logical that indicates if missing values should be removed (TRUE) or not (FALSE)

Details

See <https://radiantrstats.github.io/docs/model/evalbin.html> for an example in Radiant

Value

RIG statistic

See Also

[evalbin](#) to calculate results
[summary.evalbin](#) to summarize results
[plot.evalbin](#) to plot results

Examples

```
rig(runif(20000), dvd$buy, "yes")
rig(ifelse(dvd$buy == "yes", 1, 0), dvd$buy, "yes")
```

RMSE*Root Mean Squared Error*

Description

Root Mean Squared Error

Usage

```
RMSE(pred, rvar)
```

Arguments

pred	Prediction (vector)
rvar	Response (vector)

Value

Root Mean Squared Error

Rsq	<i>R-squared</i>
-----	------------------

Description

R-squared

Usage

```
Rsq(pred, rvar)
```

Arguments

<code>pred</code>	Prediction (vector)
<code>rvar</code>	Response (vector)

Value

R-squared

scale_df	<i>Center or standardize variables in a data frame</i>
----------	--

Description

Center or standardize variables in a data frame

Usage

```
scale_df(dataset, center = TRUE, scale = TRUE, sf = 2, wts = NULL, calc = TRUE)
```

Arguments

<code>dataset</code>	Data frame
<code>center</code>	Center data (TRUE or FALSE)
<code>scale</code>	Scale data (TRUE or FALSE)
<code>sf</code>	Scaling factor (default is 2)
<code>wts</code>	Weights to use (default is NULL for no weights)
<code>calc</code>	Calculate mean and sd or use attributes attached to dat

Value

Scaled data frame

See Also

[copy_attr](#) to copy attributes from a training to a test dataset

sdw	<i>Standard deviation of weighted sum of variables</i>
-----	--

Description

Standard deviation of weighted sum of variables

Usage

```
sdw(...)
```

Arguments

... A matched number of weights and stocks

Value

A vector of standard deviation estimates

sensitivity	<i>Method to evaluate sensitivity of an analysis</i>
-------------	--

Description

Method to evaluate sensitivity of an analysis

Usage

```
sensitivity(object, ...)
```

Arguments

object Object of relevant class for which to evaluate sensitivity
... Additional arguments

See Also

[sensitivity.dtree](#) to plot results

sensitivity.dtree *Evaluate sensitivity of the decision tree*

Description

Evaluate sensitivity of the decision tree

Usage

```
## S3 method for class 'dtree'
sensitivity(
  object,
  vars = NULL,
  decs = NULL,
  envir = parent.frame(),
  shiny = FALSE,
  custom = FALSE,
  ...
)
```

Arguments

<code>object</code>	Return value from dtree
<code>vars</code>	Variables to include in the sensitivity analysis
<code>decs</code>	Decisions to include in the sensitivity analysis
<code>envir</code>	Environment to extract data from
<code>shiny</code>	Did the function call originate inside a shiny app
<code>custom</code>	Logical (TRUE, FALSE) to indicate if ggplot object (or list of ggplot objects) should be returned. This option can be used to customize plots (e.g., add a title, change x and y labels, etc.). See examples and https://ggplot2.tidyverse.org for options.
<code>...</code>	Additional arguments

Details

See <https://radiantrstats.github.io/docs/model/dtree.html> for an example in Radian

See Also

- [dtree](#) to generate the result
- [plot.dtree](#) to summarize results
- [summary.dtree](#) to summarize results

Examples

```
dtree(movie_contract, opt = "max") %>%
  sensitivity(
    vars = "legal fees 0 100000 10000",
    decs = c("Sign with Movie Company", "Sign with TV Network"),
    custom = FALSE
  )
```

simulater

Simulate data for decision analysis

Description

Simulate data for decision analysis

Usage

```
simulater(
  const = "",
  lnorm = "",
  norm = "",
  unif = "",
  discrete = "",
  binom = "",
  pois = "",
  sequ = "",
  grid = "",
  data = NULL,
  form = "",
  funcs = "",
  seed = NULL,
  nexact = FALSE,
  ncorr = NULL,
  name = "",
  nr = 1000,
  dataset = NULL,
  envir = parent.frame()
)
```

Arguments

- | | |
|-------|--|
| const | A character vector listing the constants to include in the analysis (e.g., c("cost = 3", "size = 4")) |
| lnorm | A character vector listing the log-normally distributed random variables to include in the analysis (e.g., "demand 2000 1000" where the first number is the log-mean and the second is the log-standard deviation) |

<code>norm</code>	A character vector listing the normally distributed random variables to include in the analysis (e.g., "demand 2000 1000" where the first number is the mean and the second is the standard deviation)
<code>unif</code>	A character vector listing the uniformly distributed random variables to include in the analysis (e.g., "demand 0 1" where the first number is the minimum value and the second is the maximum value)
<code>discrete</code>	A character vector listing the random variables with a discrete distribution to include in the analysis (e.g., "price 5 8 .3 .7" where the first set of numbers are the values and the second set the probabilities)
<code>binom</code>	A character vector listing the random variables with a binomial distribution to include in the analysis (e.g., "crash 100 .01") where the first number is the number of trials and the second is the probability of success)
<code>pois</code>	A character vector listing the random variables with a poisson distribution to include in the analysis (e.g., "demand 10") where the number is the lambda value (i.e., the average number of events or the event rate)
<code>sequ</code>	A character vector listing the start and end for a sequence to include in the analysis (e.g., "trend 1 100 1"). The number of 'steps' is determined by the number of simulations
<code>grid</code>	A character vector listing the start, end, and step for a set of sequences to include in the analysis (e.g., "trend 1 100 1"). The number of rows in the expanded will over ride the number of simulations
<code>data</code>	Dataset to be used in the calculations
<code>form</code>	A character vector with the formula to evaluate (e.g., "profit = demand * (price - cost)")
<code>funcs</code>	A named list of user defined functions to apply to variables generated as part of the simulation
<code>seed</code>	Optional seed used in simulation
<code>nexact</code>	Logical to indicate if normally distributed random variables should be simulated to the exact specified values
<code>ncorr</code>	A string of correlations used for normally distributed random variables. The number of values should be equal to one or to the number of combinations of variables simulated
<code>name</code>	Deprecated argument
<code>nr</code>	Number of simulations
<code>dataset</code>	Data list from previous simulation. Used by repeater function
<code>envir</code>	Environment to extract data from

Details

See <https://radiantrstats.github.io/docs/model/simulator.html> for an example in R-diant

Value

A data.frame with the simulated data

See Also

[summary.simulator](#) to summarize results
[plot.simulator](#) to plot results

Examples

```
simulator(  
  const = "cost 3",  
  norm = "demand 2000 1000",  
  discrete = "price 5 8 .3 .7",  
  form = "profit = demand * (price - cost)",  
  seed = 1234  
) %>% str()
```

sim_cleaner	<i>Clean input command string</i>
-------------	-----------------------------------

Description

Clean input command string

Usage

```
sim_cleaner(x)
```

Arguments

x	Input string
---	--------------

Value

Cleaned string

sim_cor	<i>Simulate correlated normally distributed data</i>
---------	--

Description

Simulate correlated normally distributed data

Usage

```
sim_cor(n, rho, means, sds, exact = FALSE)
```

Arguments

<code>n</code>	The number of values to simulate (i.e., the number of rows in the simulated data)
<code>rho</code>	A vector of correlations to apply to the columns of the simulated data. The number of values should be equal to one or to the number of combinations of variables to be simulated
<code>means</code>	A vector of means. The number of values should be equal to the number of variables to simulate
<code>sds</code>	A vector of standard deviations. The number of values should be equal to the number of variables to simulate
<code>exact</code>	A logical that indicates if the inputs should be interpreted as population or sample characteristics

Value

A data.frame with the simulated data

Examples

```
sim <- sim_cor(100, .74, c(0, 10), c(1, 5), exact = TRUE)
cor(sim)
sim_summary(sim)
```

sim_splitter

Split input command string

Description

Split input command string

Usage

```
sim_splitter(x, symbol = " ")
```

Arguments

<code>x</code>	Input string
<code>symbol</code>	Symbol used to split the command string

Value

Split input command string

sim_summary	<i>Print simulation summary</i>
-------------	---------------------------------

Description

Print simulation summary

Usage

```
sim_summary(dataset, dc = get_class(dataset), fun = "", dec = 4)
```

Arguments

dataset	Simulated data
dc	Variable classes
fun	Summary function to apply
dec	Number of decimals to show

See Also

[simulater](#) to run a simulation

[repeater](#) to run a repeated simulation

Examples

```
simulater(  
  const = "cost 3",  
  norm = "demand 2000 1000",  
  discrete = "price 5 8 .3 .7",  
  form = c("profit = demand * (price - cost)", "profit5K = profit > 5000"),  
  seed = 1234  
) %>% sim_summary()
```

store.crs	<i>Deprecated: Store method for the crs function</i>
-----------	--

Description

Deprecated: Store method for the crs function

Usage

```
## S3 method for class 'crs'  
store(dataset, object, name, ...)
```

Arguments

dataset	Dataset
object	Return value from crs
name	Name to assign to the dataset
...	further arguments passed to or from other methods

Details

Return recommendations See <https://radiantrstats.github.io/docs/model/crs.html> for an example in Radian

store.mnl.predict *Store predicted values generated in the mnl function*

Description

Store predicted values generated in the mnl function

Usage

```
## S3 method for class 'mnl.predict'
store(dataset, object, name = NULL, ...)
```

Arguments

dataset	Dataset to add predictions to
object	Return value from model function
name	Variable name(s) assigned to predicted values. If empty, the levels of the response variable will be used
...	Additional arguments

Details

See <https://radiantrstats.github.io/docs/model/mnl.html> for an example in Radian

Examples

```
result <- mnl(
  ketchup,
  rvar = "choice",
  evar = c("price.heinz28", "price.heinz32", "price.heinz41", "price.hunts32"),
  lev = "heinz28"
)
pred <- predict(result, pred_data = ketchup)
ketchup <- store(ketchup, pred, name = c("heinz28", "heinz32", "heinz41", "hunts32"))
```

store.model *Store residuals from a model*

Description

Store residuals from a model

Usage

```
## S3 method for class 'model'  
store(dataset, object, name = "residuals", ...)
```

Arguments

dataset	Dataset to append residuals to
object	Return value from a model function
name	Variable name(s) assigned to model residuals
...	Additional arguments

Details

The store method for objects of class "model". Adds model residuals to the dataset while handling missing values and filters. See <https://radiantrstats.github.io/docs/model/regress.html> for an example in Radian

Examples

```
regress(diamonds, rvar = "price", evar = c("carat", "cut"), data_filter = "price > 1000") %>%  
  store(diamonds, ., name = "resid") %>%  
  head()
```

store.model.predict *Store predicted values generated in model functions*

Description

Store predicted values generated in model functions

Usage

```
## S3 method for class 'model.predict'  
store(dataset, object, name = "prediction", ...)
```

Arguments

dataset	Dataset to add predictions to
object	Return value from model function
name	Variable name(s) assigned to predicted values
...	Additional arguments

Details

See <https://radiantrstats.github.io/docs/model/regress.html> for an example in Radian

Examples

```
regress(diamonds, rvar = "price", evar = c("carat", "cut")) %>%
  predict(pred_data = diamonds) %>%
  store(diamonds, ., name = c("pred", "pred_low", "pred_high")) %>%
  head()
```

store.nb.predict	<i>Store predicted values generated in the nb function</i>
------------------	--

Description

Store predicted values generated in the nb function

Usage

```
## S3 method for class 'nb.predict'
store(dataset, object, name = NULL, ...)
```

Arguments

dataset	Dataset to add predictions to
object	Return value from model function
name	Variable name(s) assigned to predicted values. If empty, the levels of the response variable will be used
...	Additional arguments

Details

See <https://radiantrstats.github.io/docs/model/nb.html> for an example in Radian

Examples

```
result <- nb(titanic, rvar = "survived", evar = c("pclass", "sex", "age"))
pred <- predict(result, pred_data = titanic)
titanic <- store(titanic, pred, name = c("Yes", "No"))
```

`store.rforest.predict` *Store predicted values generated in the rforest function*

Description

Store predicted values generated in the rforest function

Usage

```
## S3 method for class 'rforest.predict'
store(dataset, object, name = NULL, ...)
```

Arguments

dataset	Dataset to add predictions to
object	Return value from model function
name	Variable name(s) assigned to predicted values. If empty, the levels of the response variable will be used
...	Additional arguments

Details

See <https://radiantrstats.github.io/docs/model/rforest.html> for an example in Radiant

Examples

```
result <- rforest(
  ketchup,
  rvar = "choice",
  evar = c("price.heinz28", "price.heinz32", "price.heinz41", "price.hunts32"),
  lev = "heinz28"
)
pred <- predict(result, pred_data = ketchup)
ketchup <- store(ketchup, pred, name = c("heinz28", "heinz32", "heinz41", "hunts32"))
```

`summary.confusion` *Summary method for the confusion matrix*

Description

Summary method for the confusion matrix

Usage

```
## S3 method for class 'confusion'
summary(object, dec = 3, ...)
```

Arguments

<code>object</code>	Return value from confusion
<code>dec</code>	Number of decimals to show
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/evalbin.html> for an example in Radiant

See Also

[confusion](#) to generate results
[plot.confusion](#) to visualize result

Examples

```
data.frame(buy = dvd$buy, pred1 = runif(20000), pred2 = ifelse(dvd$buy == "yes", 1, 0)) %>%
  confusion(c("pred1", "pred2"), "buy") %>%
  summary()
```

`summary.crs` *Summary method for Collaborative Filter*

Description

Summary method for Collaborative Filter

Usage

```
## S3 method for class 'crs'
summary(object, n = 36, dec = 2, ...)
```

Arguments

object	Return value from crs
n	Number of lines of recommendations to print. Use -1 to print all lines
dec	Number of decimals to show
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/crs.html> for an example in R radiant

See Also

[crs](#) to generate the results
[plot.crs](#) to plot results if the actual ratings are available

Examples

```
crs(ratings,
  id = "Users", prod = "Movies", pred = c("M6", "M7", "M8", "M9", "M10"),
  rate = "Ratings", data_filter = "training == 1"
) %>% summary()
```

summary.crtree *Summary method for the crtreet function*

Description

Summary method for the crtreet function

Usage

```
## S3 method for class 'crtree'
summary(object, prn = TRUE, splits = FALSE, cptab = FALSE, modsum = FALSE, ...)
```

Arguments

object	Return value from crtree
prn	Print tree in text form
splits	Print the tree splitting metrics used
cptab	Print the cp table
modsum	Print the model summary
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/crtree.html> for an example in R radiant

See Also

[crtree](#) to generate results
[plot.crtree](#) to plot results
[predict.crtree](#) for prediction

Examples

```
result <- crtreetitanic, "survived", c("pclass", "sex"), lev = "Yes")
summary(result)
result <- crtreetiamonds, "price", c("carat", "color"), type = "regression")
summary(result)
```

<code>summary.dtree</code>	<i>Summary method for the dtree function</i>
----------------------------	--

Description

Summary method for the dtree function

Usage

```
## S3 method for class 'dtree'
summary(object, input = TRUE, output = FALSE, dec = 2, ...)
```

Arguments

<code>object</code>	Return value from simulater
<code>input</code>	Print decision tree input
<code>output</code>	Print decision tree output
<code>dec</code>	Number of decimals to show
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/dtree.html> for an example in Radian

See Also

[dtree](#) to generate the results
[plot.dtree](#) to plot results
[sensitivity.dtree](#) to plot results

Examples

```
dtree(movie_contract, opt = "max") %>% summary(input = TRUE)
dtree(movie_contract, opt = "max") %>% summary(input = FALSE, output = TRUE)
```

summary.evalbin *Summary method for the evalbin function*

Description

Summary method for the evalbin function

Usage

```
## S3 method for class 'evalbin'  
summary(object, prn = TRUE, dec = 3, ...)
```

Arguments

object	Return value from evalbin
prn	Print full table of measures per model and bin
dec	Number of decimals to show
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/evalbin.html> for an example in Radiant

See Also

[evalbin](#) to summarize results

[plot.evalbin](#) to plot results

Examples

```
data.frame(buy = dvd$buy, pred1 = runif(20000), pred2 = ifelse(dvd$buy == "yes", 1, 0)) %>%  
  evalbin(c("pred1", "pred2"), "buy") %>%  
  summary()
```

summary.evalreg *Summary method for the evalreg function*

Description

Summary method for the evalreg function

Usage

```
## S3 method for class 'evalreg'
summary(object, dec = 3, ...)
```

Arguments

object	Return value from evalreg
dec	Number of decimals to show
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/evalreg.html> for an example in Radiant

See Also

[evalreg](#) to summarize results
[plot.evalreg](#) to plot results

Examples

```
data.frame(price = diamonds$price, pred1 = rnorm(3000), pred2 = diamonds$price) %>%
  evalreg(pred = c("pred1", "pred2"), "price") %>%
  summary()
```

summary.gbt *Summary method for the gbt function*

Description

Summary method for the gbt function

Usage

```
## S3 method for class 'gbt'
summary(object, prn = TRUE, ...)
```

Arguments

object	Return value from gbt
prn	Print iteration history
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/gbt.html> for an example in Radian

See Also

- [gbt](#) to generate results
- [plot.gbt](#) to plot results
- [predict.gbt](#) for prediction

Examples

```
result <- gbt(titanic, "survived", c("pclass", "sex"), early_stopping_rounds = 0) %>% str()  
summary(result)
```

summary.logistic *Summary method for the logistic function*

Description

Summary method for the logistic function

Usage

```
## S3 method for class 'logistic'  
summary(object, sum_check = "", conf_lev = 0.95, test_var = "", dec = 3, ...)
```

Arguments

object	Return value from logistic
sum_check	Optional output. "vif" to show multicollinearity diagnostics. "confint" to show coefficient confidence interval estimates. "odds" to show odds ratios and confidence interval estimates.
conf_lev	Confidence level to use for coefficient and odds confidence intervals (.95 is the default)
test_var	Variables to evaluate in model comparison (i.e., a competing models Chi-squared test)
dec	Number of decimals to show
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/logistic.html> for an example in Radian

See Also

- [logistic](#) to generate the results
- [plot.logistic](#) to plot the results
- [predict.logistic](#) to generate predictions
- [plot.model.predict](#) to plot prediction output

Examples

```
result <- logistic(titanic, "survived", "pclass", lev = "Yes")
result <- logistic(titanic, "survived", "pclass", lev = "Yes")
summary(result, test_var = "pclass")
res <- logistic(titanic, "survived", c("pclass", "sex"), int = "pclass:sex", lev = "Yes")
summary(res, sum_check = c("vif", "confint", "odds"))
titanic %>%
  logistic("survived", c("pclass", "sex", "age"), lev = "Yes") %>%
  summary("vif")
```

summary.mnl

Summary method for the mnl function

Description

Summary method for the `mnl` function

Usage

```
## S3 method for class 'mnl'
summary(object, sum_check = "", conf_lev = 0.95, test_var = "", dec = 3, ...)
```

Arguments

<code>object</code>	Return value from mnl
<code>sum_check</code>	Optional output. "confint" to show coefficient confidence interval estimates. "rrr" to show relative risk ratios (RRRs) and confidence interval estimates.
<code>conf_lev</code>	Confidence level to use for coefficient and RRRs confidence intervals (.95 is the default)
<code>test_var</code>	Variables to evaluate in model comparison (i.e., a competing models Chi-squared test)
<code>dec</code>	Number of decimals to show
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/mnl.html> for an example in R radiant

See Also

[mnl](#) to generate the results
[plot.mnl](#) to plot the results
[predict.mnl](#) to generate predictions
[plot.model.predict](#) to plot prediction output

Examples

```
result <- mnl(  
  ketchup,  
  rvar = "choice",  
  evar = c("price.heinz28", "price.heinz32", "price.heinz41", "price.hunts32"),  
  lev = "heinz28"  
)  
summary(result)
```

summary.nb

Summary method for the nb function

Description

Summary method for the nb function

Usage

```
## S3 method for class 'nb'  
summary(object, dec = 3, ...)
```

Arguments

object	Return value from nb
dec	Decimals
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/nb.html> for an example in R radiant

See Also

[nb](#) to generate results
[plot.nb](#) to plot results
[predict.nb](#) for prediction

Examples

```
result <- nb(titanic, "survived", c("pclass", "sex", "age"))
summary(result)
```

summary.nn

Summary method for the nn function

Description

Summary method for the `nn` function

Usage

```
## S3 method for class 'nn'
summary(object, prn = TRUE, ...)
```

Arguments

<code>object</code>	Return value from nn
<code>prn</code>	Print list of weights
<code>...</code>	further arguments passed to or from other methods

Details

See <https://radiant-rstats.github.io/docs/model/nn.html> for an example in Radiant

See Also

[nn](#) to generate results
[plot.nn](#) to plot results
[predict.nn](#) for prediction

Examples

```
result <- nn(titanic, "survived", "pclass", lev = "Yes")
summary(result)
```

summary.regress *Summary method for the regress function*

Description

Summary method for the regress function

Usage

```
## S3 method for class 'regress'  
summary(object, sum_check = "", conf_lev = 0.95, test_var = "", dec = 3, ...)
```

Arguments

object	Return value from <code>regress</code>
sum_check	Optional output. "rsme" to show the root mean squared error and the standard deviation of the residuals. "sumsquares" to show the sum of squares table. "vif" to show multicollinearity diagnostics. "confint" to show coefficient confidence interval estimates.
conf_lev	Confidence level used to estimate confidence intervals (.95 is the default)
test_var	Variables to evaluate in model comparison (i.e., a competing models F-test)
dec	Number of decimals to show
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/regress.html> for an example in Radiant

See Also

`regress` to generate the results
`plot.regress` to plot results
`predict.regress` to generate predictions

Examples

```
result <- regress(diamonds, "price", c("carat", "clarity"))  
summary(result, sum_check = c("rmse", "sumsquares", "vif", "confint"), test_var = "clarity")  
result <- regress(ideal, "y", c("x1", "x2"))  
summary(result, test_var = "x2")  
ideal %>%  
  regress("y", "x1:x3") %>%  
  summary()
```

summary.repeater *Summarize repeated simulation*

Description

Summarize repeated simulation

Usage

```
## S3 method for class 'repeater'
summary(object, dec = 4, ...)
```

Arguments

object	Return value from repeater
dec	Number of decimals to show
...	further arguments passed to or from other methods

See Also

[repeater](#) to run a repeated simulation
[plot.repeater](#) to plot results from repeated simulation

summary.rforest *Summary method for the rforest function*

Description

Summary method for the rforest function

Usage

```
## S3 method for class 'rforest'
summary(object, ...)
```

Arguments

object	Return value from rforest
...	further arguments passed to or from other methods

Details

See <https://radiant-rstats.github.io/docs/model/rforest.html> for an example in Radiant

See Also

[rforest](#) to generate results
[plot.rforest](#) to plot results
[predict.rforest](#) for prediction

Examples

```
result <- rforest(titanic, "survived", "pclass", lev = "Yes")
summary(result)
```

summary.simulater *Summary method for the simulater function*

Description

Summary method for the simulater function

Usage

```
## S3 method for class 'simulater'
summary(object, dec = 4, ...)
```

Arguments

object	Return value from simulater
dec	Number of decimals to show
...	further arguments passed to or from other methods

Details

See <https://radiantrstats.github.io/docs/model/simulater.html> for an example in Radian

See Also

[simulater](#) to generate the results
[plot.simulater](#) to plot results

Examples

```
simdat <- simulater(norm = "demand 2000 1000", seed = 1234)
summary(simdat)
```

test_specs*Add interaction terms to list of test variables if needed***Description**

Add interaction terms to list of test variables if needed

Usage

```
test_specs(tv, int)
```

Arguments

tv	List of variables to use for testing for regress or logistic
int	Interaction terms specified

Details

See <https://radiant-rstats.github.io/docs/model/regress.html> for an example in Radiant

Value

A vector of variables names to test

Examples

```
test_specs("a", "a:b")
test_specs("a", c("a:b", "b:c"))
test_specs("a", c("a:b", "b:c", "I(c^2")))
test_specs(c("a", "b", "c"), c("a:b", "b:c", "I(c^2)))
```

varimp*Variable importance using the vip package and permutation importance***Description**

Variable importance using the vip package and permutation importance

Usage

```
varimp(object, rvar, lev, data = NULL, seed = 1234)
```

Arguments

object	Model object created by R radiant
rvar	Label to identify the response or target variable
lev	Reference class for binary classifier (rvar)
data	Data to use for prediction. Will default to the data used to estimate the model
seed	Random seed for reproducibility

`varimp_plot`*Plot permutation importance*

Description

Plot permutation importance

Usage

```
varimp_plot(object, rvar, lev, data = NULL, seed = 1234)
```

Arguments

object	Model object created by R radiant
rvar	Label to identify the response or target variable
lev	Reference class for binary classifier (rvar)
data	Data to use for prediction. Will default to the data used to estimate the model
seed	Random seed for reproducibility

`var_check`*Check if main effects for all interaction effects are included in the model*

Description

Check if main effects for all interaction effects are included in the model

Usage

```
var_check(ev, cn, intv = c())
```

Arguments

ev	List of explanatory variables provided to regress or logistic
cn	Column names for all explanatory variables in the dataset
intv	Interaction terms specified

Details

If `:` is used to select a range evar is updated. See <https://radiantrstats.github.io/docs/model/regress.html> for an example in Radian

Value

`vars` is a vector of right-hand side variables, possibly with interactions, `iv` is the list of explanatory variables, and `intv` are interaction terms

Examples

```
var_check("a:d", c("a", "b", "c", "d"))
var_check(c("a", "b"), c("a", "b"), "a:c")
var_check(c("a", "b"), c("a", "b"), "a:c")
var_check(c("a", "b"), c("a", "b"), c("a:c", "I(b^2)"))
```

write.coeff

Write coefficient table for linear and logistic regression

Description

Write coefficient table for linear and logistic regression

Usage

```
write.coeff(object, file = "", sort = FALSE, intercept = TRUE)
```

Arguments

<code>object</code>	A fitted model object of class regress or logistic
<code>file</code>	A character string naming a file. `""` indicates output to the console
<code>sort</code>	Sort table by variable importance
<code>intercept</code>	Include the intercept in the output (TRUE or FALSE). TRUE is the default

Details

Write coefficients and importance scores to csv or or return as a data.frame

Examples

```
regress(
  diamonds,
  rvar = "price", evar = c("carat", "clarity", "color", "x"),
  int = c("carat:clarity", "clarity:color", "I(x^2)"), check = "standardize"
) %>%
  write.coeff(sort = TRUE) %>%
```

```
format_df(dec = 3)

logistic(titanic, "survived", c("pclass", "sex"), lev = "Yes") %>%
  write.coeff(intercept = FALSE, sort = TRUE) %>%
  format_df(dec = 2)
```

Index

* datasets
catalog, 5
direct_marketing, 17
dvd, 19
houseprices, 25
ideal, 26
ketchup, 26
movie_contract, 31
ratings, 75

ann (radiant.model-deprecated), 73
auc, 4, 12, 13, 15, 17

catalog, 5
confint_robust, 6
confusion, 6, 35, 36, 94
copy_attr, 82
crs, 8, 36, 90, 95
crtree, 9, 12, 37, 38, 56, 95, 96
cv.crtree, 11
cv.gbt, 12
cv.nn, 14
cv.rforest, 16

direct_marketing, 17
dtree, 18, 19, 38, 39, 84, 96
dtree_parser, 19
dvd, 19

evalbin, 5, 20, 40, 81, 97
evalreg, 21, 40, 41, 98

find_max, 22
find_min, 23

gbt, 13, 23, 41, 42, 57, 99

houseprices, 25

ideal, 26

ketchup, 26

logistic, 27, 43, 58, 59, 99, 100, 107

MAE, 12, 13, 15, 17, 28
minmax, 29
mnl, 29, 44, 45, 59, 60, 100, 101
movie_contract, 31

nb, 31, 47, 61, 101, 102
nn, 15, 32, 49, 50, 62, 73, 102

onehot, 34

pdp_plot, 34
plot.confusion, 7, 35, 94
plot.crs, 8, 36, 95
plot.crtree, 10, 37, 96
plot.dtree, 18, 19, 38, 84, 96
plot.evalbin, 5, 21, 39, 81, 97
plot.evalreg, 22, 40, 98
plot.gbt, 25, 41, 99
plot.logistic, 28, 42, 43, 59, 100
plot.mnl, 30, 44, 101
plot.mnl.predict, 45
plot.model.predict, 28, 30, 43, 45, 46, 59, 100, 101
plot.nb, 32, 47, 102
plot.nb.predict, 48
plot.nn, 34, 49, 102
plot.regress, 50, 64, 76, 103
plot.repeater, 52, 78, 104
plot.rforest, 52, 80, 105
plot.rforest.predict, 53
plot.rpart, 38
plot.simulator, 54, 87, 105
pred_plot, 66
predict.crtree, 10, 38, 55, 96
predict.gbt, 25, 42, 57, 99
predict.logistic, 28, 43, 46, 58, 100
predict.mnl, 30, 45, 54, 59, 101
predict.nb, 32, 47, 48, 60, 102

predict.nn, 34, 50, 62, 102
predict.regress, 46, 51, 63, 76, 103
predict.rforest, 53, 64, 80, 105
predict_model, 65
print.crtree.predict, 67
print.gbt.predict, 68
print.logistic.predict, 68
print.mnl.predict, 69
print.nb.predict, 69
print.nn.predict, 70
print.regress.predict, 70
print.rforest.predict, 71
print_predict_model, 71
profit, 12, 13, 15, 17, 72

radiant.model, 72
radiant.model-deprecated, 73
radiant.model_viewer, 73
radiant.model_window, 74
ratings, 75
regress, 50, 51, 63, 64, 66, 75, 103, 107
render.DiagrammeR, 77
repeater, 52, 77, 89, 104
rforest, 17, 53, 64, 65, 79, 104, 105
rig, 80
RMSE, 12, 13, 15, 17, 81
Rsq, 12, 13, 15, 17, 82

scale_df, 73, 82
sdw, 83
sensitivity, 83
sensitivity.dtree, 18, 39, 83, 84, 96
sim_cleaner, 87
sim_cor, 87
sim_splitter, 88
sim_summary, 89
simulator, 55, 85, 89, 96, 105
store.crs, 89
store.mnl.predict, 90
store.model, 91
store.model.predict, 91
store.nb.predict, 92
store.rforest.predict, 93
summary.confusion, 7, 36, 94
summary.crs, 8, 36, 94
summary.crtree, 10, 38, 56, 95
summary.dtree, 18, 19, 39, 84, 96
summary.evalbin, 5, 21, 40, 81, 97
summary.evalreg, 22, 41, 98

summary.gbt, 25, 42, 57, 98
summary.logistic, 28, 59, 99
summary.mnl, 30, 60, 100
summary.nb, 32, 47, 61, 101
summary.nn, 34, 50, 62, 102
summary.regress, 51, 64, 76, 103
summary.repeater, 52, 78, 104
summary.rforest, 53, 65, 80, 104
summary.simulator, 55, 87, 105

test_specs, 106

var_check, 107
varimp, 106
varimp_plot, 107

write.coeff, 108