

Package ‘rjwsacruncher’

November 11, 2022

Title Interface to the 'JWSACruncher' of 'JDemetra+'

Version 0.1.3

Description 'JDemetra+' (<<https://github.com/jdemetra/jdemetra-app>>) is the seasonal adjustment software officially recommended to the members of the European Statistical System and the European System of Central Banks. Seasonal adjustment models performed with 'JDemetra+' can be stored into workspaces. 'JWSACruncher' (<<https://github.com/jdemetra/jwsacruncher/releases>>) is a console tool that re-estimates all the multi-processing defined in a workspace and to export the result. 'rjwsacruncher' allows to launch easily the 'JWSACruncher'.

URL <https://github.com/AQLT/rjwsacruncher>

BugReports <https://github.com/AQLT/rjwsacruncher/issues>

Imports XML

Suggests knitr, rmarkdown

License GPL-3

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 7.2.1

NeedsCompilation no

Author Alain Quartier-la-Tente [aut, cre]
(<<https://orcid.org/0000-0001-7890-3857>>),
Institut national de la statistique et des études économiques [cph]

Maintainer Alain Quartier-la-Tente <alain.quartier@yahoo.fr>

Repository CRAN

Date/Publication 2022-11-11 21:50:02 UTC

R topics documented:

<code>configure_jwsacruncher</code>	2
<code>create_param_file</code>	3

cruncher	4
cruncher_and_param	5
download_cruncher	6
multiprocessing_names	7
update_workspace	8

Index	9
--------------	----------

configure_jwsacruncher

Configure the 'JWSACruncher' with a portable version of 'Java'

Description

Function configure the 'JWSACruncher' with a portable version of 'Java'.

Usage

```
configure_jwsacruncher(jwsacruncher_path, java_path)
```

Arguments

jwsacruncher_path path to the file jwsacruncher.bat of the 'JWSACruncher' (see details).

java_path path to the file java.exe of the portable version of 'Java' (see details).

Details

Since the version 2.2.0, the 'JWSACruncher' needs 'Java' 8 or higher to run. For versions 3.0.0 and higher, 'JWSACruncher' needs 'Java' 17 or higher. If you cannot install it (for example for security reasons) you can install a portable version of 'Java' (that does not require administrator rights) and configure the 'JWSACruncher' to use this portable version. To do it you have to:

1. Unzip the downloaded file of the 'JWSACruncher';
2. Open, with a Text Editor, the file jwsacruncher.bat that is in the sub-folder \bin\ of the 'JWSACruncher';
3. Edit the line 71 that contains `if "%JAVACMD%"==" " set JAVACMD=java` and replace `java` by the path to the file `java.exe` of the portable version. For example, if the portable version of 'Java' is installed under `D:\Software\Java`, the path to `java.exe` should be at `D:\Software\Java\bin\java.exe` and the new line 71 would be `if "%JAVACMD%"==" " set JAVACMD="D:\Software\Java\bin\java.exe"`.

The function `configure_jwsacruncher()` does the steps 2 and 3.

See Also

[download_cruncher](#).

create_param_file *Create parameter file for the 'JWSACruncher'*

Description

To run the 'JWSACruncher' needs a parameter file and create_param_file allows to create it.

Usage

```
create_param_file(
  dir_file_param,
  bundle = 10000,
  csv_layout = "list",
  csv_separator = ";",
  ndecs = 6,
  policy = "parameters",
  output = NULL,
  matrix_item = getOption("default_matrix_item"),
  tsmatrix_series = getOption("default_tsmatrix_series"),
  paths_path = NULL
)
```

Arguments

dir_file_param	Path to the directory that will contains the parameter file "parameters.param".
bundle	Maximum size for a group of series (in output). By default bundle = 10000.
csv_layout	Layout of the CSV files (series only). By default csv_layout = "list". Other options: csv_layout = "vtable" (vertical table) or csv_layout = "htable" (horizontal table).
csv_separator	the field separator string used in the CSV file. By default csv_separator = ";".
ndecs	Number of decimals used in the output. By default ndec = 6.
policy	refreshing policy of the processing. By default policy = "parameters" (re-estimation of the coefficients of the reg-ARIMA model, see details).
output	Full path of the output folder. By default (output = NULL) a folder is create in the path to the workspace ([workspace]/Output).
matrix_item	character containing the items of the matrix output (see the 'JDemetra+' manual for more information). By default, the items defined in the option getOption("default_matrix_item") are used (option initialized by the default output of the 'JWSACruncher' 2.2.2).
tsmatrix_series	character containing the names of the times series to export (see the 'JDemetra+' manual for more information). By default, the items defined in the option getOption("default_tsmatrix_series") are used (option initialized by the default output of the 'JWSACruncher' 2.2.2).
paths_path	The paths used for relative addresses (see the "Demetra Paths" of the graphical interface of 'JDemetra+').

Details

When the 'JWSACruncher' is launched, the data is refreshed with a specific policy that is defined by the parameter policy. The available options are:

- policy = "current": all the estimations are fixed;
- policy = "fixedparameters" or policy = "fixed": re-estimation of the coefficients of the regression variables (but not the ARIMA coefficients);
- policy = "parameters" (the default): policy = "fixedparameters" + re-estimation of ARIMA coefficients;
- policy = "lastoutliers": policy = "parameters" + re-identification of last outliers (on the last year);
- policy = "outliers": policy = "lastoutliers" + re-identification of all outliers;
- policy = "stochastic": policy = "outliers" + re-identification of ARIMA orders;
- policy = "complete" or policy = "concurrent": the model is completely re-identified and re-estimated.

Value

Path to the parameter file.

See Also

[cruncher_and_param.](#)

cruncher

Run the 'JWSACruncher'

Description

Function to run the 'JWSACruncher' on a workspace from a parameter file.

Usage

```
cruncher(  
  workspace,  
  cruncher_bin_directory = getOption("cruncher_bin_directory"),  
  param_file_path,  
  log_file  
)
```

Arguments

workspace	path to the workspace. By default a dialog box opens to choose the workspace.
cruncher_bin_directory	path to the "bin" directory of the 'JWSACruncher'. By default default the value of the option "cruncher_bin_directory" is used.
param_file_path	path to the parameter file of the 'JWSACruncher' By default a .params file is search in the save directory of the workspace.
log_file	name of the log file of 'JWSACruncher'. By default the log isn't exported.

Value

The path to the workspace.

See Also

[cruncher_and_param](#), [update_workspace](#).

cruncher_and_param *Run quickly the 'JWSACruncher'*

Description

Function to run the 'JWSACruncher' on a workspace while creating the parameter file.

Usage

```
cruncher_and_param(
  workspace = NULL,
  output = NULL,
  rename_multi_documents = FALSE,
  delete_existing_file = FALSE,
  log_file = NULL,
  cruncher_bin_directory = getOption("cruncher_bin_directory"),
  ...
)
```

Arguments

workspace	path to the workspace. By default a dialog box opens to choose the workspace.
output	Full path of the output folder. By default (output = NULL) a folder is create in the path to the workspace ([workspace]/Output).
rename_multi_documents	Boolean indicating whether to rename the folders containing the outputs according to the names of the multi-documents of the workspace. By default rename_multi_documents = FALSE: the names of the XML files of the multi-documents are used.

delete_existing_file only used if rename_multi_documents = TRUE. Boolean indicating whether to delete existing folders when renaming them. By default (delete_existing_file = FALSE) they are not deleted.

log_file name of the log file of 'JWSACruncher'. By default the log isn't exported.

cruncher_bin_directory path to the "bin" directory of the 'JWSACruncher'. By default default the value of the option "cruncher_bin_directory" is used.

... other parameters of [create_param_file](#).

Value

Path to the workspace.

See Also

[cruncher](#), [update_workspace](#), [create_param_file](#), [multiprocessing_names](#).

download_cruncher *Download the 'JWSACruncher'*

Description

Function to download the ZIP file of the 'JWSACruncher'

Usage

```
download_cruncher(directory, cruncher_version)
```

Arguments

directory directory where to save the 'JWSACruncher'. In Windows, a dialog box opens by default to select the directory.

cruncher_version character of the version of the 'JWSACruncher' to download ("X.Y.Z" format). By default the last version is downloaded.

Details

The 'JWSACruncher' is downloaded from <https://github.com/jdemetra/jwsacruncher/releases>. To use it, it has to be unzip.

See Also

[configure_jwsacruncher](#).

Examples

```
## Not run:  
# On Windows opens a dialog box to choose the directory where to  
# download the last version of the 'JWSACruncher'  
download_cruncher()  
  
dir <- tempdir()  
# To download the last release:  
download_cruncher(dir)  
  
# To download the release of the version 2.2.2:  
download_cruncher(dir, "2.2.2")  
  
## End(Not run)
```

`multiprocessing_names` *Get the names of the multiprocessings of a workspace*

Description

Function to get the name of the multiprocessings that appears on 'JDemetra+' and the name of the corresponding XML file.

Usage

```
multiprocessing_names(workspace)
```

Arguments

`workspace` path to the workspace. By default a dialog box opens to choose the workspace.

Value

A data.frame containing the name of the multiprocessings that appears on 'JDemetra+' (column name) and the name of the associated XML files (column file).

See Also

[cruncher_and_param](#).

update_workspace	<i>Update a workspace</i>
------------------	---------------------------

Description

Function to update a workspace without exporting the results.

Usage

```
update_workspace(  
    workspace = NULL,  
    policy = "parameters",  
    cruncher_bin_directory = getOption("cruncher_bin_directory"),  
    log_file = NULL  
)
```

Arguments

workspace	path to the workspace. By default a dialog box opens to choose the workspace.
policy	refreshing policy of the processing. By default policy = "parameters" (re-estimation of the coefficients of the reg-ARIMA model, see details).
cruncher_bin_directory	path to the "bin" directory of the 'JWSACruncher'. By default default the value of the option "cruncher_bin_directory" is used.
log_file	name of the log file of 'JWSACruncher'. By default the log isn't exported.

Value

Path to the workspace.

See Also

[cruncher](#), [cruncher_and_param](#).

Index

`configure_jwsacruncher`, [2](#), [6](#)
`create_param_file`, [3](#), [6](#)
`cruncher`, [4](#), [6](#), [8](#)
`cruncher_and_param`, [4](#), [5](#), [5](#), [7](#), [8](#)

`download_cruncher`, [2](#), [6](#)

`multiprocessing_names`, [6](#), [7](#)

`update_workspace`, [5](#), [6](#), [8](#)