

Package ‘tfrmt’

December 6, 2022

Title Applies Display Metadata to Analysis Results Datasets

Version 0.0.1

Description Creates a framework to store and apply display metadata to Analysis Results Datasets (ARDs). The use of 'tfrmt' allows users to define table format and styling without the data, and later apply the format to the data.

Language en-GB

License Apache License (>= 2)

Encoding UTF-8

LazyData true

RoxygenNote 7.2.1

Suggests covr, testthat (>= 3.0.0), knitr, rmarkdown, patchwork, survival, ggfortify

Imports magrittr, dplyr, purrr, rlang, stringr, stringi, tidyr, gt (>= 0.6.0), tidymodels, forcats, tibble, ggplot2

Config/testthat/edition 3

URL <https://GSK-Biostatistics.github.io/tfrmt/>,
<https://gsk-biostatistics.github.io/tfrmt/>

BugReports <https://github.com/GSK-Biostatistics/tfrmt/issues>

Depends R (>= 2.10)

NeedsCompilation no

Author Christina Fillmore [aut, cre] (<<https://orcid.org/0000-0003-0595-2302>>),
GlaxoSmithKline Research & Development Limited [cph, fnd],
Atorus Research LLC [cph, fnd],
Ellis Hughes [aut] (<<https://orcid.org/0000-0003-0637-4436>>),
Becca Krouse [aut],
Karima Ahmad [aut] (<<https://orcid.org/0000-0002-8784-1712>>),
Shannon Haughton [aut]

Maintainer Christina Fillmore <christina.e.fillmore@gsk.com>

Repository CRAN

Date/Publication 2022-12-06 17:00:02 UTC

R topics documented:

apply_frmt	2
big_n_structure	4
body_plan	4
col_plan	5
col_style_plan	7
col_style_structure	8
data_ae	9
data_demog	10
data_efficacy	10
data_labs	11
display_row_frmts	12
element_block	13
element_row_grp_loc	14
footnote_plan	15
footnote_structure	16
frmt	17
frmt_structure	19
is_frmt	20
layer_tfrmt	21
param_set	22
print_mock_gt	23
print_to_ggplot	24
print_to_gt	25
row_grp_plan	26
row_grp_structure	27
tfrmt	28
tfrmt_n_pct	31
tfrmt_sigdig	32
update_group	34
Index	36

apply_frmt	<i>Apply formatting</i>
------------	-------------------------

Description

Apply formatting

Usage

```
apply_frmt(frmt_def, .data, value, mock = FALSE, ...)
```

```
## S3 method for class 'frmt'
```

```
apply_frmt(frmt_def, .data, value, mock = FALSE, ...)
```

```
## S3 method for class 'frmt_combine'
apply_frmt(
  frmt_def,
  .data,
  value,
  mock = FALSE,
  param,
  column,
  label,
  group,
  ...
)

## S3 method for class 'frmt_when'
apply_frmt(frmt_def, .data, value, mock = FALSE, ...)
```

Arguments

frmt_def	formatting to be applied
.data	data, but only what is getting changed
value	value symbol should only be one
mock	Logical value is this is for a mock or not. By default FALSE
...	additional arguments for methods
param	param column as a quosure
column	column columns as a list of quosures
label	label column as a quosure
group	group column as a list of quosures

Value

formatted dataset

Examples

```
library(tibble)
library(dplyr)
# Set up data
df <- tibble(x = c(20.12, 34.54, 12.34))

apply_frmt(
  frmt_def = frmt("XX.X"),
  .data=df,
  value=quo(x))
```

big_n_structure	<i>Big N Structure</i>
-----------------	------------------------

Description

Big N structure allows you to specify which values should become the subject totals ("big N" values) and how they should be formatted in the table's column labels. Values are specified by providing the value(s) of the param column for which the values are big N's. This will remove these from the body of the table and place them into columns matching the values in the column column(s). The default formatting is N = xx, on its own line, but that can be changed by providing a different frmt() to n_frmt

Usage

```
big_n_structure(param_val, n_frmt = frmt("\nN = xx"))
```

Arguments

param_val	row value(s) of the parameter column for which the values are big n's
n_frmt	frmt() to control the formatting of the big n's

Value

big_n_structure object

See Also

[Link to related article](#)

body_plan	<i>Table Body Plan</i>
-----------	------------------------

Description

Define the formatting of the body contents of the table through a series of frmt_structures. Structures get applied in order from bottom up, so the last added structure is the first applied.

Usage

```
body_plan(...)
```

Arguments

...	list of frmt_structures defining the body formatting
-----	--

Value

body_plan object

See Also

[frmt_structure\(\)](#) defines which rows the formats will be applied to, and [frmt\(\)](#), [frmt_combine\(\)](#), and [frmt_when\(\)](#) define the format semantics.

[Link to related article](#)

Examples

```
tfrmt_spec<- tfrmt(
  title = "Table Title",
  body_plan = body_plan(
    frmt_structure(
      group_val = c("group1"),
      label_val = ".default",
      frmt("XXX")
    )
  )
)
```

col_plan

Define the Column Plan & Span Structures

Description

Using [<tidy-select>](#) expressions and a series span_structures, define the order of the columns. The selection follows "last selected" principals, meaning columns are moved to the *last* selection as opposed to preserving the first location.

Usage

```
col_plan(..., .drop = FALSE)
```

```
span_structure(...)
```

Arguments

... For a col_plan and span_structure, [<tidy-select>](#) arguments, unquoted expressions separated by commas, and span_structures. span_structures must have the arguments named to match the name the column in the input data has to identify the correct columns. See the examples

.drop Boolean. Should un-listed columns be dropped from the data. Defaults to FALSE.

Details

Column Selection:

When `col_plan` gets applied and is used to create the output table, the underlying logic sorts out which column specifically is being selected. If a column is selected twice, the *last* instance in which the column is selected will be the location it gets rendered.

Avoid beginning the `col_plan()` column selection with a deselection (i.e. `col_plan(-col1)`, `col_plan(-starts_with("value"))`). This will result in the table preserving all columns not "de-selected" in the statement, and the order of the columns not changed. It is preferred when creating the `col_plan()` to identify all the columns planned on preserving in the order they are wished to appear, or if `<tidy-select>` arguments - such as `everything-` are used, identify the de-selection after the positive-selection.

Alternatively, once the `gt` table is produced, use the `cols_hide` function to remove un-wanted columns.

Value

`col_plan` object

`span_structure` object

Images

Here are some example outputs:

See Also

[Link to related article](#)

Examples

```
library(dplyr)

## select col_1 as the first column, remove col_last, then create spanning
## structures that have multiple levels
##
## examples also assume the tfrm has the column argument set to c(c1, c2, c3)
##
spanning_col_plan_ex <- col_plan(
  col_1,
  -col_last,
  span_structure(
    c1 = "Top Label Level 1",
    c2 = "Second Label Level 1.1",
    c3 = c(col_3, col_4)
  ),
  span_structure(
    c1 = "Top Label Level 1",
    c2 = "Second Label Level 1.2",
    c3 = starts_with("B")
  ),
)
```

```
span_structure(  
  c1 = "Top Label Level 1",  
  c3 = col_5  
)  
span_structure(  
  c2 = "Top Label Level 2",  
  c3 = c(col_6, col_7)  
)  
)  
  
## select my_col_1 as the first column, then  
## rename col_2 to new_col_1 and put as the  
## second column, then select the rest of the columns  
renaming_col_plan_ex <- col_plan(  
  my_col_1,  
  new_col_1 = col_2,  
  everything()  
)  
  
renaming_col_plan_ex2 <- col_plan(  
  my_col_1,  
  new_col_1 = col_2,  
  span_structure(  
    c1 = c(`My Favorite span name` = "Top Label Level 1"),  
    c3 = c(`the results column` = col_5)  
  )  
)
```

col_style_plan

Column Style Plan

Description

Define how the columns of the table body should be aligned, whether left, right or on a specific character(s).

Usage

```
col_style_plan(...)
```

Arguments

... series of col_style_structure objects

Value

col_style_plan object

See Also

[col_style_structure\(\)](#) for more information on how to specify how to and which columns to align.

[Link to related article](#)

Examples

```
plan <- col_style_plan(
  col_style_structure(align = "left", width = 100, col = "my_var"),
  col_style_structure(align = "right", col = vars(four)),
  col_style_structure(align = c(".", ", ", " "), col = vars(two, three))
)
```

col_style_structure *Column Style Structure*

Description

Column Style Structure

Usage

```
col_style_structure(col, align = NULL, width = NULL, ...)
```

Arguments

col	Column value to align on from column variable. May be a quoted or unquoted column name, a tidyselect semantic, or a span_structure.
align	Alignment to be applied to column. Acceptable values: "left" for left alignment, "right" for right alignment", or supply a vector of character(s) to align on. For the case of character alignment, if more than one character is provided, alignment will be based on the first occurrence of any of the characters. For alignment based on white space, leading white spaces will be ignored.
width	Width to apply to the column in number of characters. Acceptable values include a numeric value, or a character string of a number.
...	These dots are for future extensions and must be empty

Details

Supports alignment and width setting of data value columns (values found in the column column). Row group and label columns are left-aligned by default.

Value

col_style_structure object

See Also

[col_style_plan\(\)](#) for more information on how to combine col_style_structure()'s together to form a plan.

[Link to related article](#)

Examples

```
plan <- col_style_plan(
  col_style_structure(align = "left", width = 100, col = "my_var"),
  col_style_structure(align = "right", width = 200, col = vars(four)),
  col_style_structure(align = c(".", ", ", " "), col = vars(two, three)),
  col_style_structure(width = 25, col = c(two, three)),
  col_style_structure(width = 25, col = two),
  col_style_structure(width = 25, col = span_structure(span = value, col = val2))
)
```

data_ae

Adverse Events Analysis Results Data

Description

A dataset containing the results needed for an AE table. Using the CDISC pilot data.

Usage

data_ae

Format

A data frame with 2,794 rows and 8 variables:

AEBODSYS highest level row labels: System Organ Class

AETERM more specific row labels: Preferred Term

col2 higher level column names (spanners)

col1 lower level column names

param parameter to explain each value

value values to put in a table

ord1 controls ordering

ord2 more ordering controls

data_demog

Demography Analysis Results Data

Description

A dataset containing the results needed for a demography table. Using the CDISC pilot data.

Usage

data_demog

Format

A data frame with 386 rows and 7 variables:

rowlbl1 highest level row labels

rowlbl2 more specific row labels

param parameter to explain each value

grp grouping column used to distinguish continuous and categorical

ord1 controls ordering

ord2 more ordering controls

column column names

value values to put in a table

data_efficacy

Efficacy Analysis Results Data

Description

A dataset containing the results needed for an Efficacy table. Using the CDISC pilot data for ADAS-Cog(11).

Usage

data_efficacy

Format

A data frame with 70 rows and 7 variables:

group highest level row labels

label more specific row labels

column column names

param parameter to explain each value

value values to put in a table

ord1 controls ordering

ord2 more ordering controls

data_labs

Labs Analysis Results Data

Description

A dataset containing the results needed for an labs results table. Using the CDISC pilot data.

Usage

data_labs

Format

A data frame with 4,950 rows and 7 variables:

group1 highest level row labels: Lab value class

group2 more specific row labels: Lab parameter

rowlbl most specific row labels: Study visit

col1 higher level column names (spanners)

col2 lower level column names

param parameter to explain each value

value values to put in a table

ord1 controls ordering

ord2 more ordering controls

ord3 more ordering controls

display_row_frmts	<i>Display formatting applied to each row</i>
-------------------	---

Description

Used when debugging formatting, it is an easy way to allow you to see which formats are applied to each row in your dataset.

Usage

```
display_row_frmts(tfrmt, .data, convert_to_txt = TRUE)
```

Arguments

tfrmt	tfrmt object to apply to the data
.data	Data to apply the tfrmt to
convert_to_txt	Logical value converting formatting to text, by default TRUE

Value

formatted tibble

Examples

```
library(dplyr)
library(tidyr)

tfrmt_spec <- tfrmt(
  label = label,
  column = column,
  param = param,
  value=value,
  body_plan = body_plan(
    frmt_structure(group_val = ".default", label_val = ".default",
      frmt_combine(
        "{count} {percent}",
        count = frmt("xxx"),
        percent = frmt_when("==100" ~ frmt(""),
                           "==" ~ "",
                           "TRUE" ~ frmt("(xx.x%)"))))
  ))

# Create data
df <- crossing(label = c("label 1", "label 2"),
              column = c("placebo", "trt1"),
              param = c("count", "percent")) %>%
  mutate(value=c(24,19,2400/48,1900/38,5,1,500/48,100/38))

display_row_frmts(tfrmt_spec,df)
```

element_block	<i>Element block</i>
---------------	----------------------

Description

Element block

Usage

```
element_block(
  post_space = c(NULL, " ", "-"),
  border = c(NULL, "outline", "bottom")
)
```

Arguments

post_space	Option to create a new line after group block; specified characters will fill the cells
border	Option to add a solid border to group block (rectangle or just bottom border)

Value

element block object

See Also

[row_grp_plan\(\)](#) for more details on how to group row group structures, [row_grp_structure\(\)](#) for more details on how to specify row group structures, [element_row_grp_loc\(\)](#) for more details on how to specify whether row group titles span the entire table or collapse.

Examples

```
tfrmt_spec <- tfrmt(
  group = grp1,
  label = label,
  param = param,
  value = value,
  column = column,
  row_grp_plan = row_grp_plan(
    row_grp_structure(group_val = ".default", element_block(post_space = " "))
  ),
  body_plan = body_plan(
    frmt_structure(group_val = ".default", label_val = ".default", frmt("xx"))
  )
)
```

element_row_grp_loc *Element Row Group Location*

Description

Element Row Group Location

Usage

```
element_row_grp_loc(  
  location = c("indented", "spanning", "column", "noprint", "gtdefault"),  
  indent = " "  
)
```

Arguments

location	Location of the row group labels. Specifying 'indented' combines all group and label variables into a single column with each sub-group indented under its parent. 'spanning' and 'column' retain the highest level group variable in its own column and combine all remaining group and label variables into a single column with sub-groups indented. The highest level group column will either be printed as a spanning header or in its own column in the gt. The 'noprint' option allows the user to suppress group values from being printed. Finally, the 'gtdefault' option allows users to use the gt defaults for styling multiple group columns.
indent	A string of the number of spaces you want to indent

Value

element_row_grp_loc object

Images

Here are some example outputs:

See Also

[row_grp_plan\(\)](#) for more details on how to group row group structures, [row_grp_structure\(\)](#) for more details on how to specify row group structures, [element_block\(\)](#) for more details on how to specify spacing between each group.

[Link to related article](#)

Examples

```
tfrmt_spec <- tfrmt(
  group = c(grp1, grp2),
  label = label,
  param = param,
  value = value,
  column = column,
  row_grp_plan = row_grp_plan(label_loc = element_row_grp_loc(location = "noprint")),
  body_plan = body_plan(
    frmt_structure(group_val = ".default", label_val = ".default", frmt("xx"))
  )
)
```

footnote_plan

Footnote Plan

Description

Defining the location and content of footnotes with a series of footnote structures. Each structure is a footnote and can be applied in multiple locations.

Usage

```
footnote_plan(..., marks = c("numbers", "letters", "standard", "extended"))
```

Arguments

...	a series of <code>footnote_structure()</code> separated by commas
marks	type of marks required for footnotes, properties inherited from <code>tab_footnote</code> in <code>gt</code> . Available options are "numbers", "letters", "standard" and "extended" (standard for a traditional set of 4 symbols, extended for 6 symbols). The default option is set to "numbers".

Value

footnote plan object

Examples

```
# Adds a footnote indicated by letters rather than numbers to Group 1
footnote_plan <- footnote_plan(
  footnote_structure(footnote_text = "Source Note", group_val = "Group 1"),
  marks="letters")

# Adds a footnote to the 'Placebo' column
```

```
footnote_plan <- footnote_plan(
  footnote_structure(footnote_text = "footnote", column_val = "Placebo"),
  marks="numbers")
```

footnote_structure *Footnote Structure*

Description

Footnote Structure

Usage

```
footnote_structure(
  footnote_text,
  column_val = NULL,
  group_val = NULL,
  label_val = NULL
)
```

Arguments

footnote_text	string with text for footnote
column_val	string or a named list of strings which represent the column to apply the footnote to
group_val	string or a named list of strings which represent the value of group to apply the footnote to
label_val	string which represents the value of label to apply the footnote to

Value

footnote structure object

Examples

```
# Adds a source note aka a footnote without a symbol in the table
footnote_structure <- footnote_structure(footnote_text = "Source Note")

# Adds a footnote to the 'Placebo' column
footnote_structure <- footnote_structure(footnote_text = "Text",
  column_val = "Placebo")

# Adds a footnote to either 'Placebo' or 'Treatment groups' depending on which
# which is last to appear in the column vector
footnote_structure <- footnote_structure(footnote_text = "Text",
  column_val = list(col1 = "Placebo", col2= "Treatment groups"))
```



```
# Adds a footnote to the 'Adverse Event' label
footnote_structure <- footnote_structure("Text", label_val = "Adverse Event")
```

frmt

Table Value Formatting

Description

These functions provide an abstracted way to approach to define formatting of table contents. By defining in this way, the formats can be layered to be more specific and general cell styling can be done first.

`frmt()` is the base definition of a format. This defines spacing, rounding, and missing behaviour.

`frmt_combine()` is used when two or more rows need to be combined into a single cell in the table. Each of the rows needs to have a defined `frmt()` and need to share a label.

`frmt_when()` is used when a rows format behaviour is dependent on the value itself and is written similarly to `dplyr::case_when()`. The left hand side of the equation is a "TRUE" for the default case or the right hand side of a boolean expression " >50 ".

Usage

```
frmt(expression, missing = NULL, scientific = NULL, ...)
```

```
frmt_combine(expression, ..., missing = NULL)
```

```
frmt_when(..., missing = NULL)
```

Arguments

<code>expression</code>	this is the string representing the intended format. See details: <code>expression</code> for more a detailed description.
<code>missing</code>	when a value is missing that is intended to be formatted, what value to place. See details: <code>missing</code> for more a detailed description.
<code>scientific</code>	a string representing the intended scientific notation to be appended to the expression. Ex. "e^XX" or "x10^XX".
<code>...</code>	See details: <code>...</code> for a detailed description.

Details

expression:

- `frmt()` All numbers are represented by "x". Any additional character are printed as-is. If additional X's present to the left of the decimal point than the value, they will be represented as spaces.
- `frmt_combine()` defines how the parameters will be combined as a `glue::glue()` statement. Parameters need to be equal to the values in the param column and defined in the expression as "param1 param2".

missing:

- `frmt()` Value to enter when the value is missing. When NULL, the value is "".
- `frmt_combine()` defines how when all values to be combined are missing. When NULL the value is "".

...:

- `frmt()` These dots are for future extensions and must be empty.
- `frmt_combine()` accepts named arguments defining the `frmt()` to be applied to which parameters before being combined.
- `frmt_when()` accepts a series of equations separated by commas, similar to `dplyr::case_when()`. The left hand side of the equation is a "TRUE" for the default case or the right hand side of a boolean expression "`>50`". The right hand side of the equation is the `frmt()` to apply when the left side evaluates to TRUE.

Value

frmt object

See Also

`body_plan()` combines the `frmt_structures` to be applied to the table body, and `frmt_structure()` defines which rows the formats will be applied to.

[Link to related article](#)

Examples

```
frmt("XXX %")

frmt("XX.XXX")

frmt("xx.xx", scientific = "x10^xx")

frmt_combine(
  "{param1} {param2}",
  param1 = frmt("XXX %"),
  param2 = frmt("XX.XXX")
)

frmt_when(
  ">3" ~ frmt("(X.X%)"),
  "<=3" ~ frmt("Undetectable")
)

frmt_when(
  "==100" ~ frmt(""),
  "==0" ~ "",
  "TRUE" ~ frmt("(XXX.X%)")
)
```

frmt_structure	<i>Format Structure Object</i>
----------------	--------------------------------

Description

Function needed to create a frmt_structure object, which is a building block of `body_plan()`. This specifies the rows the format will be applied to.

Usage

```
frmt_structure(group_val = ".default", label_val = ".default", ...)
```

Arguments

group_val	A string or a named list of strings which represent the value of group should be when the given frmt is implemented
label_val	A string which represent the value of label should be when the given frmt is implemented
...	either a <code>frmt()</code> , <code>frmt_combine()</code> , or a <code>frmt_when()</code> object. This can be named to also specify the parameter value

Value

frmt_structure object

Images

Here are some example outputs:

See Also

`body_plan()` combines the frmt_structures to be applied to the table body, and `frmt()`, `frmt_combine()`, and `frmt_when()` define the format semantics.

[Link to related article](#)

Examples

```
sample_structure <- frmt_structure(
  group_val = c("group1"),
  label_val = ".default",
  frmt("XXX")
)
## multiple group columns
sample_structure <- frmt_structure(
  group_val = list(grp_col1 = "group1", grp_col2 = "subgroup3"),
  label_val = ".default",
  frmt("XXX")
)
```

)

`is_frmt`*Check if input is a frmt*

Description

Check if input is a frmt

Check if input is a frmt_combine

Check if input is a frmt_structure

Check if input is a row_grp_structure

Usage`is_frmt(x)``is_frmt_combine(x)``is_frmt_structure(x)``is_row_grp_structure(x)`**Arguments**`x` Object to check**Value**

'TRUE' if yes, 'FALSE' if no

Examples

```
x1 <- frmt("XXX.XX")
is_frmt(x1)
```

```
x2 <- frmt_combine("XXX %", "XX,XXX")
is_frmt_combine(x2)
```

```
x3 <- frmt_structure(
  group_val = c("group1"),
  label_val = ".default",
  frmt("XXX")
)
is_frmt_structure(x3)
```

```
x4 <- row_grp_structure(group_val = c("A", "C"), element_block(post_space = "---"))
is_row_grp_structure(x4)
```

`layer_tfrmt`*Layer tfrmt objects together*

Description

Provide utility for layering tfrmt objects together. If both tfrmt's have values, it will preferentially choose the second tfrmt by default. This is an alternative to piping together tfrmt's

Usage

```
layer_tfrmt(x, y, ..., join_body_plans = TRUE)
```

Arguments

<code>x, y</code>	tfrmt objects that need to be combined
<code>...</code>	arguments passed to <code>layer_tfrmt_arg</code> functions for combining different tfrmt elements
<code>join_body_plans</code>	should the <code>body_plans</code> be combined, or just keep styling in <code>y</code> . See details: <code>join_body_plans</code> for more details.

Details

join_body_plan:

When combining two `body_plans`, the body plans will stack together, first the body plan from `x` tfrmt then `y` tfrmt. This means that `frmt_structures` in `y` will take priority over those in `x`.

Combining two tfrmt with large `body_plans` can lead to slow table evaluation. Consider setting `join_body_plan` to `FALSE`. Only the `y` `body_plan` will be preserved.

Value

tfrmt object

Examples

```
tfrmt_1 <- tfrmt(title = "title1")
tfrmt_2 <- tfrmt(title = "title2", subtitle = "subtitle2")
layered_table_format <- layer_tfrmt(tfrmt_1, tfrmt_2)
```

`param_set`*Set custom parameter-level significant digits rounding*

Description

Set custom parameter-level significant digits rounding

Usage

```
param_set(...)
```

Arguments

... Series of name-value pairs, optionally formatted using `glue::glue()` syntax (note `glue` syntax is required for combined parameters). The name represents the parameter and the value represents the number of places to round the parameter to. For combined parameters (e.g., "min, max"), value should be a vector of the same length (e.g., `c(1,1)`).

Details

Type `param_set()` in console to view package defaults. Use of the function will add to the defaults and/or override included defaults of the same name. For values that are integers, use `NA` so no decimal places will be added.

Value

list of default parameter-level significant digits rounding

Examples

```
# View included defaults
param_set()

# Update the defaults
param_set("{mean} ({sd})" = c(2,3), "pct" = 1)

# Separate mean and SD to different lines
param_set("mean" = 2, "sd" = 3)

# Add formatting using the glue syntax
param_set("{pct} %" = 1)
```

print_mock_gt	<i>Print mock table to GT</i>
---------------	-------------------------------

Description

Print mock table to GT

Usage

```
print_mock_gt(tfrmt, .data = NULL, .default = 1:3, n_cols = NULL)
```

Arguments

tfrmt	tfrmt the mock table will be based off of
.data	Optional data. If this is missing, group values, labels values and parameter values will be estimated based on the tfrmt
.default	sequence to replace the default values if a dataset isn't provided
n_cols	the number of columns. This will only be used if mock data isn't provided. If not supplied, it will default to using the col_plan from the tfrmt. If neither are available it will use 3.

Value

a stylized gt object

Examples

```
# Create tfrmt specification
tfrmt_spec <- tfrmt( label = label, column =
column, param = param, body_plan = body_plan( frmt_structure(group_val =
".default", label_val = ".default", frmt_combine( "{count} {percent}",
count = frmt("xxx"), percent = frmt_when("==100"~ frmt(""), "==0"~ "",
"TRUE" ~ frmt("(xx.x%)")))) ) )

# Print mock table using default
print_mock_gt(tfrmt = tfrmt_spec)

# Create mock data
df <- crossing(label = c("label 1", "label 2",
"label 3"), column = c("placebo", "trt1", "trt2"), param = c("count",
"percent"))

# Print mock table using mock data
print_mock_gt(tfrmt_spec, df)
```

print_to_ggplot	<i>Print to ggplot</i>
-----------------	------------------------

Description

Print to ggplot

Usage

```
print_to_ggplot(tfrmt, .data, ...)
```

Arguments

tfrmt	tfrmt object that will dictate the structure of the ggplot object
.data	Data to style in order to make the ggplot object
...	Inputs to geom_text to modify the style of the table body

Value

a stylized ggplot object

Examples

```
# Create data
risk<-tibble(time=c(rep(c(0,1000,2000,3000),3)),
             label=c(rep("Obs",4),rep("Lev",4),rep("Lev+5FU",4)),
             value=c(630,372,256,11,620,360,266,8,608,425,328,14),
             param=rep("n",12))
```

```
table<-tfrmt(
  label = label ,
  column = time,
  param = param,
  value = value) %>%
  print_to_ggplot(risk)
```

```
table
```

print_to_gt	<i>Print to gt</i>
-------------	--------------------

Description

Print to gt

Usage

```
print_to_gt(tfrmt, .data)
```

Arguments

tfrmt	tfrmt object that will dictate the structure of the table
.data	Data to style in order to make the table

Value

a stylized gt object

Examples

```
library(dplyr)
# Create tfrmt specification
tfrmt_spec <- tfrmt(
  label = label,
  column = column,
  param = param,
  value=value,
  body_plan = body_plan(
    frmt_structure(group_val = ".default", label_val = ".default",
      frmt_combine(
        "{count} {percent}",
        count = frmt("xxx"),
        percent = frmt_when("==100" ~ frmt(""),
          "==" ~ "",
          "TRUE" ~ frmt("(xx.x%)"))))
  ))

# Create data
df <- crossing(label = c("label 1", "label 2"),
  column = c("placebo", "trt1"),
  param = c("count", "percent")) %>%
  mutate(value=c(24,19,2400/48,1900/38,5,1,500/48,100/38))

print_to_gt(tfrmt_spec,df)
```

row_grp_plan	<i>Row Group Plan</i>
--------------	-----------------------

Description

Define the look of the table groups on the output. This function allows you to add spaces after blocks and allows you to control how the groups are viewed whether they span the entire table or are nested as a column.

Usage

```
row_grp_plan(..., label_loc = element_row_grp_loc(location = "indented"))
```

Arguments

... Row group structure objects separated by commas
label_loc [element_row_grp_loc\(\)](#) object specifying location

Value

row_grp_plan object

See Also

[row_grp_structure\(\)](#) for more details on how to specify row group structures, [element_block\(\)](#) for more details on how to specify spacing between each group, [element_row_grp_loc\(\)](#) for more details on how to specify whether row group titles span the entire table or collapse.

[Link to related article](#)

Examples

```
## single grouping variable example
sample_grp_plan <- row_grp_plan(
  row_grp_structure(group_val = c("A","C"), element_block(post_space = "---")),
  row_grp_structure(group_val = c("B"), element_block(post_space = " ")),
  label_loc = element_row_grp_loc(location = "column")
)

## example with multiple grouping variables
sample_grp_plan <- row_grp_plan(
  row_grp_structure(group_val = list(grp1 = "A", grp2 = "b"), element_block(post_space = " ")),
  label_loc = element_row_grp_loc(location = "spanning")
)
```

row_grp_structure	<i>Row Group Structure Object</i>
-------------------	-----------------------------------

Description

Function needed to create a row_grp_structure object, which is a building block of [row_grp_plan\(\)](#)

Usage

```
row_grp_structure(group_val = ".default", element_block)
```

Arguments

group_val	A string or a named list of strings which represent the value of group should be when the given frmt is implemented
element_block	element_block() object to define the block styling

Value

row_grp_structure object

See Also

[row_grp_plan\(\)](#) for more details on how to group row group structures, [element_block\(\)](#) for more details on how to specify spacing between each group.

[Link to related article](#)

Examples

```
## single grouping variable example
row_grp_structure(group_val = c("A","C"), element_block(post_space = "---"))

## example with multiple grouping variables
row_grp_structure(group_val = list(grp1 = "A", grp2 = "b"), element_block(post_space = " "))
```

tfrmt

*Table Format***Description**

tfrmt, or "table format" is a way to pre-define the non-data components of your tables, and how the data will be handled once added: i.e. title, footers, headers, span headers, and cell formats. In addition, tfrmt's can be layered, building from one table format to the next. For cases where only one value can be used, the newly defined tfrmt accepts the latest tfrmt

Usage

```
tfrmt(
  tfrmt_obj,
  group = vars(),
  label = quo(),
  param = quo(),
  value = quo(),
  column = vars(),
  title,
  subtitle,
  row_grp_plan,
  body_plan,
  col_style_plan,
  col_plan,
  sorting_cols,
  big_n,
  footnote_plan,
  ...
)
```

Arguments

tfrmt_obj	a tfrmt object to base this new format off of
group	what are the grouping vars of the input dataset
label	what is the label column of the input dataset
param	what is the param column of the input dataset
value	what is the value column of the input dataset
column	what is the column names column in the input dataset
title	title of the table
subtitle	subtitle of the table
row_grp_plan	plan of the row groups blocking. Takes a row_grp_plan()
body_plan	combination and formatting of the input data. Takes a body_plan()

<code>col_style_plan</code>	how to style columns including alignment (left, right, character) and width. Takes a <code>col_style_plan()</code>
<code>col_plan</code>	a <code>col_plan</code> object which is used to select, rename, and nest columns. Takes a <code>col_plan()</code>
<code>sorting_cols</code>	which columns determine sorting of output
<code>big_n</code>	how to format subject totals ("big Ns") for inclusion in the column labels. Takes a <code>big_n_structure()</code>
<code>footnote_plan</code>	footnotes to be added to the table. Takes a <code>footnote_plan()</code>
<code>...</code>	These dots are for future extensions and must be empty.

Details

NSE and Argument Evaluation:

- `tfrmt` allows users to pass vars, quo, and unquoted expressions to a variety of arguments, such as `group`, `label`, `param`, `value`, `column`, and `sorting_cols`. Users accustomed to tidyverse semantics should be familiar with this behaviour. However, there is an important behaviour difference between `tfrmt` and normal tidyverse functions. Because the data are not a part of `tfrmt`, it does not know when a value being passed to it is intended to be an unquoted expression representing a column name or an object from the environment. As such, it preferentially uses the value from the environment over preserving the entry as an expression. For example, if you have an object "my_object" in your environment with the value "Hello world", and try to create a `tfrmt` as `tfrmt(column = my_object)`, it will take the value of "my_object" over assuming the column argument is an unquoted expression and view the entry to `column` as "Hello World". To pass "my_object" to `tfrmt` as a column name, use quotes around the value: `tfrmt(column = "my_object")`.
- Additionally, unquoted expressions that match `tfrmt`'s other argument names can cause unexpected results. It is recommended to put quotes around the value as such: `tfrmt(label = "group")`. In this case, the quoting will prevent `tfrmt` from assigning its `group` input value to the `label` value.

Value

`tfrmt` object

Images

Here are some example outputs:

See Also

[Link to related article](#)

Examples

```
tfrmt_spec <- tfrmt(
  label = label,
  column = column,
```

```

    param = param,
    value=value)

tfrmt_spec <- tfrmt(
  label = label,
  column = column,
  param = param,
  value=value,
  # Set the formatting for values
  body_plan = body_plan(
    frmt_structure(
      group_val = ".default",
      label_val = ".default",
      frmt_combine("{n} {pct}",
        n = frmt("xxx"),
        pct = frmt_when(
          "==100" ~ "(100%)",
          "==0" ~ "",
          TRUE ~ frmt("(xx.x %)")
        )
      )
    )
  ),
  # Specify column styling plan
  col_style_plan = col_style_plan(
    col_style_structure(align = c(".",",",",", " "), col = vars(everything()))
  )
)

tfrmt_spec <- tfrmt(
  group = group,
  label = label,
  column = column,
  param = param,
  value=value,
  sorting_cols = c(ord1, ord2),
  # specify value formatting
  body_plan = body_plan(
    frmt_structure(
      group_val = ".default",
      label_val = ".default",
      frmt_combine("{n} {pct}",
        n = frmt("xxx"),
        pct = frmt_when(
          "==100" ~ "(100%)",
          "==0" ~ "",
          TRUE ~ frmt("(xx.x %)")
        )
      )
    )
  ),
  frmt_structure(
    group_val = ".default",
    label_val = "n",
    frmt("xxx")
  )
)

```

```

),
  frmt_structure(
    group_val = ".default",
    label_val = c("Mean", "Median", "Min", "Max"),
    frmt("xxx.x")
  ),
  frmt_structure(
    group_val = ".default",
    label_val = "SD",
    frmt("xxx.xx")
  ),
  frmt_structure(
    group_val = ".default",
    label_val = ".default",
    p = frmt("")
  ),
  frmt_structure(
    group_val = ".default",
    label_val = c("n", "<65 yrs", "<12 months", "<25"),
    p = frmt_when(
      ">0.99" ~ ">0.99",
      "<0.001" ~ "<0.001",
      TRUE ~ frmt("x.xxx", missing = "")
    )
  )
),
# remove extra cols
col_plan = col_plan(-grp,
  -starts_with("ord") ),
# Specify column styling plan
col_style_plan = col_style_plan(
  col_style_structure(align = c(".", "", "", " "), col = vars(everything()))
),
# Specify row group plan
row_grp_plan = row_grp_plan(
  row_grp_structure(
    group_val = ".default",
    element_block(post_space = " ")
  ),
  label_loc = element_row_grp_loc(location = "column")
)
)
)

```

Description

This function creates an tfrmt for an n % table, so count based table. The parameter values for n and percent can be provided (by default it will assume n and pct). Additionally the frmt_when for formatting the percent can be specified. By default 100% and 0% will not appear and everything between 99% and 100% and 0% and 1% will be rounded using greater than (>) and less than (<) signs respectively.

Usage

```
tfrmt_n_pct(
  n = "n",
  pct = "pct",
  pct_frmt_when = frmt_when("==100" ~ frmt(""), ">99" ~ frmt(">99%"), "==0" ~ "", "<1"
    ~ frmt("<1%"), "TRUE" ~ frmt("xx.x%")),
  tfrmt_obj = NULL
)
```

Arguments

n	name of count (n) value in the parameter column
pct	name of percent (pct) value in the parameter column
pct_frmt_when	formatting to be used on the the percent values
tfrmt_obj	an optional tfrmt object to layer

Value

tfrmt object

Examples

```
print_mock_gt(tfrmt_n_pct())
```

tfrmt_sigdig

Create tfrmt object from significant digits spec

Description

This function creates a tfrmt based on significant digits specifications for group/label values. The input data spec provided to sigdig_df will contain group/label value specifications. tfrmt_sigdig assumes that these columns are group columns unless otherwise specified. The user may optionally choose to pass the names of the group and/or label columns as arguments to the function.

Usage

```
tfrmt_sigdig(
  sigdig_df,
  group = vars(),
  label = quo(),
  param_defaults = param_set(),
  missing = NULL,
  tfrmt_obj = NULL,
  ...
)
```

Arguments

sigdig_df	data frame containing significant digits formatting spec. Has 1 record per group/label value, and columns for relevant group and/or label variables, as well as a numeric column sigdig containing the significant digits rounding to be applied in addition to the default. If unique group/label values are represented in multiple rows, this will result in only one of the sigdig values being carried through in implementation.
group	what are the grouping vars of the input dataset
label	what is the label column of the input dataset
param_defaults	Option to override or add to default parameters.
missing	missing option to be included in all frmts
tfrmt_obj	an optional tfrmt object to layer
...	These dots are for future extensions and must be empty.

Details**Formats covered:**

Currently covers specifications for frmt and frmt_combine. frmt_when not supported and must be supplied in additional tfrmt that is layered on.

Group/label variables:

If the group/label variables are not provided to the arguments, the body_plan will be constructed from the input data with the following behaviour:

- If no group or label are supplied, it will be assumed that all columns in the input data are group columns.
- If a label variable is provided, but nothing is specified for group, any leftover columns (i.e. not matching sigdig or the supplied label variable name) in the input data will be assumed to be group columns.
- If any group variable is provided, any leftover columns (i.e. not matching sigdig or the supplied group/label variable) will be disregarded.

Value

tfrmt object with a body_plan constructed based on the significant digits data spec and param-level significant digits defaults.

Examples

```

sig_input <- tibble::tribble(
  ~group1, ~group2, ~sigdig,
  "CHEMISTRY", ".default", 3,
  "CHEMISTRY", "ALBUMIN", 1,
  "CHEMISTRY", "CALCIUM", 1,
  ".default", ".default", 2
)

# Subset data for the example
data <- dplyr::filter(data_labs, group2 == "BASOPHILS", col1 %in% c("Placebo", "Xanomeline Low Dose"))
tfrmt_sigdig(sigdig_df = sig_input,
             group = vars(group1, group2),
             label = rowlbl,
             param_defaults = param_set("[{n}]" = NA)) %>%
tfrmt(column = vars(col1, col2),
      param = param,
      value = value,
      sorting_cols = vars(ord1, ord2, ord3),
      col_plan = col_plan(-starts_with("ord"))) %>%
print_to_gt(.data = data)

```

update_group

Remap group values in a tfrmt

Description

Remap group values in a tfrmt

Usage

```
update_group(tfrmt, ...)
```

Arguments

tfrmt	a tfrmt
...	Use new_name = old_name to rename selected variables

Value

A tfrmt with the group variables updated in all places
tfrmt object with updated groups#'

Examples

```
tfrmt_spec <- tfrmt(  
  group = c(group1, group2),  
  body_plan = body_plan(  
    frmt_structure(  
      group_val = list(group2 = "value"),  
      label_val = ".default",  
      frmt("XXX")  
    ),  
    frmt_structure(  
      group_val = list(group1 = "value", group2 = "value"),  
      label_val = ".default",  
      frmt("XXX")  
    )  
  ))  
  
tfrmt_spec %>%  
  update_group(New_Group = group1)
```

Index

* datasets

- data_ae, 9
- data_demog, 10
- data_efficacy, 10
- data_labs, 11

apply_frmt, 2

big_n_structure, 4

big_n_structure(), 29

body_plan, 4

body_plan(), 18, 19, 28

col_plan, 5

col_plan(), 29

col_style_plan, 7

col_style_plan(), 9, 29

col_style_structure, 8

col_style_structure(), 8

cols_hide, 6

data_ae, 9

data_demog, 10

data_efficacy, 10

data_labs, 11

display_row_frmts, 12

dplyr::case_when(), 17, 18

element_block, 13

element_block(), 14, 26, 27

element_row_grp_loc, 14

element_row_grp_loc(), 13, 26

everything, 6

footnote_plan, 15

footnote_plan(), 29

footnote_structure, 16

footnote_structure(), 15

frmt, 17

frmt(), 4, 5, 19

frmt_combine(frmt), 17

frmt_combine(), 5, 19

frmt_structure, 19

frmt_structure(), 5, 18

frmt_when(frmt), 17

frmt_when(), 5, 19

is_frmt, 20

is_frmt_combine(is_frmt), 20

is_frmt_structure(is_frmt), 20

is_row_grp_structure(is_frmt), 20

layer_tfrmt, 21

param_set, 22

print_mock_gt, 23

print_to_ggplot, 24

print_to_gt, 25

row_grp_plan, 26

row_grp_plan(), 13, 14, 27, 28

row_grp_structure, 27

row_grp_structure(), 13, 14, 26

span_structure(col_plan), 5

tfrmt, 28

tfrmt_n_pct, 31

tfrmt_sigdig, 32

update_group, 34