## Package 'tidyDisasters'

November 22, 2022

Title Disaster Data Set Including FEMA, EMDAT and GTD Information

Version 0.1.1

**Description** Pre-processed data that contains a queryable data set with Federal Emergency Management Agency (FEMA), Emergency Events Database (EMDAT) and the Global Terrorism Database (GTD) merged. The data set contains the reported natural and human made disasters that report 3 or more people killed in the United States of America.

**Encoding** UTF-8

RoxygenNote 7.2.1

**Depends** R (>= 3.5)

LazyData false

Suggests conflicted, gghighlight, knitr, lubridate, rmarkdown,

tidyverse, VignetteBuilder knitr

**License** MIT + file LICENSE

BugReports https://github.com/ccani007/tidyDisasters/issues/

URL https://ccani007.github.io/tidyDisasters/

NeedsCompilation no

Author Catalina Cañizares [aut, cre] (<https://orcid.org/0000-0002-6854-5205>), Mark J. Macgowan [aut] (<https://orcid.org/0000-0002-8505-5515>), Gabriel Odom [aut] (<https://orcid.org/0000-0002-9856-5901>)

Maintainer Catalina Cañizares <ccani007@fiu.edu>

**Repository** CRAN

Date/Publication 2022-11-22 14:00:02 UTC

### **R** topics documented:

allKeys_df				•		•	•		 				•						•					•		•		2
disastCasualties_df	2			•	•		•	•	 	•	•	•	•	•	•		•			•	•	•			•	•		2
disastDates_df	•	•	•	•	•		•	•	 •	•	•	•	•	•	•	•	•	•		•	•		•		•	•	•	3

disastLocations_df	3
disastTypes_df	4
emdat_hazard_cluster_df	5
fema_hazard_cluster_df	5
hazard_report_df	6
·	7

#### Index

allKeys\_df allKeys\_df

#### Description

This data contains the original keys from the FEMA, GTD and EMDAT data set and a universal key created by the authors.

#### Usage

data(allKeys\_df)

#### Format

A tibble with

femaID The original ID given by FEMA to each disaster

emdatID The original ID given by EMDAT to each disaster

smashedID The FEMA and EMDAT IDs concatenated together

**eventKEY** The ID created by the authors to inform the year, state, and number of disasters in that particular place

#### Description

This data contains the number of people killed and wounded per event. It is relevant to note that the number of people killed and wounded correspond to the total casualties for the whole event, it does not relate to the particular number of casualties in each county or state

#### Usage

```
data(disastCasualties_df)
```

disastDates\_df

#### Format

A tibble with

eventKey The ID created by the authors to inform the year, state, and number of disasters in that particular place

nKilled Number of people killed by the event, not discriminated by location

nWounded Number of people wounded by the event, not discriminated by location

disastDates\_df disastDates\_df

#### Description

This data contains the beginning and end date of the disasters registered in EMDAT and FEMA. The dates are given at the state level, this means that if different counties where affected in different dates this will not be accounted for in this data set.

#### Usage

data(disastDates\_df)

#### Format

A tibble with

eventKey The ID created by the authors to inform the year, state, and number of disasters in that particular place

eventStart Year, month and day an event started

eventEnd Year, month and day an event ended

disastLocations\_df disastLocations\_df

#### Description

This data contains the states and counties where disasters have happened across the USA.

#### Usage

data(disastLocations\_df)

#### Format

A tibble with

- eventKey The ID created by the authors to inform the year, state, and number of disasters in that particular place
- state Abbreviation of the state where an event happened

county Name of the county the disaster

disastTypes\_df disastTypes\_df

#### Description

This data contains the type of disasters reported by FEMA and EMDAT based on the classification of the Hazard Definition and Classification Review Technical Report published by the UN Office for Disaster Risk Reduction (2020)

#### Usage

```
data(disastTypes_df)
```

#### Format

A tibble with

- eventKey The ID created by the authors to inform the year, state, and number of disasters in that particular place
- incident\_type It is the original type of disaster that the FEMA and EMDAT data sets reported
- **hazard\_type** It is the related broad classification disaster type The category was assigned based on the Technical report by matching it to the hazard cluster that was assigned by the authors
- **hazard\_cluster** It is the related subtype classification assigned by the authors according to the original incident type reported by FEMA or EMDAT, and according to the broad classification that was already assigned

emdat\_hazard\_cluster\_df

emdat\_hazard\_cluster\_df

#### Description

This data contains the type of disasters reported by EMDAT and the matched hazard cluster based on the classification of the Hazard Definition and Classification Review Technical Report published by the UN Office for Disaster Risk Reduction (2020) Annex 6 page 72. The matching was done by Dr. Mark Macgowan and Catalina Canizares following the suggestions in the report. However, this classification is subjective and should be used taking into account this disclaimer.

#### Usage

```
data(fema_hazard_cluster_df)
```

#### Format

A tibble with

- **Source** This vector will contain the information of the data set from which the information came from, in this case EMDAT
- incident\_type It is the original type of disaster that the EMDAT data sets reports
- hazard\_cluster It is the related sub type classification assigned by the authors according to the original incident type reported by EMDAT and according to the broad classification that was already assigned

fema\_hazard\_cluster\_df

fema\_hazard\_cluster\_df

#### Description

This data contains the type of disasters reported by FEMA and the matched hazard cluster based on the classification of the Hazard Definition and Classification Review Technical Report published by the UN Office for Disaster Risk Reduction (2020) Annex 6 page 72. The matching was done by Dr. Mark Macgowan and Catalina Canizares following the suggestions in the report. However, this classification is subjective and should be used taking into account this disclaimer.

#### Usage

```
data(fema_hazard_cluster_df)
```

#### Format

A tibble with

**Source** This vector will contain the information of the data set from which the information came from. In this case there are two sources FEMA and GTD

incident\_type It is the original type of disaster that the FEMA data sets reported

**hazard\_cluster** It is the related sub type classification assigned by the authors according to the original incident type reported by FEMA and according to the broad classification that was already assigned

hazard\_report\_df hazard\_report\_df

#### Description

This data contains the table from Annex 6 page 72 of the Hazard Definition and Classification Review Technical Report published by the UN Office for Disaster Risk Reduction (2020)

#### Usage

```
data(hazard_report_df)
```

#### Format

A tibble with 303 observations and 3 variables

- hazard\_type The broad category of the disaster.Hazards may be natural, anthropogenic or socionatural in origin
- hazard\_cluster The subcategory of the disaster, it is more specific than hazard types.

**Specific hazard** It is the related to the hazard cluster and specifically names the type of disaster.

# Index

\* datasets
 allKeys\_df, 2
 disastCasualties\_df, 2
 disastDates\_df, 3
 disastLocations\_df, 3
 disastTypes\_df, 4
 emdat\_hazard\_cluster\_df, 5
 fema\_hazard\_cluster\_df, 5
 hazard\_report\_df, 6

allKeys\_df, 2

disastCasualties\_df, 2
disastDates\_df, 3
disastLocations\_df, 3
disastTypes\_df, 4

emdat\_hazard\_cluster\_df, 5

fema\_hazard\_cluster\_df, 5

hazard\_report\_df, 6