

Package ‘tramME’

October 14, 2022

Title Transformation Models with Mixed Effects

Version 1.0.3

Date 2022-09-05

Description Likelihood-based estimation of mixed-effects transformation models using the Template Model Builder ('TMB', Kristensen et al., 2016) <[doi:10.18637/jss.v070.i05](https://doi.org/10.18637/jss.v070.i05)>. The technical details of transformation models are given in Hothorn et al. (2018) <[doi:10.1111/sjfos.12291](https://doi.org/10.1111/sjfos.12291)>. Likelihood contributions of exact, randomly censored (left, right, interval) and truncated observations are supported. The random effects are assumed to be normally distributed on the scale of the transformation function, the marginal likelihood is evaluated using the Laplace approximation, and the gradients are calculated with automatic differentiation (Tamasi & Hothorn, 2021) <[doi:10.32614/RJ-2021-075](https://doi.org/10.32614/RJ-2021-075)>. Penalized smooth shift terms can be defined using 'mgcv'.

Depends R (>= 3.6.0), tram (>= 0.3.2), mlt (>= 1.1.0)

Imports alabama, lme4 (>= 1.1.19), Matrix, methods, mgcv (>= 1.8.34), nlme, TMB (>= 1.7.15), stats, variables (>= 1.0.2), basefun (>= 1.0.6), numDeriv, MASS, coneproj

Suggests multcomp, parallel, survival, knitr, coxme, ordinal, ordinalCont, gamm4, gamlss.dist, glmmTMB, xtable

LinkingTo TMB, RcppEigen

VignetteBuilder knitr

License GPL-2

URL <http://ctm.R-forge.R-project.org>

Encoding UTF-8

RoxygenNote 7.2.0

NeedsCompilation yes

Author Balint Tamasi [aut, cre] (<<https://orcid.org/0000-0002-2629-7362>>),
Torsten Hothorn [ctb] (<<https://orcid.org/0000-0001-8301-0471>>)

Maintainer Balint Tamasi <balint.tamasi@uzh.ch>

Repository CRAN

Date/Publication 2022-09-05 09:40:02 UTC

R topics documented:

anova.tramME	3
BoxCoxME	4
coef.LmME	5
coef.SurvregME	6
coef.tramME	6
coef<- .tramME	7
ColrME	8
confint.LmME	9
confint.tramME	10
CoxphME	12
duplicate	13
duplicate.tramTMB	14
edf_smooth.tramME	14
LehmannME	15
LmME	16
logLik.tramME	18
model.frame.tramME	20
model.matrix.tramME	21
optim_control	23
plot.smooth.tramME	23
plot.tramME	24
PolrME	25
predict.tramME	27
predict.tramTMB	29
print.anova.tramME	29
print.summary.tramME	30
print.tramME	31
print.VarCorr.tramME	31
ranef.LmME	32
ranef.tramME	32
residuals.LmME	34
residuals.tramME	35
sigma.LmME	36
smooth_terms.LmME	36
smooth_terms.tramME	37
summary.tramME	38
SurvregME	38
tramME	40
tramME_model	41
tramTMB	42
VarCorr.LmME	43
VarCorr.tramME	44
varcov	45
varcov.LmME	45
varcov.tramME	46
varcov<-	47

<code>anova.tramME</code>	3
<code>varcov<-tramME</code>	47
<code>variable.names.tramME</code>	48
<code>vcov.LmME</code>	49
<code>vcov.tramME</code>	50
<code>vcov.tramTMB</code>	51
Index	53

<code>anova.tramME</code>	<i>Comparison of nested tramME models.</i>
---------------------------	--

Description

Calculates information criteria and LR ratio test for nested tramME models. The calculation of the degrees of freedom is problematic, because the parameter space is restricted.

Usage

```
## S3 method for class 'tramME'
anova(object, object2, ...)
```

Arguments

<code>object</code>	A tramME object.
<code>object2</code>	A tramME object.
<code>...</code>	Optional arguments, for compatibility with the generic. (Ignored)

Details

Currently only supports the comparison of two models. Additional arguments will be ignored.
The nestedness of the models is not checked.

Value

A data.frame with the calculated statistics.

Examples

```
data("sleepstudy", package = "lme4")
mod1 <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
mod2 <- LmME(Reaction ~ Days + (Days || Subject), data = sleepstudy)
anova(mod1, mod2)
```

BoxCoxME

*Mixed-effects version of [BoxCox](#)***Description**

Mixed-effects version of [BoxCox](#)

Usage

```
BoxCoxME(
  formula,
  data,
  subset,
  weights,
  offset,
  na.action = na.omit,
  silent = TRUE,
  resid = FALSE,
  do_update = FALSE,
  estinit = TRUE,
  initpar = NULL,
  fixed = NULL,
  nofit = FALSE,
  control = optim_control(),
  ...
)
```

Arguments

formula	an object of class "formula": a symbolic description of the model structure to be fitted. The details of model specification are given under tram and in the package vignette.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of weights to be used in the fitting process. Should be <code>NULL</code> or a numeric vector. If present, the weighted log-likelihood is maximised.
offset	this can be used to specify an <i>a priori</i> known component to be included in the linear predictor during fitting. This should be <code>NULL</code> or a numeric vector of length equal to the number of cases.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
silent	Logical. Make TMB functionality silent.

resid	Logical. If TRUE, the score residuals are also calculated. This comes with some performance cost.
do_update	Logical. If TRUE, the model is set up so that the weights and the offsets are updateable. This comes with some performance cost.
estinit	logical, estimate a vector of initial values for the fixed effects parameters from a (fixed effects only) mlt model
initpar	named list of initial parameter values, if NULL, it is ignored
fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
nofit	logical, if TRUE, creates the model object, but does not run the optimization
control	list with controls for optimization
...	additional arguments to <code>tram</code> .

Value

A BoxCoxME object.

coef.LmME	<i>Extract the coefficients of the fixed effects terms of an LmME model.</i>
-----------	--

Description

Extract the coefficients of the fixed effects terms of an LmME model.

Usage

```
## S3 method for class 'LmME'
coef(object, as.lm = FALSE, fixed = TRUE, ...)
```

Arguments

object	An LmME object.
as.lm	If TRUE, return the transformed coefficients as in a lmerMod object.
fixed	If TRUE, also include the fixed parameters.
...	Optional arguments passed to <code>coef.tramME</code> .

Value

A numeric vector of the transformed coefficients.

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
coef(fit, as.lm = TRUE)
```

coef.SurvregME	<i>Extract the coefficients of the fixed effects terms of an SurvregME model.</i>
----------------	---

Description

Extract the coefficients of the fixed effects terms of an SurvregME model.

Usage

```
## S3 method for class 'SurvregME'
coef(object, as.survreg = FALSE, ...)
```

Arguments

object	An SurvregME object.
as.survreg	If TRUE, return the transformed coefficients as in a survival::survreg object.
...	Optional arguments passed to coef.tramME.

Value

A numeric vector of the transformed coefficients.

Examples

```
library("survival")
fit <- SurvregME(Surv(time, status) ~ rx + (1 | litter), data = rats)
coef(fit, as.survreg = TRUE)
```

coef.tramME	<i>Extract the coefficients of the fixed effects terms.</i>
-------------	---

Description

Extract the coefficients of the fixed effects terms.

Usage

```
## S3 method for class 'tramME'
coef(object, with_baseline = FALSE, fixed = TRUE, ...)
```

Arguments

object	A tramME object.
with_baseline	If TRUE, also include the baseline parameters and the fixed effects parameters from the smooth terms.
fixed	If TRUE, also include the fixed parameters.
...	Optional parameters (ignored).

Value

Numeric vector of parameter values.

Examples

```
library("survival")
mod <- SurvregME(Surv(time, status) ~ rx + (1 | litter/rx), data = rats,
  dist = "exponential", nofit = TRUE)
coef(mod, with_baseline = TRUE)
coef(mod, with_baseline = TRUE, fixed = FALSE)
```

 coef<- .tramME

Set coefficients of a tramME model.

Description

Sets the whole vector of fixed-effects coefficients of a tramME model. The parameters of the baseline transformation function should respect the restrictions of the parameter space. This is checked before setting the new parameter values provided that the parameters for the variance components has already been set. If the model contains fixed coefficient parameters, the input should also respect that. When called on a fitted tram object, the function sets it to unfitted and removes all parts that come from the estimation.

Usage

```
## S3 replacement method for class 'tramME'
coef(object) <- value
```

Arguments

object	A tramME object.
value	Numeric vector of new coefficient values.

Value

A tramME object with the new coefficient values.

Examples

```
data("sleepstudy", package = "lme4")
mod <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy, nofit = TRUE)
coef(mod) <- c(-1, 0.5, 1)
```

ColrME

*Mixed-effects version of Colr***Description**

Mixed-effects version of [Colr](#)

Usage

```
ColrME(
  formula,
  data,
  subset,
  weights,
  offset,
  na.action = na.omit,
  silent = TRUE,
  resid = FALSE,
  do_update = FALSE,
  estinit = TRUE,
  initpar = NULL,
  fixed = NULL,
  nofit = FALSE,
  control = optim_control(),
  ...
)
```

Arguments

formula	an object of class "formula": a symbolic description of the model structure to be fitted. The details of model specification are given under tram and in the package vignette.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector. If present, the weighted log-likelihood is maximised.

offset	this can be used to specify an <code>_a priori_</code> known component to be included in the linear predictor during fitting. This should be <code>NULL</code> or a numeric vector of length equal to the number of cases.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
silent	Logical. Make TMB functionality silent.
resid	Logical. If <code>TRUE</code> , the score residuals are also calculated. This comes with some performance cost.
do_update	Logical. If <code>TRUE</code> , the model is set up so that the weights and the offsets are updateable. This comes with some performance cost.
estinit	logical, estimate a vector of initial values for the fixed effects parameters from a (fixed effects only) <code>mlt</code> model
initpar	named list of initial parameter values, if <code>NULL</code> , it is ignored
fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
nofit	logical, if <code>TRUE</code> , creates the model object, but does not run the optimization
control	list with controls for optimization
...	additional arguments to <code>tram</code> .

Value

A `ColrME` object.

confint.LmME

Confidence intervals for LmME model parameters

Description

Confidence intervals for model parameters on their original scale, optionally consistent with the linear mixed-model specification. When `as.lm = TRUE`, only Wald CIs are available.

Usage

```
## S3 method for class 'LmME'
confint(
  object,
  parm = NULL,
  level = 0.95,
  as.lm = FALSE,
  pargroup = c("all", "fixef", "ranef"),
  type = c("Wald", "wald", "profile"),
  estimate = FALSE,
  ...
)
```

Arguments

object	An LmME object.
parm	Names of the parameters to extract.
level	Confidence level.
as.lm	Logical. If TRUE, return results consistent with the normal linear mixed model parametrization.
pargroup	The name of the parameter group to extract. With as.lm = FALSE, the available options are described in <code>confint.tramME</code> . When as.lm = TRUE, the following options are available: <ul style="list-style-type: none"> • all: Fixed effects and variance components parameters. • fixef: Fixed effects parameters (including FE parameters of the smooth terms). • ranef: Variance components parameters (including the smoothing parameters of the random effects).
type	Type of the CI: either Wald or profile.
estimate	Logical, add the point estimates in a third column.
...	Optional parameters passed to <code>confint.tramME</code>

Value

A matrix with lower and upper bounds.

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
confint(fit) ## transformation model parametrization
confint(fit, as.lm = TRUE) ## LMM parametrization
confint(fit, as.lm = TRUE, pargroup = "fixef", estimate = TRUE)
confint(fit, as.lm = TRUE, parm = "(Sigma)") ## error SD
```

confint.tramME

Confidence intervals for tramME model parameters

Description

Confidence intervals for model parameters on their original scale. Either Wald CI or profile CI by root finding. Multicore computations are supported in the case of profile confidence intervals, but snow support is yet to be implemented.

Usage

```
## S3 method for class 'tramME'
confint(
  object,
  parm = NULL,
  level = 0.95,
  pargroup = c("all", "fixef", "shift", "baseline", "ranef", "smooth"),
  type = c("Wald", "wald", "profile"),
  estimate = FALSE,
  pmatch = FALSE,
  parallel = c("no", "multicore", "snow"),
  ncpus = getOption("profile.ncpus", 1L),
  ...
)
```

Arguments

object	A tramME object.
parm	The indices or names of the parameters of interest. See in details.
level	Confidence level.
pargroup	The name of the parameter group to return: <ul style="list-style-type: none"> • all: All parameters. • fixef: Fixed effects parameters. • shift: Shift parameters. • baseline: Parameters of the baseline transformation function. • ranef: Variance components parameters. • smooth: Parameters that belong to the smooth shift terms (both FE and smoothing parameters).
type	Type of the CI: either Wald or profile.
estimate	Logical, add the point estimates in a third column.
pmatch	Logical. If TRUE, partial name matching is allowed.
parallel	Method for parallel computation.
ncpus	Number of cores to use for parallel computation.
...	Optional parameters.

Value

A matrix with lower and upper bounds.

Examples

```
data("sleepstudy", package = "lme4")
fit <- BoxCoxME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
confint(fit)
confint(fit, pargroup = "shift", estimate = TRUE)
exp(confint(fit, 1:2, pargroup = "ranef")) ## CIs for the SDs of the REs
```

CoxphME

*Mixed-effects version of Coxph***Description**

Mixed-effects version of [Coxph](#)

Usage

```
CoxphME(
  formula,
  data,
  subset,
  weights,
  offset,
  na.action = na.omit,
  silent = TRUE,
  resid = FALSE,
  do_update = FALSE,
  estinit = TRUE,
  initpar = NULL,
  fixed = NULL,
  nofit = FALSE,
  control = optim_control(),
  ...
)
```

Arguments

formula	an object of class "formula": a symbolic description of the model structure to be fitted. The details of model specification are given under tram and in the package vignette.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector. If present, the weighted log-likelihood is maximised.
offset	this can be used to specify an <i>a priori</i> known component to be included in the linear predictor during fitting. This should be NULL or a numeric vector of length equal to the number of cases.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
silent	Logical. Make TMB functionality silent.

resid	Logical. If TRUE, the score residuals are also calculated. This comes with some performance cost.
do_update	Logical. If TRUE, the model is set up so that the weights and the offsets are updateable. This comes with some performance cost.
estinit	logical, estimate a vector of initial values for the fixed effects parameters from a (fixed effects only) mlt model
initpar	named list of initial parameter values, if NULL, it is ignored
fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
nofit	logical, if TRUE, creates the model object, but does not run the optimization
control	list with controls for optimization
...	additional arguments to tram .

Value

A CoxphME object.

duplicate	<i>Generic for copying objects that are (partly) modified in place</i>
-----------	--

Description

Generic for copying objects that are (partly) modified in place

Usage

```
duplicate(object, ...)
```

Arguments

object	An object.
...	Optional parameters.

duplicate.tramTMB *Create a duplicate of the tramTMB object*

Description

Create a duplicate of the tramTMB object

Usage

```
## S3 method for class 'tramTMB'
duplicate(object, ...)
```

Arguments

object A tramTMB object.
 ... Optional parameters (not used).

edf_smooth.tramME *EDFs of smooth shift terms*

Description

Returns an estimate of effective degrees of freedom associated with each smooth term.

Usage

```
## S3 method for class 'tramME'
edf_smooth(object, ...)
```

Arguments

object A tramME object.
 ... Optional arguments passed to the Hessian calculations.

Details

The EDFs are calculated by summing up the elements of

$$diag(V_{\vartheta}I)$$

term-by-term. V_{ϑ} is the joint covariance matrix of fixed and random parameters (the inverse of the joint precision, i.e., Hessian of the negative log-likelihood), and I is the joint precision of the unpenalized negative log-likelihood function. See Wood et al. (2016) or Wood (2017, Chapter 6) for references.

Value

A named vector with the edf values.

References

Wood, Simon N., Natalya Pya, and Benjamin Saefken (2016). "Smoothing Parameter and Model Selection for General Smooth Models." *Journal of the American Statistical Association* 111, <doi:10.1080/01621459.2016.1111111>

Wood, Simon N. (2017). *Generalized Additive Models: An Introduction with R*. Second edition. Chapman & Hall/CRC Texts in Statistical Science.

Examples

```
data("mcycle", package = "MASS")
fit <- LmME(accel ~ s(times), data = mcycle)
edf_smooth(fit)
```

LehmannME

Mixed-effects version of [Lehmann](#)

Description

Mixed-effects version of [Lehmann](#)

Usage

```
LehmannME(  
  formula,  
  data,  
  subset,  
  weights,  
  offset,  
  na.action = na.omit,  
  silent = TRUE,  
  resid = FALSE,  
  do_update = FALSE,  
  estinit = TRUE,  
  initpar = NULL,  
  fixed = NULL,  
  nofit = FALSE,  
  control = optim_control(),  
  ...  
)
```

Arguments

formula	an object of class "formula": a symbolic description of the model structure to be fitted. The details of model specification are given under tram and in the package vignette.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in <code>data</code> , the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of weights to be used in the fitting process. Should be <code>NULL</code> or a numeric vector. If present, the weighted log-likelihood is maximised.
offset	this can be used to specify an <code>_a priori_</code> known component to be included in the linear predictor during fitting. This should be <code>NULL</code> or a numeric vector of length equal to the number of cases.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
silent	Logical. Make TMB functionality silent.
resid	Logical. If <code>TRUE</code> , the score residuals are also calculated. This comes with some performance cost.
do_update	Logical. If <code>TRUE</code> , the model is set up so that the weights and the offsets are updateable. This comes with some performance cost.
estinit	logical, estimate a vector of initial values for the fixed effects parameters from a (fixed effects only) mlt model
initpar	named list of initial parameter values, if <code>NULL</code> , it is ignored
fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
nofit	logical, if <code>TRUE</code> , creates the model object, but does not run the optimization
control	list with controls for optimization
...	additional arguments to tram .

Value

A `LehmannME` object.

LmME

Mixed-effects version of [Lm](#)

Description

Mixed-effects version of [Lm](#)

Usage

```
LmME(
  formula,
  data,
  subset,
  weights,
  offset,
  na.action = na.omit,
  silent = TRUE,
  resid = FALSE,
  do_update = FALSE,
  estinit = TRUE,
  initpar = NULL,
  fixed = NULL,
  nofit = FALSE,
  control = optim_control(),
  ...
)
```

Arguments

formula	an object of class "formula": a symbolic description of the model structure to be fitted. The details of model specification are given under tram and in the package vignette.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector. If present, the weighted log-likelihood is maximised.
offset	this can be used to specify an <code>_a priori_</code> known component to be included in the linear predictor during fitting. This should be NULL or a numeric vector of length equal to the number of cases.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
silent	Logical. Make TMB functionality silent.
resid	Logical. If TRUE, the score residuals are also calculated. This comes with some performance cost.
do_update	Logical. If TRUE, the model is set up so that the weights and the offsets are updateable. This comes with some performance cost.
estinit	logical, estimate a vector of initial values for the fixed effects parameters from a (fixed effects only) mlt model
initpar	named list of initial parameter values, if NULL, it is ignored

fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
nofit	logical, if TRUE, creates the model object, but does not run the optimization
control	list with controls for optimization
...	additional arguments to <code>tram</code> .

Value

A LmME object.

logLik.tramME	<i>Get the log-likelihood of the tramME model</i>
---------------	---

Description

Evaluates the log-likelihood function. New parameter values and data can optionally be supplied. In the latter case, the function returns the out-of-sample log-likelihood.

Usage

```
## S3 method for class 'tramME'
logLik(
  object,
  param = NULL,
  newdata = NULL,
  type = c("integrated", "fix_smooth", "penalized"),
  ...
)
```

Arguments

object	A tramME object.
param	An optional named list of parameter values (beta and theta). See details. Optionally, gamma elements can also be added, which leads to 'fixing' those random effects terms at the supplied values.
newdata	An optional data.frame to calculate the out-of-sample log-likelihood.
type	The type of the likelihood to be calculated: <ul style="list-style-type: none"> integrated (default when newdata = NULL): The marginal log-likelihood, calculated by integrating out the random effects. fix_smooth (default when newdata is supplied): Treating the penalized parameters of the smooth terms as fixed at their posterior mode predictions and only integrating out the 'true' random effects. (Consistent with the functionality of <code>ranef.tramME</code> and <code>residuals.tramME</code> when <code>fix_smooth = TRUE</code>.)

- **penalized**: Treat all parameters as fixed, return the penalized log-likelihood (conditional log-likelihood + penalty for smooth terms and random effects). This is equivalent to fixing all random effect values.

See details.

... Optional argument (for consistency with generic).

Details

By default, `param` is set to the estimated (or previously set) parameters. If the parameter vectors in the model are incomplete (contain NA elements), the returned log-likelihood will also be NA, unless the user provides new values.

Setting `type = "fix_smooth"` fixes the random effects terms that correspond to penalized smooths at their estimated values, so that they are not refitted when `newdata` is supplied. This is consistent with treating these parameter regularized fixed terms, i.e. as 'new-style' random effects described by Hodges (2014, Chapter 13).

The `"fix_smooth"` and `"penalized"` options for `type` are just for convenience. The same functionality can be achieved by setting `param$gamma` to the desired values. `"penalized"` respects the values of `param$gamma` if both are supplied, while `"fix_smooth"` overwrites them with the fitted values if there are ambiguities.

Value

A numeric value of the log-likelihood.

Type of the log-likelihood

By default, `logLik` calculates the `_integrated_` (or marginal) log-likelihood by integrating over the random effects. By fixing the random effects, the value of the log-likelihood changes, because TMB won't integrate over these random effects. This will result in the `_penalized_` log-likelihood (conditional log-likelihood + penalty for smooth terms and random effects, see example).

By setting `type = "penalized"`, the function will 'fix' all random effects and penalized parameters of the smooth terms at their predicted levels, and calculate the penalized log-likelihood. In this sense, setting `type = "fix_smooth"` will result in a hybrid log-likelihood value, where the 'true' random effects (c.f. Hodges 2014, Ch. 13) are integrated out, while it includes the penalty values for the penalized parameters of the smooths terms.

In general, it is not clear which type of log-likelihood we should calculate when we want to evaluate models based on their out-of-sample log-likelihood values. The context and the model setup are key in these cases. Please make sure you know what you want to calculate to avoid misunderstandings.

References

Hodges, James S. (2014). *Richly Parameterized Linear Models: Additive, Time Series, and Spatial Models Using Random Effects*. Chapman & Hall/CRC Texts in Statistical Science Series.

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
logLik(fit)
```

```
data("mcycle", package = "MASS")
fit <- LmME(accel ~ s(times), data = mcycle)
logLik(fit) < logLik(fit, type = "penalized")
```

model.frame.tramME *Extract model frame from a tramME model*

Description

Extract model frame from a tramME model

Usage

```
## S3 method for class 'tramME'
model.frame(
  formula,
  data = NULL,
  group_as_factor = FALSE,
  ignore_response = FALSE,
  ...
)
```

Arguments

formula	A tramME object.
data	a data.frame, list or environment (or object coercible by as.data.frame to a data.frame), containing the variables in formula. Neither a matrix nor an array will be accepted.
group_as_factor	Logical; If TRUE, automatically convert the grouping variables of the random effects to factors. (not used, might not be needed) ## FIXME
ignore_response	Logical; If TRUE, the response is not added to the result. In this case the function won't look for it in data.
...	Optional arguments, passed to model.frame .

Details

In `mlt`, the basis functions expect the response variables in the data to be evaluated, i.e. instead of `x` and `y` columns we should have a ``Surv(x, y)`` column when the response is a `Surv` object. `model.frame.tramME` builds the model frame accordingly, assigning to the resulting object the class `tramME_data` to indicate this structure to other functions that use its results. If the input data is a `tramME_data` is also expects this structure.

Value

A `tramME_data` object, which is also a `data.frame`.

Examples

```
data("sleepstudy", package = "lme4")
mod <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy, nofit = TRUE)
model.frame(mod)
```

`model.matrix.tramME` *Model matrices for tramME models*

Description

Model matrix for fixed effects, random effects, and baseline transformations (with interacting terms if present).

Usage

```
## S3 method for class 'tramME'
model.matrix(
  object,
  data = model.frame(object),
  type = c("Y", "X", "Zt"),
  drop_unused_groups = FALSE,
  keep_sign = TRUE,
  simplify = FALSE,
  ...
)
```

Arguments

<code>object</code>	A <code>tramME</code> object.
<code>data</code>	A <code>data.frame</code> containing the variable values.
<code>type</code>	"X": Fixed effects model matrix. "Zt": Random effects model matrix (transposed). "Y": Model matrices for the baseline transformations.
<code>drop_unused_groups</code>	Logical; remove unused levels of the random effects. (see <code>drop_unused_levels</code> argument of <code>mkReTrms</code>)

keep_sign	Logical; the terms will have the same sign as in the tramME model if TRUE.
simplify	Logical; Remove empty Y matrices.
...	Optional arguments.

Details

Creates model matrices for fixed effects (type = "X") and random effects (type = "Zt") and baseline transformation (type = "Y"), by evaluating the respective basis functions given a new dataset.

The response values may be exact, censored (left, right, interval) and truncated (left, right, interval), and the function returns several, potentially empty, model matrices:

- Ye: Exact observations.
- Yeprime: The model matrix corresponding to the first derivative of the baseline transformation, evaluated at exact observations.
- Yl: Left-censored observations.
- Yr: Right-censored observations.
- Yil and Yir: Interval-censored observations evaluated at the left and right bounds of the interval.
- Ytl: Left-truncated observations.
- Ytr: Right-truncated observations.
- Ytil and Ytir: Interval-truncated observations evaluated at the left and right bounds of the interval.

for the baseline transformations (unless simplify = TRUE).

Value

List of requested model matrices.

Note

The model matrix of the random effects is a sparse matrix and it is transposed to be directly used with `Matrix::crossprod` which is faster than transposing and multiplying ("Zt" instead of "Z").

Examples

```
library("survival")
rats$litter <- factor(rats$litter)
m <- CoxphME(Surv(time, status) ~ rx + (1 | litter), data = rats,
             log_first = TRUE, nofit = TRUE)
mm <- model.matrix(m)
nd <- model.frame(m)[rep(1, 100), ]
nd[[1]] <- seq(1, 120, length.out = 100)
mm2 <- model.matrix(m, data = nd, simplify = TRUE)
mm3 <- model.matrix(m, data = nd, simplify = TRUE, drop_unused_groups = TRUE)
## compare mm2$Zt & mm3$Zt
```

optim_control	<i>Set up and control optimization parameters</i>
---------------	---

Description

Set up and control optimization parameters

Usage

```
optim_control(
  method = c("nlsminb", "BFGS", "CG", "L-BFGS-B"),
  scale = TRUE,
  trace = FALSE,
  ntry = 5,
  ...
)
```

Arguments

method	Optimization procedure.
scale	Logical; if TRUE rescale the fixed effects design matrix to improve convergence.
trace	Logical; print trace of the optimization.
ntry	Number of restarts with new random initialization if optimization fails to converge.
...	Optional arguments passed to auglag , nlsminb or optim as a list of control parameters.

plot.smooth.tramME	<i>Plot smooth terms of a tramME model.</i>
--------------------	---

Description

Plot smooth terms of a tramME model.

Usage

```
## S3 method for class 'smooth.tramME'
plot(
  x,
  which = seq_along(x),
  col = 1,
  fill = grey(0.5, 0.25),
  add = FALSE,
  ...
)
```

Arguments

x	A smooth.tramME object.
which	Select terms to be printed by their indices
col	Line color for the point estimates.
fill	Fill color for the confidence intervals.
add	Add the plot to an existing figure.
...	Optional parameters passed to the plotting functions.

Examples

```
data("mcycle", package = "MASS")
fit <- LmME(accel ~ s(times), data = mcycle)
plot(smooth_terms(fit, as.lm = TRUE))
```

plot.tramME

Plotting method for tramME objects

Description

Plot the conditional distribution evaluated at a grid of possible response values and a set of covariate and random effects values on a specified scale.

Usage

```
## S3 method for class 'tramME'
plot(
  x,
  newdata = model.frame(x),
  ranef = NULL,
  fix_smooth = TRUE,
  type = c("trafo", "distribution", "survivor", "density", "logdensity", "hazard",
    "loghazard", "cumhazard", "odds", "logodds", "quantile"),
  ...
)
```

Arguments

x	A tramME object.
newdata	an optional data frame of observations
ranef	Random effects (either in named list format or a numeric vector) or the word "zero". See Details.
fix_smooth	If FALSE, the random effects coefficients of the smooth terms are refitted to newdata. It's probably not what you want to do.
type	The scale on which the predictions are evaluated:

- `trafo`: The prediction evaluated on the scale of the transformation function.
- `distribution`: The prediction evaluated on the scale of the conditional CDF.
- `survivor`: The prediction evaluated on the scale of the (conditional) survivor function.
- `density`, `logdensity`: The prediction evaluated on the scale of the conditional (log-)PDF.
- `hazard`, `loghazard`, `cumhazard`: The prediction evaluated on the hazard/log-hazard/cumulative hazard scale.
- `odds`, `logodds`: The prediction evaluated on the (log-)odds scale.
- `quantile`: Return the quantiles of the conditional outcome distribution corresponding to `newdata`. For more information, see `Details`.

... Additional arguments, passed to `plot.mlt`.

Details

When `ranef` is equal to "zero", a vector of zeros with the right size is substituted. For more details, see `predict.tramME`.

For more information on how to control the grid on which the functions are evaluated, see the documentation of `predict.mlt`.

Value

A numeric matrix of the predicted values invisibly.

Examples

```
data("sleepstudy", package = "lme4")
fit <- BoxCoxME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
plot(fit, K = 100, type = "density")
```

PolrME

Mixed-effects version of Polr

Description

Mixed-effects version of `Polr`

Usage

```
PolrME(
  formula,
  data,
  subset,
  weights,
  offset,
  na.action = na.omit,
```

```

method = c("logistic", "probit", "loglog", "cloglog"),
silent = TRUE,
resid = FALSE,
do_update = FALSE,
estinit = TRUE,
initpar = NULL,
fixed = NULL,
nofit = FALSE,
control = optim_control(),
...
)

```

Arguments

formula	an object of class "formula": a symbolic description of the model structure to be fitted. The details of model specification are given under tram and in the package vignette.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector. If present, the weighted log-likelihood is maximised.
offset	this can be used to specify an <code>_a priori_</code> known component to be included in the linear predictor during fitting. This should be NULL or a numeric vector of length equal to the number of cases.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
method	a character describing the link function.
silent	Logical. Make TMB functionality silent.
resid	Logical. If TRUE, the score residuals are also calculated. This comes with some performance cost.
do_update	Logical. If TRUE, the model is set up so that the weights and the offsets are updateable. This comes with some performance cost.
estinit	logical, estimate a vector of initial values for the fixed effects parameters from a (fixed effects only) <code>mlt</code> model
initpar	named list of initial parameter values, if NULL, it is ignored
fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
nofit	logical, if TRUE, creates the model object, but does not run the optimization
control	list with controls for optimization
...	additional arguments to tram .

Value

A PolrME object.

predict.tramME	<i>Predict method for tramME objects</i>
----------------	--

Description

Evaluates the `_conditional_` distribution implied by a tramME model, given by a set of covariates and random effects on a selected scale.

Usage

```
## S3 method for class 'tramME'
predict(
  object,
  newdata = model.frame(object),
  ranef = NULL,
  fix_smooth = TRUE,
  type = c("lp", "trafo", "distribution", "survivor", "density", "logdensity",
    "hazard", "loghazard", "cumhazard", "odds", "logodds", "quantile"),
  ...
)
```

Arguments

<code>object</code>	A tramME object.
<code>newdata</code>	an optional data frame of observations
<code>ranef</code>	Random effects it can be a <code>ranef.tramME</code> object, a named list, an unnamed list, NULL or the word "zero". See Details.
<code>fix_smooth</code>	If FALSE, the random effects coefficients of the smooth terms are refitted to <code>newdata</code> . It's probably not what you want to do.
<code>type</code>	The scale on which the predictions are evaluated: <ul style="list-style-type: none"> • <code>lp</code>: Linear predictor ($Xb + Zg$). For more information, see Details. • <code>trafo</code>: The prediction evaluated on the scale of the transformation function. • <code>distribution</code>: The prediction evaluated on the scale of the conditional CDF. • <code>survivor</code>: The prediction evaluated on the scale of the (conditional) survivor function. • <code>density</code>, <code>logdensity</code>: The prediction evaluated on the scale of the conditional (log-)PDF. • <code>hazard</code>, <code>loghazard</code>, <code>cumhazard</code>: The prediction evaluated on the hazard/log-hazard/cumulative hazard scale. • <code>odds</code>, <code>logodds</code>: The prediction evaluated on the (log-)odds scale. • <code>quantile</code>: Return the quantiles of the conditional outcome distribution corresponding to <code>newdata</code>. For more information, see Details.
<code>...</code>	Additional arguments, passed to <code>predict.mlt</code> .

Details

When `newdata` contains values of the response variable, prediction is only done for those values. In this case, if random effects vector (`ranef`) is not supplied by the user, the function predicts the random effects from the model using `newdata`.

When no response values are supplied in `newdata`, the prediction is done on a grid of values for each line of the dataset (see [predict.mlt](#) for information on how to control the setup of this grid). In this case, the user has to specify the vector of random effects to avoid ambiguities.

The linear predictor (`type = "lp"`) equals to the shift terms plus the random effects terms `_without` the baseline transformation function `_`.

The linear predictor (`type = "lp"`) and the conditional quantile function (`type = "quantile"`) are special in that they do not return results evaluated on a grid, even when the response variable in `newdata` is missing. The probabilities for the evaluation of the quantile function can be supplied with the `prob` argument of [predict.mlt](#).

In the case of `type = "quantile"`, when the some of the requested conditional quantiles fall outside of the support of the response distribution (specified when the model was set up), the inversion of the CDF cannot be done exactly and `tramME` returns censored values.

`ranef` can be different objects based on what we want to calculate and what the other inputs are. If `ranef` is a `ranef.tramME`, we assume that it contains the full set of random effects, but not the penalized coefficients of the smooth terms. In this case `fix_smooth` must be `TRUE`. If `ranef` is a named vector, we are fixing the supplied random effects (and penalized coefficients) and predict the rest from `newdata` (`fix_smooth` may also be used in this case). In this case, the random effects are identified with the same naming convention as in `object$param$gamma`.

If `ranef` is an unnamed vector, the function expects the full set of necessary random effects (with or without penalized coefficients, depending on `fix_smooth`). If `ranef = NULL` (the default), all random effects and optionally penalized parameters (although this is not recommended) are predicted from `newdata`. Finally, if `ranef` is equal to "zero", a vector of zeros with the right size is used.

Value

A numeric vector/matrix of the predicted values (depending on the inputs) or a response object, when the some of the requested conditional quantiles fall outside of the support of the response distribution specified when the model was set up (only can occur with `type = "quantile"`).

Examples

```
data("sleepstudy", package = "lme4")
fit <- BoxCoxME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
predict(fit, type = "trafo") ## evaluate on the transformation function scale
nd <- sleepstudy
nd$Reaction <- NULL
pr <- predict(fit, newdata = nd, ranef = ranef(fit), type = "distribution",
              K = 100)
```

predict.tramTMB *Post-estimation calculations in a tramTMB model*

Description

Post-estimation calculations in a tramTMB model

Usage

```
## S3 method for class 'tramTMB'
predict(
  object,
  newdata,
  parameters = .get_par(object, full = TRUE),
  scale = c("lp", "trafo"),
  cov = FALSE,
  as.lm = FALSE,
  ...
)
```

Arguments

object	A tramTMB object
newdata	A named list with elements Y, X and Z (not all necessary)
parameters	A named list of parameter values
scale	The scale on which the post-estimation calculations are done
cov	Logical; If TRUE, calculate the full covariance matrix of the calculated values
as.lm	Logical; reparameterize as a LMM
...	Optional arguments (ignored).

print.anova.tramME *Printing anova.tramME table*

Description

Printing anova.tramME table

Usage

```
## S3 method for class 'anova.tramME'
print(
  x,
  digits = max(getOption("digits") - 2L, 3L),
  signif.stars = getOption("show.signif.stars"),
  ...
)
```

Arguments

<code>x</code>	A <code>anova.tramME</code> object.
<code>digits</code>	minimum number of significant digits to be used for most numbers.
<code>signif.stars</code>	logical; if TRUE, P-values are additionally encoded visually as ‘significance stars’ in order to help scanning of long coefficient tables. It defaults to the <code>show.signif.stars</code> slot of options .
<code>...</code>	Optional arguments passed to printCoefmat

Value

Invisibly returns the `anova.tramME` object.

`print.summary.tramME` *Print method for tramME model summary*

Description

Print method for tramME model summary

Usage

```
## S3 method for class 'summary.tramME'
print(
  x,
  fancy = !isTRUE(getOption("knitr.in.progress")) && interactive(),
  digits = max(getOption("digits") - 2L, 3L),
  signif.stars = getOption("show.signif.stars"),
  ...
)
```

Arguments

<code>x</code>	A <code>summary.tramME</code> object.
<code>fancy</code>	Logical, if TRUE, use color in outputs.
<code>digits</code>	minimum number of significant digits to be used for most numbers.
<code>signif.stars</code>	logical; if TRUE, P-values are additionally encoded visually as ‘significance stars’ in order to help scanning of long coefficient tables. It defaults to the <code>show.signif.stars</code> slot of options .
<code>...</code>	Optional arguments passed to printCoefmat

Value

The input `summary.tramME` object, invisibly.

```
print.tramME      Print tramME model
```

Description

Print tramME model

Usage

```
## S3 method for class 'tramME'
print(x, digits = max(getOption("digits") - 2L, 3L), ...)
```

Arguments

x	A tramME object.
digits	Number of significant digits
...	Optional arguments (for consistency with the generic)

Value

The original tramME object invisibly

```
print.VarCorr.tramME  Print method for the variance-correlation parameters of a tramME object
```

Description

Print method for the variance-correlation parameters of a tramME object

Usage

```
## S3 method for class 'VarCorr.tramME'
print(x, sd = TRUE, digits = max(getOption("digits") - 2L, 3L), ...)
```

Arguments

x	A VarCorr.tramME object.
sd	Logical. Print standard deviations instead of variances.
digits	Number of digits
...	optional arguments

Value

Invisibly returns the input VarCorr.tramME object.

ranef.LmME	<i>Extract the conditional modes of random effects of an LmME model</i>
------------	---

Description

The condVar option is not implemented for ranef.LmME. Setting raw=TRUE will return the raw random effects estimates from the transformation model parametrization.

Usage

```
## S3 method for class 'LmME'
ranef(object, as.lm = FALSE, ...)
```

Arguments

object	A fitted LmME object.
as.lm	If TRUE, return the transformed conditional modes as in a normal linear mixed effects model.
...	Optional parameters passed to ranef.tramME.

Value

A numeric vector or a ranef.tramME object depending on the inputs.

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
ranef(fit, raw = TRUE) ## transformation model parametrization!
ranef(fit, as.lm = TRUE)
```

ranef.tramME	<i>Point estimates and conditional variances of random effects.</i>
--------------	---

Description

Extract the conditional modes and conditional variances of random effects in a formatted or unformatted way.

Usage

```
## S3 method for class 'tramME'
ranef(
  object,
  param = NULL,
  newdata = NULL,
  fix_smooth = !is.null(newdata),
  condVar = FALSE,
  raw = FALSE,
  ...
)
```

Arguments

object	A tramME object.
param	An optional named list of parameter values (beta and theta). See details. Optionally, gamma elements can also be added, which leads to 'fixing' those random effects terms at the supplied values.
newdata	An optional data.frame of new observations for which the new random effects values are predicted.
fix_smooth	Logical; it is set to TRUE by default, if newdata is supplied. The random effects parameters corresponding the smooth terms are fixed and not fitted (posterior mode) to newdata instead they are treated just like fixed effects parameters. See details.
condVar	If TRUE, include the conditional variances as attributes. Only works with raw = FALSE.
raw	Return the unformatted RE estimates as fitted by the model.
...	Optional arguments (for consistency with generic)

Details

raw = TRUE returns the whole vector of random effects (i.e. with parameters of smooth shift terms), while raw = FALSE only returns the formatted list of actual random effects (i.e. for grouped observations) values. For the conceptual differences between the two types of random effects, see Hodges (2014, Chapter 13).

The conditional variances of the fixed random effects are set to NA.

Value

Depending on the value of raw, either a numeric vector or a ranef.tramME object which contains the conditional mode and variance estimates by grouping factors.

Warning

The function has several optional arguments that allow great flexibility beyond its most basic usage. The user should be careful with setting these, because some combinations might not return sensible results. Only limited sanity checks are performed.

References

Hodges, James S. (2014). Richly Parameterized Linear Models: Additive, Time Series, and Spatial Models Using Random Effects. Chapman & Hall/CRC Texts in Statistical Science Series.

Examples

```
data("sleepstudy", package = "lme4")
fit <- BoxCoxME(Reaction ~ Days + (Days | Subject), data = sleepstudy, order = 5)
ranef(fit, raw = TRUE)
ranef(fit)
```

residuals.LmME

Residuals of a LmME model

Description

Calculates the score residuals of an intercept term fixed at 0. In the case of an LmME model, this is equal to the residual of an LMM.

Usage

```
## S3 method for class 'LmME'
residuals(object, as.lm = FALSE, ...)
```

Arguments

object	An LmME object.
as.lm	If TRUE, return the residuals as in a normal linear mixed effects model.
...	Optional arguments (for consistency with generic)

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
resid(fit)
```

residuals.tramME	<i>Residuals of a tramME model</i>
------------------	------------------------------------

Description

Calculates the score residuals of an intercept term fixed at 0.

Usage

```
## S3 method for class 'tramME'
residuals(
  object,
  param = NULL,
  newdata = NULL,
  fix_smooth = !is.null(newdata),
  ...
)
```

Arguments

object	A tramME object.
param	An optional named list of parameter values (beta and theta). See details. Optionally, gamma elements can also be added, which leads to 'fixing' those random effects terms at the supplied values.
newdata	An optional data.frame of observations for which we want to calculate the residuals.
fix_smooth	Logical; it is set to TRUE by default, if newdata is supplied. The random effects parameters corresponding the smooth terms are fixed and not fitted (posterior mode) to newdata instead they are treated just like fixed effects parameters. See details.
...	Optional arguments (for consistency with generic)

Examples

```
library("survival")
fit <- SurvregME(Surv(time, status) ~ rx + (1 | litter), data = rats)
resid(fit)
```

sigma.LmME	<i>Extract the SD of the error term of an LmME model.</i>
------------	---

Description

Extract the SD of the error term of an LmME model.

Usage

```
## S3 method for class 'LmME'  
sigma(object, ...)
```

Arguments

object	An LmME object.
...	Optional argument (for consistency with generic).

Value

A numeric value of the transformed sigma parameter.

Examples

```
data("sleepstudy", package = "lme4")  
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)  
sigma(fit)
```

smooth_terms.LmME	<i>Evaluate smooth terms of a LmME model.</i>
-------------------	---

Description

Evaluate smooth terms of a LmME model.

Usage

```
## S3 method for class 'LmME'  
smooth_terms(object, as.lm = FALSE, k = 100, newdata = NULL, ...)
```

Arguments

object	A tramME object.
as.lm	Logical; if TRUE return the rescaled values according to a LMM parametrization.
k	Integer, the number of points to be used to evaluate the smooth terms. Ignored when newdata is supplied.
newdata	A data.frame with new values for the smooth terms. If NULL, the new data is set up based on the model.frame and k. Smooths for which the supplied information in this input is incomplete will be ignored.
...	Optional arguments. as.lm is passed through this when it is necessary.

Value

A list of results from evaluating the smooth terms of the model.

Examples

```
data("mcycle", package = "MASS")
fit <- LmME(accel ~ s(times), data = mcycle)
plot(smooth_terms(fit, as.lm = TRUE))
```

smooth_terms.tramME *Extract and evaluate the smooth terms of a tramME model*

Description

Extract and evaluate the smooth terms of a tramME model

Usage

```
## S3 method for class 'tramME'
smooth_terms(object, k = 100, newdata = NULL, ...)
```

Arguments

object	A tramME object.
k	Integer, the number of points to be used to evaluate the smooth terms. Ignored when newdata is supplied.
newdata	A data.frame with new values for the smooth terms. If NULL, the new data is set up based on the model.frame and k. Smooths for which the supplied information in this input is incomplete will be ignored.
...	Optional arguments. as.lm is passed through this when it is necessary.

Value

A list of results from evaluating the smooth terms of the model.

Examples

```
data("mcycle", package = "MASS")
fit <- LmME(accel ~ s(times), data = mcycle)
plot(smooth_terms(fit))
```

summary.tramME	<i>Summary method for tramME model</i>
----------------	--

Description

Summary method for tramME model

Usage

```
## S3 method for class 'tramME'
summary(object, ...)
```

Arguments

object	A tramME object
...	Optional arguments (for consistency with the generic)

Value

A summary.tramME object.

SurvregME	<i>Mixed-effects version of Survreg</i>
-----------	---

Description

Mixed-effects version of [Survreg](#)

Usage

```
SurvregME(
  formula,
  data,
  subset,
  weights,
  offset,
  na.action = na.omit,
  dist = c("weibull", "logistic", "gaussian", "exponential", "rayleigh", "loggaussian",
    "lognormal", "loglogistic"),
  scale = 0,
```

```

  silent = TRUE,
  resid = FALSE,
  do_update = FALSE,
  estinit = TRUE,
  initpar = NULL,
  fixed = NULL,
  nofit = FALSE,
  control = optim_control(),
  ...
)

```

Arguments

formula	an object of class "formula": a symbolic description of the model structure to be fitted. The details of model specification are given under tram and in the package vignette.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector. If present, the weighted log-likelihood is maximised.
offset	this can be used to specify an <code>_a priori_</code> known component to be included in the linear predictor during fitting. This should be NULL or a numeric vector of length equal to the number of cases.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of options, and is <code>na.fail</code> if that is unset.
dist	character defining the conditional distribution of the (not necessarily positive) response, current choices include Weibull, logistic, normal, exponential, Rayleigh, log-normal (same as log-gaussian), or log-logistic.
scale	a fixed value for the scale parameter(s).
silent	logical, make TMB functionality silent
resid	logical, Should the score residuals also be calculated?
do_update	Logical. If TRUE, the model is set up so that the weights and the offsets are updateable. This comes with some performance cost.
estinit	logical, estimate a vector of initial values for the fixed effects parameters from a (fixed effects only) mlt model
initpar	named list of initial parameter values, if NULL, it is ignored
fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
nofit	logical, if TRUE, creates the model object, but does not run the optimization
control	list with controls for optimization
...	additional arguments to tram .

Value

A SurvregME object.

tramME

General function to define and fit tramME models

Description

The specific model types ([LmME](#), [BoxCoxME](#), [Co1rME](#), etc.) are wrappers around this function.

Usage

```
tramME(
  formula,
  tram,
  call,
  data,
  subset,
  weights,
  offset,
  na.action,
  silent = TRUE,
  resid = FALSE,
  do_update = FALSE,
  estinit = TRUE,
  initpar = NULL,
  fixed = NULL,
  nofit = FALSE,
  control = optim_control(),
  ...
)
```

Arguments

formula	an object of class "formula": a symbolic description of the model structure to be fitted. The details of model specification are given under tram and in the package vignette.
tram	Parameter vector for the tram model type.
call	The original function call (to be passed from the wrapper).
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> .
subset	an optional vector specifying a subset of observations to be used in the fitting process.

weights	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector. If present, the weighted log-likelihood is maximised.
offset	this can be used to specify an <i>a priori</i> known component to be included in the linear predictor during fitting. This should be NULL or a numeric vector of length equal to the number of cases.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
silent	Logical. Make TMB functionality silent.
resid	Logical. If TRUE, the score residuals are also calculated. This comes with some performance cost.
do_update	Logical. If TRUE, the model is set up so that the weights and the offsets are updateable. This comes with some performance cost.
estinit	logical, estimate a vector of initial values for the fixed effects parameters from a (fixed effects only) mlt model
initpar	named list of initial parameter values, if NULL, it is ignored
fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
nofit	logical, if TRUE, creates the model object, but does not run the optimization
control	list with controls for optimization
...	additional arguments to <code>tram</code> .

Warning

You should not call directly this function. Only exported for technical reasons.

tramME_model	<i>Create an object that defines a tramME_model</i>
--------------	---

Description

There are two ways of defining tramME models:

1. A `ctm` model and a formula defining the random effects and smooth terms.
2. A formula combining the notation of **tram**, **lme4** and **mgcv**, a tram function name, and a dataset to set up the bases.

Usage

```
tramME_model(
  formula = NULL,
  data = NULL,
  tram = NULL,
  ctm = NULL,
  smooth = NULL,
  negative = NULL,
  ...
)
```

Arguments

formula	formula that either describes the whole model or the random effects specification. If the model contains random effects or smooth terms formula has to contain their definition in lme4 -style and mgcv -style notation, respectively.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> .
tram	tram model name: Lm, BoxCox, Colr, Polr, Coxph, Survreg, Lehmann, Aareg, or the suffixed versions of these (e.g. ColrME). Ignored when a <code>ctm</code> model is also supplied.
ctm	A <code>ctm</code> model
smooth	Optional pre-defined smooth specification of the class <code>tramME_smooth</code> . If present, the smooth terms in the formula are ignored.
negative	an optional parameter that defines whether the random effects have a positive or a negative sign in the model when the fixed effect part is defined through a <code>ctm</code>
...	optional arguments passed to tram when the model is defined by the formula

Value

A `tramME_model` object that defines the mixed effects transformation model.

Note

Similarly to **mlt**, the offsets and the weights are not part of the model, but they are data and they are not saved in the returned object.

tramTMB	<i>Create a tramTMB object</i>
---------	--------------------------------

Description

Create a `tramTMB` object

Usage

```
tramTMB(
  data,
  parameters,
  constraint,
  negative,
  map = list(),
  resid = FALSE,
  do_update = FALSE,
  check_const = TRUE,
  no_int = FALSE,
  ...
)
```

Arguments

data	List of data objects (vectors, matrices, arrays, factors, sparse matrices) required by the user template (order does not matter and un-used components are allowed).
parameters	List of all parameter objects required by the user template (both random and fixed effects).
constraint	list describing the constraints on the parameters
negative	logical, whether the model is parameterized with negative values
map	same as map argument of TMB::MakeADFun
resid	logical, indicating whether the score residuals are calculated from the resulting object
do_update	logical, indicating whether the model should be set up with updateable offsets and weights
check_const	Logical; if TRUE check the parameter constraints before evaluating the returned functions.
no_int	Logical; if FALSE skip the numerical integration step.
...	optional parameters passed to TMB::MakeADFun

Value

A tramTMB object.

Note

The post-estimation parameters are supplied as a part of data

VarCorr.LmME	<i>Variances and correlation matrices of random effects of an LmME object</i>
--------------	---

Description

The returned parameters are the transformed versions of the original parameters that correspond to the normal linear mixed model parametrization.

Usage

```
## S3 method for class 'LmME'
VarCorr(x, sigma = 1, as.lm = FALSE, ...)
```

Arguments

x	An LmME object.
sigma	Standard deviation of the error term in the LMM parametrization (should not be set manually, only for consistency with the generic method)
as.lm	If TRUE, return the variances and correlations that correspond to a normal linear mixed model (i.e. lmerMod).
...	Optional arguments (for consistency with generic)

Details

The function only returns the correlation matrices that belong to actual random effects (defined for groups in the data) and ignores the random effects parameters of the smooth shift terms. To extract these, the user should use `varcov` with `full = TRUE`.

Value

A list of vectors with variances and correlation matrices corresponding to the various grouping variables.

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
VarCorr(fit) ## transformation model parametrization
VarCorr(fit, as.lm = TRUE) ## LMM parametrization
```

VarCorr.tramME	<i>Variances and correlation matrices of random effects</i>
----------------	---

Description

This function calculates the variances and correlations from `varcov.tramME`.

Usage

```
## S3 method for class 'tramME'
VarCorr(x, ...)
```

Arguments

x	A tramME object
...	optional arguments (for consistency with the generic method)

Details

The function only returns the correlation matrices that belong to actual random effects (defined for groups in the data) and ignores the random effects parameters of the smooth shift terms. To extract these, the user should use `varcov` with `full = TRUE`.

Value

A list of vectors with variances and correlation matrices corresponding to the various grouping variables.

Examples

```
data("sleepstudy", package = "lme4")
fit <- BoxCoxME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
VarCorr(fit)
```

varcov	<i>Generic method for varcov</i>
--------	----------------------------------

Description

Generic method for varcov

Usage

```
varcov(object, ...)
```

Arguments

object	A model object.
...	Optional inputs.

Value

A variance-covariance matrix.

varcov.LmME	<i>Extract the variance-covariance matrix of the random effects of an LmME model</i>
-------------	--

Description

Extract the variance-covariance matrix of the random effects of an LmME model

Usage

```
## S3 method for class 'LmME'
varcov(object, as.lm = FALSE, as.theta = FALSE, full = FALSE, ...)
```

Arguments

object	A LmME object.
as.lm	If TRUE, the returned values correspond to the LMM parametrization.
as.theta	Logical value, if TRUE, the values are returned in their reparameterized form.
full	Logical value; if TRUE, return all random effects elements, if FALSE, do not return the random effects parameters of the smooth terms.
...	Optional arguments (unused).

Value

A list of the covariance matrices or a vector of theta values.

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
varcov(fit, as.lm = TRUE)
varcov(fit, as.theta = TRUE, as.lm = TRUE)
```

varcov.tramME

Extract the variance-covariance matrix of the random effects

Description

Returns the covariance matrix of the random effects as saved in the tramME object. The returned values correspond to the transformation model parametrization.

Usage

```
## S3 method for class 'tramME'
varcov(object, as.theta = FALSE, full = FALSE, ...)
```

Arguments

object	A tramME object.
as.theta	Logical value, if TRUE, the values are returned in their reparameterized form.
full	Logical value; if TRUE, return all random effects elements, if FALSE, do not return the random effects parameters of the smooth terms.
...	Optional arguments (unused).

Value

A list of the covariance matrices or a vector of theta values.

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
varcov(fit)
varcov(fit, as.theta = TRUE)
```

varcov<- *Generic method for "varcov<-"*

Description

Generic method for "varcov<-"

Usage

```
varcov(object, ...) <- value
```

Arguments

object	A model object.
...	Optional inputs.
value	The new value of the covariance matrix.

Value

An object with the same class as object, with updated variance-covariance matrix of random effects.

varcov<-.tramME *Set the values of the random effects covariance matrices of a tramME model.*

Description

Sets the list containing the covariance matrices of a tramME model. The matrices have to be positive definite. Just as in "coef<-", when the function is called on a fitted object, the function will remove the information about the optimization.

Usage

```
## S3 replacement method for class 'tramME'
varcov(object, as.theta = FALSE, ...) <- value
```

Arguments

object	A tramME object.
as.theta	Logical value, if TRUE, indicating that the new values are supplied in their reparameterized form.
...	Optional arguments (ignored).
value	A list of positive definite covariance matrices.

Details

The supplied list has to be named with the same names as implied by the model. Hence, it might be a good idea to call `varcov` first, and modify this list to make sure that the input has the right structure.

The new values can also be supplied in a form that corresponds to the reparametrization used by the `tramTMB` model (see the option `as.theta = TRUE`).

All random effects variance parameters must be supplied. When there are penalized smooth terms in the model variance parameters corresponding to these should also be part of the input list.

Value

A new `tramME` object with the new coefficient values.

Examples

```
data("sleepstudy", package = "lme4")
mod <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy, nofit = TRUE)
vc <- varcov(mod)
vc[[1]] <- matrix(c(1, 0, 0, 2), ncol = 2)
varcov(mod) <- vc
```

`variable.names.tramME` *Return variable names.*

Description

Returns the variable names corresponding to different variable groups in a `tramME` model.

Usage

```
## S3 method for class 'tramME'
variable.names(
  object,
  which = c("all", "response", "grouping", "shifting", "interacting", "smooth",
            "ranef"),
  ...
)
```


Arguments

object	a tramME object (fitted or unfitted)
which	<ol style="list-style-type: none"> 1. all: all variables, 2. response: response variable, 3. grouping: grouping factors for random effects, 4. shifting: shifting variables, 5. interacting: interacting variables, 6. smooth: variables in smooth terms, 7. ranef: all random effects variables (covariates with random slopes and grouping factors).
...	optional parameters

Details

The returned names are the names as they are used by tramME. For example, when the response is a Surv object, `variable.names` returns the name of that object, and not the names of the variables used to create it.

Value

A vector of variable names.

Examples

```
data("sleepstudy", package = "lme4")
mod <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy, nofit = TRUE)
variable.names(mod)
variable.names(mod, "response")
```

vcov.LmME

Get the variance-covariance matrix of the parameters of an LmME model

Description

Get the variance-covariance matrix of the parameters of an LmME model

Usage

```
## S3 method for class 'LmME'
vcov(
  object,
  as.lm = FALSE,
  parm = NULL,
  pargroup = c("all", "fixef", "ranef"),
  ...
)
```

Arguments

object	A fitted LmME object.
as.lm	If TRUE, return the covariance matrix of the same parametrization as used by lmer .
parm	Names of the parameters to extract.
pargroup	The name of the parameter group to extract. With as.lm = FALSE, the available options are described in <code>confint.tramME</code> . When as.lm = TRUE, the following options are available: <ul style="list-style-type: none"> • all: Fixed effects and variance components parameters. • fixef: Fixed effects parameters (including FE parameters of the smooth terms). • ranef: Variance components parameters (including the smoothing parameters of the random effects).
...	Optional parameters passed to <code>confint.tramME</code>

Value

A numeric covariance matrix.

Examples

```
data("sleepstudy", package = "lme4")
fit <- LmME(Reaction ~ Days + (Days | Subject), data = sleepstudy)
vcov(fit) ## transformation model parametrization
vcov(fit, as.lm = TRUE) ## LMM parametrization
vcov(fit, as.lm = TRUE, pargroup = "fixef") ## cov of fixed effects
```

vcov.tramME

Calculate the variance-covariance matrix of the parameters

Description

Extracts the covariance matrix of the selected parameters. The returned values are on the same scale as the estimated parameter values, i.e. the standard deviations of the random effect terms are on log scale.

Usage

```
## S3 method for class 'tramME'
vcov(
  object,
  parm = NULL,
  pargroup = c("all", "fixef", "shift", "baseline", "ranef", "smooth"),
  pmatch = FALSE,
  ...
)
```

Arguments

object	A fitted tramME object.
parm	The indices or names of the parameters of interest. See in details.
pargroup	The name of the parameter group to return: <ul style="list-style-type: none"> • all: All parameters. • fixef: Fixed effects parameters. • shift: Shift parameters. • baseline: Parameters of the baseline transformation function. • ranef: Variance components parameters. • smooth: Parameters that belong to the smooth shift terms (both FE and smoothing parameters).
pmatch	Logical. If TRUE, partial name matching is allowed.
...	Optional arguments passed to <code>vcov.tramTMB</code>

Details

The argument `parm` defines the indices or the names of the parameters of interest within the selected `pargroup`. When `pmatch = TRUE`, partial matching of parameter names is allowed.

Value

A numeric covariance matrix.

Examples

```
data("sleepstudy", package = "lme4")
fit <- BoxCoxME(Reaction ~ Days + (Days | Subject), data = sleepstudy, order = 10)
vcov(fit)
vcov(fit, pargroup = "ranef")
vcov(fit, pargroup = "baseline")
vcov(fit, parm = "Reaction") ## same as previous
```

vcov.tramTMB

Variance-covariance matrix of the parameters

Description

Variance-covariance matrix of the parameters

Usage

```
## S3 method for class 'tramTMB'  
vcov(  
  object,  
  par = object$env$par_checked,  
  method = c("optimHess", "numDeriv", "analytical"),  
  control = list(),  
  ...  
)
```

Arguments

object	A tramTMB object.
par	An optional vector of parameter values.
method	Method for calculating the covariance matrix.
control	Optional named list of controls to be passed to the specific methods.
...	Optional arguments (ignored)

Index

anova.tramME, 3
as.data.frame, 20
auglag, 23

BoxCox, 4
BoxCoxME, 4, 40

coef.LmME, 5
coef.SurvregME, 6
coef.tramME, 6
coef<- .tramME, 7
Colr, 8
ColrME, 8, 40
confint.LmME, 9
confint.tramME, 10
Coxph, 12
CoxphME, 12

duplicate, 13
duplicate.tramTMB, 14

edf_smooth(edf_smooth.tramME), 14
edf_smooth.tramME, 14

Lehmann, 15
LehmannME, 15
Lm, 16
lmer, 50
LmME, 16, 40
logLik.tramME, 18

mkReTrms, 21
mlt, 21
model.frame, 20
model.frame.tramME, 20
model.matrix.tramME, 21

nlminb, 23

optim, 23
optim_control, 23

options, 30

plot.mlt, 25
plot.smooth.tramME, 23
plot.tramME, 24
Polr, 25
PolrME, 25
predict.mlt, 25, 27, 28
predict.tramME, 25, 27
predict.tramTMB, 29
print.anova.tramME, 29
print.summary.tramME, 30
print.tramME, 31
print.VarCorr.tramME, 31
printCoefmat, 30

ranef(ranef.tramME), 32
ranef.LmME, 32
ranef.tramME, 18, 32
residuals.LmME, 34
residuals.tramME, 18, 35

sigma.LmME, 36
smooth_terms(smooth_terms.tramME), 37
smooth_terms.LmME, 36
smooth_terms.tramME, 37
summary.tramME, 38
Surv, 21
Survreg, 38
SurvregME, 38

tram, 4, 5, 8, 9, 12, 13, 16–18, 26, 39–41
tramME, 40
tramME_model, 41
tramTMB, 42

VarCorr(VarCorr.tramME), 44
VarCorr.LmME, 43
VarCorr.tramME, 44
varcov, 45
varcov.LmME, 45

`varcov.tramME`, 46
`varcov<-`, 47
`varcov<-.tramME`, 47
`variable.names.tramME`, 48
`vcov.LmME`, 49
`vcov.tramME`, 50
`vcov.tramTMB`, 51