

Package ‘uGMAR’

October 12, 2022

Title Estimate Univariate Gaussian and Student's t Mixture
Autoregressive Models

Version 3.4.3

Description Maximum likelihood estimation of univariate Gaussian Mixture Autoregressive (GMAR), Student's t Mixture Autoregressive (StMAR), and Gaussian and Student's t Mixture Autoregressive (G-StMAR) models, quantile residual tests, graphical diagnostics, forecast and simulate from GMAR, StMAR and G-StMAR processes.

Leena Kalliovirta, Mika Meitz, Pentti Saikkonen (2015) <[doi:10.1111/jtsa.12108](https://doi.org/10.1111/jtsa.12108)>,

Mika Meitz, Daniel Preve, Pentti Saikkonen (2021) <[doi:10.1080/03610926.2021.1916531](https://doi.org/10.1080/03610926.2021.1916531)>,

Savi Virolainen (2021) <[doi:10.1515/snde-2020-0060](https://doi.org/10.1515/snde-2020-0060)>.

Depends R (>= 3.4.0)

BugReports <https://github.com/saviviro/uGMAR/issues>

License GPL-3

Encoding UTF-8

LazyData true

Imports Brodningnag (>= 1.2-4), parallel, pbapply (>= 1.3-2), stats
(>= 3.3.2), gsl (>= 1.9-10.3)

Suggests testthat, knitr, rmarkdown

RoxygenNote 7.2.0

VignetteBuilder knitr

NeedsCompilation no

Author Savi Virolainen [aut, cre]

Maintainer Savi Virolainen <savi.virolainen@helsinki.fi>

Repository CRAN

Date/Publication 2022-06-07 08:10:02 UTC

R topics documented:

add_data	3
alt_gsmar	4
calc_gradient	6
condmomentPlot	8
condMoments	9
cond_moments	11
cond_moment_plot	14
diagnosticPlot	15
diagnostic_plot	17
fitGSMAR	19
GAfit	23
get_ar_roots	27
get_regime_autocovs	28
get_regime_means	29
get_regime_vars	30
GSMAR	31
isStationary	35
is_stationary	37
iterate_more	39
loglikelihood	41
LR_test	43
M10Y1Y	45
mixingWeights	45
mixing_weights	47
pick_pars	50
plot.gsmarpred	51
plot.qrtest	52
predict.gsmar	54
print.gsmarpred	57
print.gsmarsum	57
profile_logliks	58
quantileResidualPlot	59
quantileResiduals	60
quantileResidualTests	62
quantile_residuals	64
quantile_residual_plot	67
randomIndividual	68
random_ind	71
reform_parameters	74
simudata	76
simulate.gsmar	76
simulateGSMAR	78
stmarpars_to_gstmar	80
stmar_to_gstmar	82
swap_parametrization	84
T10Y1Y	85

add_data 3

TBFF	86
uGMAR	86
uncond_moments	87
Wald_test	88

Index 90

add_data *Add data to object of class 'gsmar' defining a GMAR, StMAR, or G-StMAR model*

Description

add_data adds or updates data to object of class 'gsmar' that defines a GMAR, StMAR, or G-StMAR model. Also calculates empirical mixing weights, conditional moments, and quantile residuals accordingly.

Usage

```
add_data(  
  data,  
  gsmar,  
  calc_qresiduals = TRUE,  
  calc_cond_moments = TRUE,  
  calc_std_errors = FALSE,  
  custom_h = NULL  
)
```

Arguments

data a numeric vector or class 'ts' object containing the data. NA values are not supported.

gsmar a class 'gsmar' object, typically generated by *fitGSMAR* or *GSMAR*.

calc_qresiduals should quantile residuals be calculated? Default is TRUE iff the model contains data.

calc_cond_moments should conditional means and variances be calculated? Default is TRUE iff the model contains data.

calc_std_errors should approximate standard errors be calculated?

custom_h A numeric vector with same the length as the parameter vector: *i*:th element of *custom_h* is the difference used in central difference approximation for partial differentials of the log-likelihood function for the *i*:th parameter. If NULL (default), then the difference used for differentiating overly large degrees of freedom parameters is adjusted to avoid numerical problems, and the difference is 6e-6 for the other parameters.

Value

Returns an object of class 'gsmar' defining the GMAR, StMAR, or G-StMAR model with the data added to the model. If the object already contained data, the data will be updated. Does not modify the 'gsmar' object given as argument!

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [GSMAR](#), [iterate_more](#), [get_gradient](#), [get_regime_means](#), [swap_parametrization](#), [stmar_to_gstmar](#)

Examples

```
# G-StMAR model without data
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
               0.2, -0.15, 0.04, 0.19, 9.75)
gstmar42 <- GSMAR(p=4, M=c(1, 1), params=params42gs, model="G-StMAR")
gstmar42

# Add data to the model
gstmar42 <- add_data(data=M10Y1Y, gsmar=gstmar42)
gstmar42
```

alt_gsmar

Construct a GSMAR model based on results from an arbitrary estimation round of fitGSMAR

Description

alt_gsmar constructs a GSMAR model based on results from an arbitrary estimation round of fitGSMAR.

Usage

```
alt_gsmar(
  gsmar,
  which_round = 1,
  which_largest,
  calc_qresiduals = TRUE,
```

```

    calc_cond_moments = TRUE,
    calc_std_errors = TRUE,
    custom_h = NULL
  )

```

Arguments

gsmar a class 'gsmar' object, typically generated by `fitGSMAR` or `GSMAR`.

which_round based on which estimation round should the model be constructed? An integer value in 1,...,ncalls.

which_largest based on estimation round with which largest log-likelihood should the model be constructed? An integer value in 1,...,ncalls. For example, `which_largest=2` would take the second largest log-likelihood and construct the model based on the corresponding estimates. If specified, then `which_round` is ignored.

calc_qresiduals should quantile residuals be calculated? Default is TRUE iff the model contains data.

calc_cond_moments should conditional means and variances be calculated? Default is TRUE iff the model contains data.

calc_std_errors should approximate standard errors be calculated?

custom_h A numeric vector with same the length as the parameter vector: `i`:th element of `custom_h` is the difference used in central difference approximation for partial differentials of the log-likelihood function for the `i`:th parameter. If NULL (default), then the difference used for differentiating overly large degrees of freedom parameters is adjusted to avoid numerical problems, and the difference is $6e-6$ for the other parameters.

Details

It's sometimes useful to examine other estimates than the one with the highest log-likelihood value. This function is just a simple wrapper to `GSMAR` that picks the correct estimates from an object returned by `fitGSMAR`.

In addition to the S3 methods listed under the topic "Methods (by generic)", the `predict` and `simulate` methods are also available for the class 'gsmar' objects (see `?predict.gsmar` and `?simulate.gsmar`).

Value

Returns an object of class 'gsmar' defining the specified GMAR, StMAR, or G-StMAR model. If data is supplied, the returned object contains (by default) empirical mixing weights, some conditional and unconditional moments, and quantile residuals. Note that the first `p` observations are taken as the initial values so the mixing weights, conditional moments, and quantile residuals start from the `p+1`:th observation (interpreted as `t=1`).

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [GSMAR](#), [iterate_more](#), [get_gradient](#), [get_regime_means](#), [swap_parametrization](#), [stmar_to_gstmar](#)

Examples

```
# These are long running examples that take approximately ...
fit42t <- fitGSMAR(data=M10Y1Y, p=4, M=2, model="StMAR", ncalls=2,
                  seeds=c(1, 6))
fit42t # Bad estimate in the boundary of the stationarity region!

# So we build a model based on the next-best local maximum point:
fit42t_alt <- alt_gsmar(fit42t, which_largest=2)
fit42t_alt # Overly large degrees of freedom parameter estimate

# Switch to the appropriate G-StMAR model:
fit42gs <- stmar_to_gstmar(fit42t_alt)
fit42gs
```

calc_gradient

Calculate gradient or Hessian matrix

Description

calc_gradient or calc_hessian calculates the gradient or Hessian matrix of the given function at the given point using central difference numerical approximation. get_gradient (and get_foc) or get_hessian calculates the gradient or Hessian matrix of the log-likelihood function at the parameter values of a class 'gsmar' object. get_soc returns eigenvalues of the Hessian matrix.

Usage

```
calc_gradient(x, fn, h = 6e-06, varying_h = NULL, ...)
```

```
calc_hessian(x, fn, h = 6e-06, varying_h = NULL, ...)
```

```
get_gradient(gsmar, custom_h = NULL)
```

```
get_foc(gsmar, custom_h = NULL)
```

```
get_hessian(gsmar, custom_h = NULL)
```

```
get_soc(gsmar, custom_h = NULL)
```

Arguments

x	a numeric vector specifying the point at which the gradient or Hessian should be evaluated.
fn	a function that takes in the argument x as the first argument.
h	the difference used to approximate the derivatives.
varying_h	a numeric vector with the same length as x specifying the difference h for each dimension separately. If NULL (default), then the difference given as parameter h will be used for all dimensions.
...	other arguments passed to fn.
gsmar	a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.
custom_h	same as varying_h but if NULL (default), then the difference h used for differentiating overly large degrees of freedom parameters is adjusted to avoid numerical problems, and the difference is 6e-6 for the other parameters.

Details

In particular, the functions `get_foc` and `get_soc` can be used to check whether the found estimates denote a (local) maximum point, a saddle point, or something else.

Value

The gradient functions return numerical approximation of the gradient, and the Hessian functions return numerical approximation of the Hessian. `get_soc` returns eigenvalues of the Hessian matrix, `get_foc` is the same as `get_gradient` but named conveniently.

Warning

No argument checks!

See Also

[profile_logliks](#)

Examples

```
# Simple function
foo <- function(x) x^2 + x
calc_gradient(x=1, fn=foo)
calc_gradient(x=-0.5, fn=foo)
calc_hessian(x=2, fn=foo)
```

```
# More complicated function
foo <- function(x, a, b) a*x[1]^2 - b*x[2]^2
calc_gradient(x=c(1, 2), fn=foo, a=0.3, b=0.1)
calc_hessian(x=c(1, 2), fn=foo, a=0.3, b=0.1)

# GMAR model
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
gmar12 <- GSMAR(data=simudata, p=1, M=2, params=params12, model="GMAR")
get_gradient(gmar12)
get_foc(gmar12)
get_hessian(gmar12)
get_soc(gmar12)
```

condmomentPlot	<i>DEPRECATED, USE cond_moment_plot INSTEAD! Conditional mean or variance plot for GMAR, StMAR, and G-StMAR models</i>
----------------	--

Description

condmomentPlot plots the one-step in-sample conditional means/variances of the model along with the time series contained in the model (e.g. the time series the model was fitted to). Also plots the regimewise conditional means/variances multiplied with the mixing weights. DEPRECATED, USE cond_moment_plot INSTEAD!

Usage

```
condmomentPlot(gsmar, which_moment = c("mean", "variance"))
```

Arguments

`gsmar` a class 'gsmar' object, typically generated by `fitGSMAR` or `GSMAR`.
`which_moment` should conditional means or variances be plotted?

Details

DEPRECATED, USE cond_moment_plot INSTEAD!

Value

cond_moment_plot only plots to a graphical device and does not return anything. Numerical values of the conditional means/variances can be extracted from the model with the dollar sign.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[profile_logliks](#), [diagnostic_plot](#), [fitGSMAR](#), [GSMAR](#), [quantile_residual_tests](#), [quantileResidualPlot](#)

condMoments	<i>DEPRECATED, USE cond_moments INSTEAD! Calculate conditional moments of GMAR, StMAR, or G-StMAR model</i>
-------------	---

Description

condMoments calculates the regime specific conditional means and variances and total conditional means and variances of the specified GMAR, StMAR or G-StMAR model. DEPRECATED, USE cond_moments INSTEAD!

Usage

```
condMoments(
  data,
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  parametrization = c("intercept", "mean"),
  to_return = c("regime_cmeans", "regime_cvars", "total_cmeans", "total_cvars")
)
```

Arguments

data	a numeric vector or class 'ts' object containing the data. NA values are not supported.
p	a positive integer specifying the autoregressive order of the model.

M	<p>For GMAR and StMAR models: a positive integer specifying the number of mixture components.</p> <p>For G-StMAR models: a size (2×1) integer vector specifying the number of <i>GMAR type</i> components $M1$ in the first element and <i>StMAR type</i> components $M2$ in the second element. The total number of mixture components is $M=M1+M2$.</p>
params	<p>a real valued parameter vector specifying the model.</p> <p>For non-restricted models: Size $(M(p+3)+M-M1-1 \times 1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where</p> <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes. <p>In the GMAR model, $M1 = M$ and the parameter ν dropped. In the StMAR model, $M1 = 0$.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).</p> <p>For restricted models: Size $(3M+M-M1+p-1 \times 1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).</p> <p>Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>. Note that in the case M=1, the mixing weight parameters α are dropped, and in the case of StMAR or G-StMAR model, the degrees of freedom parameters ν have to be larger than 2.</p>
model	<p>is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>.</p>
restricted	<p>a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.</p>
constraints	<p>specifies linear constraints imposed to each regime's autoregressive parameters separately.</p> <p>For non-restricted models: a list of size $(p \times q_m)$ constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.</p> <p>For restricted models: a size $(p \times q)$ constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.</p> <p>The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.</p>

parametrization	is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0}/(1 - \sum \phi_{i,m})$?
to_return	calculate regimewise conditional means (regime_cmeans), regimewise conditional variances (regime_cvars), total conditional means (total_cmeans), or total conditional variances (total_cvars)?

Value

Note that the first p observations are taken as the initial values so the conditional moments start from the $p+1$:th observation (interpreted as $t=1$).

if to_return=="regime_cmeans": a size $((n_obs-p) \times M)$ matrix containing the regime specific conditional means.

if to_return=="regime_cvars": a size $((n_obs-p) \times M)$ matrix containing the regime specific conditional variances.

if to_return=="total_cmeans": a size $((n_obs-p) \times 1)$ vector containing the total conditional means.

if to_return=="total_cvars": a size $((n_obs-p) \times 1)$ vector containing the total conditional variances.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

cond_moments

Calculate conditional moments of GMAR, StMAR, or G-StMAR model

Description

cond_moments calculates the regime specific conditional means and variances and total conditional means and variances of the specified GMAR, StMAR or G-StMAR model.

Usage

```
cond_moments(
  data,
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  parametrization = c("intercept", "mean"),
  to_return = c("regime_cmeans", "regime_cvars", "total_cmeans", "total_cvars")
)
```

Arguments

data a numeric vector or class 'ts' object containing the data. NA values are not supported.

p a positive integer specifying the autoregressive order of the model.

M **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.
For G-StMAR models: a size (2x1) integer vector specifying the number of *GMAR type* components $M1$ in the first element and *StMAR type* components $M2$ in the second element. The total number of mixture components is $M=M1+M2$.

params a real valued parameter vector specifying the model.
For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where

- $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$
- $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$
- $\nu = (\nu_{M1+1}, \dots, \nu_M)$
- $M1$ is the number of GMAR type regimes.

In the **GMAR** model, $M1 = M$ and the parameter ν dropped. In the **StMAR** model, $M1 = 0$.
If the model imposes **linear constraints** on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).
For restricted models: Size $(3M+M-M1+p-1x1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.
If the model imposes **linear constraints** on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).
Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first $M1$ components are *GMAR type* and the rest

M2 components are *StMAR type*. Note that in the case **M=1**, the mixing weight parameters α are dropped, and in the case of **StMAR** or **G-StMAR** model, the degrees of freedom parameters ν have to be larger than 2.

model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	specifies linear constraints imposed to each regime's autoregressive parameters separately. For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$. For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$. The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.
parametrization	is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$?
to_return	calculate regimewise conditional means (regime_cmeans), regimewise conditional variances (regime_cvars), total conditional means (total_cmeans), or total conditional variances (total_cvars)?

Value

Note that the first p observations are taken as the initial values so the conditional moments start from the p+1:th observation (interpreted as t=1).

- if to_return=="regime_cmeans":** a size $((n_obs-p) \times M)$ matrix containing the regime specific conditional means.
- if to_return=="regime_cvars":** a size $((n_obs-p) \times M)$ matrix containing the regime specific conditional variances.
- if to_return=="total_cmeans":** a size $((n_obs-p) \times 1)$ vector containing the total conditional means.
- if to_return=="total_cvars":** a size $((n_obs-p) \times 1)$ vector containing the total conditional variances.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.

- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

Other moment functions: `get_regime_autocovs()`, `get_regime_means()`, `get_regime_vars()`, `uncond_moments()`

Examples

```
# GMAR model, regimewise conditional means and variances
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
cond_moments(simudata, p=1, M=2, params=params12, model="GMAR",
             to_return="regime_cmeans")
cond_moments(simudata, p=1, M=2, params=params12, model="GMAR",
             to_return="regime_cvars")

# G-StMAR-model, total conditional means and variances
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
              0.2, -0.15, 0.04, 0.19, 9.75)
cond_moments(M10Y1Y, p=4, M=c(1, 1), params=params42gs, model="G-StMAR",
             to_return="total_cmeans")
cond_moments(M10Y1Y, p=4, M=c(1, 1), params=params42gs, model="G-StMAR",
             to_return="total_cvars")
```

cond_moment_plot	<i>Conditional mean or variance plot for GMAR, StMAR, and G-StMAR models</i>
------------------	--

Description

`cond_moment_plot` plots the one-step in-sample conditional means/variances of the model along with the time series contained in the model (e.g. the time series the model was fitted to). Also plots the regimewise conditional means/variances multiplied with the mixing weights.

Usage

```
cond_moment_plot(gsmar, which_moment = c("mean", "variance"))
```

Arguments

`gsmar` a class 'gsmar' object, typically generated by `fitGSMAR` or `GSMAR`.
`which_moment` should conditional means or variances be plotted?

Details

The conditional mean plot works best if the data contains positive values only.

Value

cond_moment_plot only plots to a graphical device and does not return anything. Numerical values of the conditional means/variances can be extracted from the model with the dollar sign.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[profile_logliks](#), [diagnostic_plot](#), [fitGSMAR](#), [GSMAR](#), [quantile_residual_tests](#), [quantile_residual_plot](#)

Examples

```
# GMAR model
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
gmar12 <- GSMAR(data=simudata, p=1, M=2, params=params12, model="GMAR")
cond_moment_plot(gmar12, which_moment="mean")
cond_moment_plot(gmar12, which_moment="variance")

# G-StMAR model
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
               0.2, -0.15, 0.04, 0.19, 9.75)
gstmar42 <- GSMAR(data=M10Y1Y, p=4, M=c(1, 1), params=params42gs,
                  model="G-StMAR")
cond_moment_plot(gstmar42, which_moment="mean")
cond_moment_plot(gstmar42, which_moment="variance")
```

diagnosticPlot

DEPRECATED, USE diagnostic_plot INSTEAD! Quantile residual based diagnostic plots for GMAR, StMAR, and G-StMAR models

Description

diagnosticPlot plots quantile residual time series, normal QQ-plot, autocorrelation function, and squared quantile residual autocorrelation function. There is an option to also plot the individual statistics associated with the quantile residual tests (for autocorrelation and conditional heteroskedasticity) divided by their approximate standard errors with their approximate 95% critical bounds (see Kalliovirta 2012, Section 3). DEPRECATED, USE diagnostic_plot INSTEAD!

Usage

```
diagnosticPlot(gsmar, nlags = 20, nsimu = 1, plot_indstats = FALSE)
```

Arguments

gsmar	a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.
nlags	a positive integer specifying how many lags should be calculated for the autocorrelation and conditional heteroscedasticity statistics.
nsimu	a positive integer specifying to how many simulated values from the process the covariance matrix "Omega" (used to compute the tests) should be based on. Larger number of simulations may result more reliable tests but takes longer to compute. If smaller than data size, then "Omega" will be based on the given data. Ignored if plot_indstats==FALSE.
plot_indstats	set TRUE if the individual statistics discussed in Kalliovirta (2012) should be plotted with their approximate 95% critical bounds (this may take some time).

Details

DEPRECATED, USE diagnostic_plot INSTEAD!

Sometimes the individual statistics are not plotted because it was not (numerically) possible to calculate all the required statistics. This may suggest that the model is misspecified.

The dashed lines plotted with autocorrelation functions (for quantile residuals and their squares) are plus-minus $1.96 * T^{-1/2}$ where T is the sample size (minus the p initial values for conditional models).

Value

diagnostic_plot only plots to a graphical device and does not return anything. Use the function quantile_residual_tests in order to obtain the individual statistics.

Suggested packages

Install the suggested package "gsl" for faster evaluations in the cases of StMAR and G-StMAR models. For large StMAR and G-StMAR models with large data the calculations to obtain the individual statistics may take a significantly long time without the package "gsl".

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[profile_logliks](#), [get_foc](#), [fitGSMAR](#), [cond_moment_plot](#), [quantile_residual_tests](#), [quantile_residual_plot](#), [simulate.gsmar](#), [LR_test](#), [Wald_test](#)

diagnostic_plot	<i>Quantile residual based diagnostic plots for GMAR, StMAR, and G-StMAR models</i>
-----------------	---

Description

diagnostic_plot plots quantile residual time series, normal QQ-plot, autocorrelation function, and squared quantile residual autocorrelation function. There is an option to also plot the individual statistics associated with the quantile residual tests (for autocorrelation and conditional heteroskedasticity) divided by their approximate standard errors with their approximate 95% critical bounds (see Kalliovirta 2012, Section 3).

Usage

```
diagnostic_plot(gsmar, nlags = 20, nsimu = 1, plot_indstats = FALSE)
```

Arguments

gsmar	a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.
nlags	a positive integer specifying how many lags should be calculated for the autocorrelation and conditional heteroscedasticity statistics.
nsimu	a positive integer specifying to how many simulated values from the process the covariance matrix "Omega" (used to compute the tests) should be based on. Larger number of simulations may result more reliable tests but takes longer to compute. If smaller than data size, then "Omega" will be based on the given data. Ignored if plot_indstats==FALSE.
plot_indstats	set TRUE if the individual statistics discussed in Kalliovirta (2012) should be plotted with their approximate 95% critical bounds (this may take some time).

Details

Sometimes the individual statistics are not plotted because it was not (numerically) possible to calculate all the required statistics. This may suggest that the model is misspecified.

The dashed lines plotted with autocorrelation functions (for quantile residuals and their squares) are plus-minus $1.96 * T^{-1/2}$ where T is the sample size (minus the p initial values for conditional models).

Value

diagnostic_plot only plots to a graphical device and does not return anything. Use the function quantile_residual_tests in order to obtain the individual statistics.

Suggested packages

Install the suggested package "gsl" for faster evaluations in the cases of StMAR and G-StMAR models. For large StMAR and G-StMAR models with large data the calculations to obtain the individual statistics may take a significantly long time without the package "gsl".

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/sn-de-2020-0060

See Also

[profile_logliks](#), [get_foc](#), [fitGSMAR](#), [cond_moment_plot](#), [quantile_residual_tests](#), [quantile_residual_plot](#), [simulate_gsmar](#), [LR_test](#), [Wald_test](#)

Examples

```
## The below examples take approximately 30 seconds to run.

# G-StMAR model with one GMAR type and one StMAR type regime
fit42gs <- fitGSMAR(M10Y1Y, p=4, M=c(1, 1), model="G-StMAR",
                  ncalls=1, seeds=4)
diagnostic_plot(fit42gs)

# Restricted StMAR model: plot also the individual statistics with
# their approximate critical bounds using the given data (and not
# simulation procedure)
fit42tr <- fitGSMAR(M10Y1Y, p=4, M=2, model="StMAR", restricted=TRUE,
                  ncalls=1, seeds=1)
diagnostic_plot(fit42tr, nlags=10, nsimu=1, plot_indstats=TRUE)

# GMAR model, plot 30 lags.
fit12 <- fitGSMAR(data=simudata, p=1, M=2, model="GMAR", ncalls=1, seeds=1)
diagnostic_plot(fit12, nlags=30)
```

fitGSMAR

*Estimate Gaussian or Student's t Mixture Autoregressive model***Description**

fitGSMAR estimates GMAR, StMAR, or G-StMAR model in two phases. In the first phase, a genetic algorithm is employed to find starting values for a gradient based method. In the second phase, the gradient based variable metric algorithm is utilized to accurately converge to a local maximum or a saddle point near each starting value. Parallel computing is used to conduct multiple rounds of estimations in parallel.

Usage

```
fitGSMAR(
  data,
  p,
  M,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  conditional = TRUE,
  parametrization = c("intercept", "mean"),
  ncalls = round(10 + 9 * log(sum(M))),
  ncores = 2,
  maxit = 300,
  seeds = NULL,
  print_res = TRUE,
  ...
)
```

Arguments

data	a numeric vector or class 'ts' object containing the data. NA values are not supported.
p	a positive integer specifying the autoregressive order of the model.
M	For GMAR and StMAR models: a positive integer specifying the number of mixture components. For G-StMAR models: a size (2x1) integer vector specifying the number of <i>GMAR type</i> components M1 in the first element and <i>StMAR type</i> components M2 in the second element. The total number of mixture components is $M=M1+M2$.
model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.

constraints	<p>specifies linear constraints imposed to each regime's autoregressive parameters separately.</p> <p>For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.</p> <p>For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.</p> <p>The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.</p>
conditional	a logical argument specifying whether the conditional or exact log-likelihood function should be used.
parametrization	is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$?
ncalls	a positive integer specifying how many rounds of estimation should be conducted. The estimation results may vary from round to round because of multimodality of the log-likelihood function and the randomness associated with the genetic algorithm.
ncores	the number of CPU cores to be used in the estimation process.
maxit	the maximum number of iterations for the variable metric algorithm.
seeds	a length <code>ncalls</code> vector containing the random number generator seed for each call to the genetic algorithm, or NULL for not initializing the seed. Exists for the purpose of creating reproducible results.
print_res	should the estimation results be printed?
...	additional settings passed to the function <code>GAFit</code> employing the genetic algorithm.

Details

Because of complexity and multimodality of the log-likelihood function, it's **not guaranteed** that the estimation algorithm will end up in the global maximum point. It's often expected that most of the estimation rounds will end up in some local maximum point instead, and therefore a number of estimation rounds is required for reliable results. Because of the nature of the models, the estimation may fail particularly in the cases where the number of mixture components is chosen too large. Note that the genetic algorithm is designed to avoid solutions with mixing weights of some regimes too close to zero at almost all times ("redundant regimes") but the settings can, however, be adjusted (see `?GAFit`).

If the iteration limit for the variable metric algorithm (`maxit`) is reached, one can continue the estimation by iterating more with the function `iterate_more`.

The core of the genetic algorithm is mostly based on the description by *Dorsey and Mayer (1995)*. It utilizes a slightly modified version the individually adaptive crossover and mutation rates described by *Patnaik and Srinivas (1994)* and employs (50%) fitness inheritance discussed by *Smith, Dike and Stegmann (1995)*. Large (in absolute value) but stationary AR parameter values are generated with the algorithm proposed by Monahan (1984).

The variable metric algorithm (or quasi-Newton method, Nash (1990, algorithm 21)) used in the second phase is implemented with function `optim` from the package `stats`.

Additional Notes about the estimates:

Sometimes the found MLE is very close to the boundary of the stationarity region some regime, the related variance parameter is very small, and the associated mixing weights are "spiky". This kind of estimates often maximize the log-likelihood function for a technical reason that induces by the endogenously determined mixing weights. In such cases, it might be more appropriate to consider the next-best local maximum point of the log-likelihood function that is well inside the parameter space. Models based local-only maximum points can be built with the function `alt_gsmar` by adjusting the argument `which_largest` accordingly.

Some mixture components of the StMAR model may sometimes get very large estimates for the degrees of freedom parameters. Such parameters are weakly identified and induce various numerical problems. However, mixture components with large degree of freedom parameters are similar to the mixture components of the GMAR model. It's hence advisable to further estimate a G-StMAR model by allowing the mixture components with large degrees of freedom parameter estimates to be GMAR type with the function `stmar_to_gstmar`.

Value

Returns an object of class `'gsmar'` defining the estimated GMAR, StMAR or G-StMAR model. The returned object contains estimated mixing weights, some conditional and unconditional moments, and quantile residuals. Note that the first `p` observations are taken as the initial values, so the mixing weights, conditional moments, and quantile residuals start from the `p+1`:th observation (interpreted as `t=1`). In addition, the returned object contains the estimates and log-likelihoods from all of the estimation rounds. See `?GSMAR` for the form of the parameter vector, if needed.

S3 methods

The following S3 methods are supported for class `'gsmar'` objects: `print`, `summary`, `plot`, `predict`, `simulate`, `logLik`, `residuals`.

References

- Dorsey R. E. and Mayer W. J. 1995. Genetic algorithms for estimation problems with multiple optima, nondifferentiability, and other irregular features. *Journal of Business & Economic Statistics*, **13**, 53-66.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Monahan J.F. 1984. A Note on Enforcing Stationarity in Autoregressive-Moving Average Models. *Biometrika* **71**, 403-404.
- Nash J. 1990. Compact Numerical Methods for Computers. Linear algebra and Function Minimization. *Adam Hilger*.
- Patnaik L.M. and Srinivas M. 1994. Adaptive Probabilities of Crossover and Mutation in Genetic Algorithms. *Transactions on Systems, Man and Cybernetics* **24**, 656-667.

- Smith R.E., Dike B.A., Stegmann S.A. 1995. Fitness inheritance in genetic algorithms. *Proceedings of the 1995 ACM Symposium on Applied Computing*, 345-350.
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[GSMAR](#), [iterate_more](#), [stmar_to_gstmar](#), [add_data](#), [profile_logliks](#), [swap_parametrization](#), [get_gradient](#), [simulate.gsmar](#), [predict.gsmar](#), [diagnostic_plot](#), [quantile_residual_tests](#), [cond_moments](#), [uncond_moments](#), [LR_test](#), [Wald_test](#)

Examples

```
## These are long running examples that use parallel computing.
## The below examples take approximately 90 seconds to run.

## Note that the number of estimation rounds (ncalls) is relatively small
## in the below examples to reduce the time required for running the examples.
## For reliable results, a large number of estimation
## rounds is recommended!

# GMAR model
fit12 <- fitGSMAR(data=simudata, p=1, M=2, model="GMAR", ncalls=4, seeds=1:4)
summary(fit12)
plot(fit12)
profile_logliks(fit12)
diagnostic_plot(fit12)

# StMAR model (boundary estimate + large degrees of freedom)
fit42t <- fitGSMAR(data=M10Y1Y, p=4, M=2, model="StMAR", ncalls=2, seeds=c(1, 6))
summary(fit42t, digits=4) # Four almost-unit roots in the 2nd regime!
plot(fit42t) # Spiking mixing weights!
fit42t_alt <- alt_gsmar(fit42t, which_largest=2) # The second largest local max
summary(fit42t_alt) # Overly large 2nd regime degrees of freedom estimate!
fit42gs <- stmar_to_gstmar(fit42t_alt) # Switch to G-StMAR model
summary(fit42gs) # Finally, an appropriate model!
plot(fit42gs)

# Restricted StMAR model
fit42r <- fitGSMAR(M10Y1Y, p=4, M=2, model="StMAR", restricted=TRUE,
                  ncalls=2, seeds=1:2)
fit42r

# G-StMAR model with one GMAR type and one StMAR type regime
fit42gs <- fitGSMAR(M10Y1Y, p=4, M=c(1, 1), model="G-StMAR",
                  ncalls=1, seeds=4)
fit42gs

# The following three examples demonstrate how to apply linear constraints
# to the autoregressive (AR) parameters.
```

```

# Two-regime GMAR p=2 model with the second AR coefficient of
# of the second regime constrained to zero.
C22 <- list(diag(1, ncol=2, nrow=2), as.matrix(c(1, 0)))
fit22c <- fitGSMAR(M10Y1Y, p=2, M=2, constraints=C22, ncalls=1, seeds=6)
fit22c

# StMAR(3, 1) model with the second order AR coefficient constrained to zero.
C31 <- list(matrix(c(1, 0, 0, 0, 0, 1), ncol=2))
fit31tc <- fitGSMAR(M10Y1Y, p=3, M=1, model="StMAR", constraints=C31,
                  ncalls=1, seeds=1)
fit31tc

# Such StMAR(3, 2) model that the AR coefficients are restricted to be
# the same for both regimes and the second AR coefficients are
# constrained to zero.
fit32rc <- fitGSMAR(M10Y1Y, p=3, M=2, model="StMAR", restricted=TRUE,
                  constraints=matrix(c(1, 0, 0, 0, 0, 1), ncol=2),
                  ncalls=1, seeds=1)
fit32rc

```

GAfit

Genetic algorithm for preliminary estimation of GMAR, StMAR, or G-StMAR model

Description

GAfit estimates specified GMAR, StMAR, or G-StMAR model using a genetic algorithm. The employed genetic algorithm is designed to find starting values for gradient based methods.

Usage

```

GAfit(
  data,
  p,
  M,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  parametrization = c("intercept", "mean"),
  conditional = TRUE,
  ngen = 200,
  popsize,
  smart_mu = min(100, ceiling(0.5 * ngen)),
  mu_scale,
  sigma_scale,
  initpop = NULL,
  regime_force_scale = 1,
  red_criteria = c(0.05, 0.01),

```

```

to_return = c("alt_ind", "best_ind"),
minval,
seed = NULL,
...
)

```

Arguments

data	a numeric vector or class 'ts' object containing the data. NA values are not supported.
p	a positive integer specifying the autoregressive order of the model.
M	<p>For GMAR and StMAR models: a positive integer specifying the number of mixture components.</p> <p>For G-StMAR models: a size (2x1) integer vector specifying the number of <i>GMAR type</i> components M1 in the first element and <i>StMAR type</i> components M2 in the second element. The total number of mixture components is $M=M1+M2$.</p>
model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	<p>specifies linear constraints imposed to each regime's autoregressive parameters separately.</p> <p>For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m=C_m\psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.</p> <p>For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi=C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.</p> <p>The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.</p>
parametrization	is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0}/(1 - \sum \phi_{i,m})$?
conditional	a logical argument specifying whether the conditional or exact log-likelihood function should be used.
ngen	a positive integer specifying the number of generations to be ran through in the genetic algorithm.
popsize	a positive even integer specifying the population size in the genetic algorithm. Default is $10*d$ where d is the number of parameters.
smart_mu	a positive integer specifying the generation after which the random mutations in the genetic algorithm are "smart". This means that mutating individuals will mostly mutate fairly close (or partially close) to the best fitting individual so far.

mu_scale	a real valued vector of length two specifying the mean (the first element) and standard deviation (the second element) of the normal distribution from which the μ_m mean-parameters are generated in random mutations in the genetic algorithm. Default is <code>c(mean(data), sd(data))</code> . Note that the genetic algorithm optimizes with mean-parametrization even when <code>parametrization="intercept"</code> , but input (in <code>initpop</code>) and output (return value) parameter vectors may be intercept-parametrized.
sigma_scale	a positive real number specifying the standard deviation of the (zero mean, positive only by taking absolute value) normal distribution from which the component variance parameters are generated in the random mutations in the genetic algorithm. Default is <code>var(stats::ar(data, order.max=10)\$resid, na.rm=TRUE)</code> .
initpop	a list of parameter vectors from which the initial population of the genetic algorithm will be generated from. The parameter vectors should be of form...

For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where

- $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$
- $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$
- $\nu = (\nu_{M1+1}, \dots, \nu_M)$
- $M1$ is the number of GMAR type regimes.

In the **GMAR** model, $M1 = M$ and the parameter ν dropped. In the **StMAR** model, $M1 = 0$.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).

For restricted models: Size $(3M+M-M1+p-1x1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi_1, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).

Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If `parametrization="mean"`, just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first $M1$ components are *GMAR type* and the rest $M2$ components are *StMAR type*. Note that in the case **M=1**, the mixing weight parameters α are dropped, and in the case of **StMAR** or **G-StMAR** model, the degrees of freedom parameters ν have to be larger than 2. If not specified (or NULL as is default), the initial population will be drawn randomly.

regime_force_scale	a non-negative real number specifying how much should natural selection favor individuals with less regimes that have almost all mixing weights (practically) at zero (see <code>red_criteria</code>), i.e., with less "redundant regimes". Set to zero for no favoring or large number for heavy favoring. Without any favoring the genetic algorithm gets more often stuck in an area of the parameter space where some regimes are wasted, but with too much favoring the best genes might never mix into the population and the algorithm might converge poorly. Default is 1 and
--------------------	--

	it gives $2x$ larger surviving probability weights for individuals with no wasted regimes compared to individuals with one wasted regime. Number 2 would give $3x$ larger probabilities etc.
red_criteria	a length 2 numeric vector specifying the criteria that is used to determine whether a regime is redundant or not. Any regime m which satisfies $\text{sum}(\text{mixing_weights}[,m] > \text{red_criteria}[1]) < \text{red_criteria}[2]*n_obs$ will be considered "redundant". One should be careful when adjusting this argument (set $c(0, 0)$ to fully disable the 'redundant regime' features from the algorithm).
to_return	should the genetic algorithm return the best fitting individual which has the least "redundant" regimes ("alt_ind") or the individual which has the highest log-likelihood in general ("best_ind") but might have more wasted regimes?
minval	a real number defining the minimum value of the log-likelihood function that will be considered. Values smaller than this will be treated as they were minval and the corresponding individuals will never survive. The default is $-(10^{(\text{ceiling}(\log_{10}(\text{length}(\text{data}) + 1) - 1)})$, and one should be very careful if adjusting this.
seed	a single value, interpreted as an integer, or NULL, that sets seed for the random number generator in the beginning of the function call. If calling GAfit from fitGSMAR, use the argument seeds instead of passing the argument seed.
...	We currently use this to catch deprecated arguments.

Details

The core of the genetic algorithm is mostly based on the description by *Dorsey and Mayer (1995)*. It utilizes a slightly modified version of the individually adaptive crossover and mutation rates described by *Patnaik and Srinivas (1994)* and employs (50%) fitness inheritance discussed by *Smith, Dike and Stegmann (1995)*. Large (in absolute value) but stationary AR parameter values are generated with the algorithm proposed by Monahan (1984).

By "redundant" or "wasted" regimes we mean regimes that have the time varying mixing weights basically at zero for all t . The model with redundant regimes would have approximately the same log-likelihood value without the redundant regimes and there is no purpose to have redundant regimes in the model.

Value

Returns estimated parameter vector with the form described in `initpop`.

References

- Dorsey R. E. and Mayer W. J. 1995. Genetic algorithms for estimation problems with multiple optima, nondifferentiability, and other irregular features. *Journal of Business & Economic Statistics*, **13**, 53-66.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Monahan J.F. 1984. A Note on Enforcing Stationarity in Autoregressive-Moving Average Models. *Biometrika* **71**, 403-404.

- Patnaik L.M. and Srinivas M. 1994. Adaptive Probabilities of Crossover and Mutation in Genetic Algorithms. *Transactions on Systems, Man and Cybernetics* **24**, 656-667.
- Smith R.E., Dike B.A., Stegmann S.A. 1995. Fitness inheritance in genetic algorithms. *Proceedings of the 1995 ACM Symposium on Applied Computing*, 345-350.
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

Examples

```
## These are long running examples

# Preliminary estimation of GMAR p=1, M=2, model with the genetic algorithm
# using only 100 generations (200 is recommended):
pars12_ga <- GAfit(data=simudata, p=1, M=2, model="GMAR", ngen=100, seed=1)
pars12_ga # Returns a parameter vector, not a class 'gsmar' object.
```

get_ar_roots	<i>Calculate absolute values of the roots of the AR characteristic polynomials</i>
--------------	--

Description

get_ar_roots calculates the absolute values of the roots of the AR characteristic polynomials for each mixture component.

Usage

```
get_ar_roots(gsmar)
```

Arguments

gsmar a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.

Value

Returns a list with M elements each containing the absolute values of the roots of the AR characteristic polynomial corresponding to each mixture component.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

Examples

```
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
gmar12 <- GSMAR(data=simudata, p=1, M=2, params=params12, model="GMAR")
get_ar_roots(gmar12)
```

get_regime_autocovs *Calculate regime specific autocovariances $\gamma_{m,p}$*

Description

get_regime_autocovs calculates the first p regime specific autocovariances $\gamma_{m,p}$ for the given GMAR, StMAR, or G-StMAR model.

Usage

```
get_regime_autocovs(gsmar)
```

Arguments

gsmar a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.

Value

Returns a size $(p \times M)$ matrix containing the first p autocovariances of the components processes: i :th autocovariance in the i :th row and m :th component process in the m :th column.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060
- Lütkepohl H. 2005. *New Introduction to Multiple Time Series Analysis*. Springer.

See Also

Other moment functions: [cond_moments\(\)](#), [get_regime_means\(\)](#), [get_regime_vars\(\)](#), [uncond_moments\(\)](#)

Examples

```
# GMAR model
params13 <- c(1.4, 0.88, 0.26, 2.46, 0.82, 0.74, 5.0, 0.68, 5.2, 0.72, 0.2)
gmar13 <- GSMAR(p=1, M=3, params=params13, model="GMAR")
get_regime_autocovs(gmar13)

# StMAR model
params12t <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 100, 3.6)
stmar12t <- GSMAR(p=1, M=2, params=params12t, model="StMAR")
get_regime_autocovs(stmar12t)

# G-StMAR model (similar to the StMAR model above)
params12gs <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 3.6)
gstmar12 <- GSMAR(p=1, M=c(1, 1), params=params12gs, model="G-StMAR")
get_regime_autocovs(gstmar12)
```

get_regime_means	<i>Calculate regime specific means μ_m</i>
------------------	---

Description

get_regime_means calculates the regime means $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$ for the given GMAR, StMAR, or G-StMAR model

Usage

```
get_regime_means(gsmar)
```

Arguments

gsmar a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.

Value

Returns a length M vector containing the regime mean μ_m in the m:th element.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[cond_moments](#), [uncond_moments](#), [get_regime_vars](#), [get_regime_autocovs](#)

Other moment functions: [cond_moments\(\)](#), [get_regime_autocovs\(\)](#), [get_regime_vars\(\)](#), [uncond_moments\(\)](#)

Examples

```
# GMAR model
params13 <- c(1.4, 0.88, 0.26, 2.46, 0.82, 0.74, 5.0, 0.68, 5.2, 0.72, 0.2)
gmar13 <- GSMAR(p=1, M=3, params=params13, model="GMAR")
get_regime_means(gmar13)

# StMAR model
params12t <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 100, 3.6)
stmar12t <- GSMAR(p=1, M=2, params=params12t, model="StMAR")
get_regime_means(stmar12t)

# G-StMAR model (similar to the StMAR model above)
params12gs <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 3.6)
gstmar12 <- GSMAR(p=1, M=c(1, 1), params=params12gs, model="G-StMAR")
get_regime_means(gstmar12)
```

get_regime_vars	<i>Calculate regime specific variances $\gamma_{m,0}$</i>
-----------------	--

Description

get_regime_vars calculates the unconditional regime specific variances $\gamma_{m,0}$ for the given GMAR, StMAR, or G-StMAR model.

Usage

```
get_regime_vars(gsmar)
```

Arguments

gsmar a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.

Value

Returns a length M vector containing the unconditional variances of the components processes: m:th element for the m:th regime.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/sn-de-2020-0060
- Lütkepohl H. 2005. *New Introduction to Multiple Time Series Analysis*. Springer.

See Also

Other moment functions: [cond_moments\(\)](#), [get_regime_autocovs\(\)](#), [get_regime_means\(\)](#), [uncond_moments\(\)](#)

Examples

```
# GMAR model
params13 <- c(1.4, 0.88, 0.26, 2.46, 0.82, 0.74, 5.0, 0.68, 5.2, 0.72, 0.2)
gmar13 <- GSMAR(p=1, M=3, params=params13, model="GMAR")
get_regime_vars(gmar13)

# StMAR model
params12t <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 100, 3.6)
stmar12t <- GSMAR(p=1, M=2, params=params12t, model="StMAR")
get_regime_vars(stmar12t)

# G-StMAR model (similar to the StMAR model above)
params12gs <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 3.6)
gstmar12 <- GSMAR(p=1, M=c(1, 1), params=params12gs, model="G-StMAR")
get_regime_vars(gstmar12)
```

GSMAR

Create object of class 'gsmar' defining a GMAR, StMAR, or G-StMAR model

Description

GSMAR creates an S3 object of class 'gsmar' that defines a GMAR, StMAR, or G-StMAR model.

Usage

```
GSMAR(
  data,
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  conditional = TRUE,
  parametrization = c("intercept", "mean"),
  calc_qresiduals,
  calc_cond_moments,
  calc_std_errors = FALSE,
  custom_h = NULL
)

## S3 method for class 'gsmar'
logLik(object, ...)
```

```
## S3 method for class 'gsmar'
residuals(object, ...)

## S3 method for class 'gsmar'
summary(object, ..., digits = 2)

## S3 method for class 'gsmar'
plot(x, ..., include_dens = TRUE)

## S3 method for class 'gsmar'
print(x, ..., digits = 2, summary_print = FALSE)
```

Arguments

- data** a numeric vector or class 'ts' object containing the data. NA values are not supported.
- p** a positive integer specifying the autoregressive order of the model.
- M** **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.
For G-StMAR models: a size (2x1) integer vector specifying the number of *GMAR type* components M1 in the first element and *StMAR type* components M2 in the second element. The total number of mixture components is $M=M1+M2$.
- params** a real valued parameter vector specifying the model.
For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where
 - $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$
 - $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$
 - $\nu = (\nu_{M1+1}, \dots, \nu_M)$
 - $M1$ is the number of GMAR type regimes.
In the **GMAR** model, $M1 = M$ and the parameter ν dropped. In the **StMAR** model, $M1 = 0$.
If the model imposes **linear constraints** on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).
For restricted models: Size $(3M+M-M1+p-1x1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.
If the model imposes **linear constraints** on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).
Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0}/(1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first M1 components are *GMAR type* and the rest

	M2 components are <i>StMAR</i> type. Note that in the case M=1 , the mixing weight parameters α are dropped, and in the case of StMAR or G-StMAR model, the degrees of freedom parameters ν have to be larger than 2.
model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR</i> type and the rest M2 components are <i>StMAR</i> type.
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	specifies linear constraints imposed to each regime's autoregressive parameters separately. For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$. For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$. The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.
conditional	a logical argument specifying whether the conditional or exact log-likelihood function should be used.
parametrization	is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$?
calc_qresiduals	should quantile residuals be calculated? Default is TRUE iff the model contains data.
calc_cond_moments	should conditional means and variances be calculated? Default is TRUE iff the model contains data.
calc_std_errors	should approximate standard errors be calculated?
custom_h	A numeric vector with same the length as the parameter vector: i :th element of <code>custom_h</code> is the difference used in central difference approximation for partial differentials of the log-likelihood function for the i :th parameter. If NULL (default), then the difference used for differentiating overly large degrees of freedom parameters is adjusted to avoid numerical problems, and the difference is $6e-6$ for the other parameters.
object	object of class 'gsmar' created with <code>fitGSMAR</code> or <code>GSMAR</code> .
...	in the plot method: arguments passed to the function <code>density</code> which calculates the kernel density estimate of the data.
digits	number of digits to be printed (max 20)
x	object of class 'gsmar' created with <code>fitGSMAR</code> or <code>GSMAR</code> .
include_dens	Plot also kernel density estimate of the data and model implied stationary density with regimewise densities? See the details.

`summary_print` if set to TRUE then the print will include approximate standard errors for the estimates, log-likelihood, information criteria values, modulus of the roots of the characteristic AR polynomials for each regime, and several unconditional moments.

Details

Models can be built without data, e.g., in order to simulate from the process, but some things such as quantile residuals and conditional moments can't be calculated without data.

If `include_dens == TRUE`, the kernel density estimate of the data is calculated with the function `density` from the package `stats`. By default, the default settings of that function are used, including the usage of Gaussian kernel. Use the dot parameters to adjust the settings if desired.

By the model implied stationary density we mean the stationary one-dimensional mixture density of M regimes (see KMS 2015, Theorem 1 and the discussion following it for the Gaussian case and Theorem 2 in PMS 2018 for the Student's t case). The regimewise densities (i.e. each density $1, \dots, M$ in the stationary mixture density) are multiplied with the mixing weight parameters accordingly.

In the density plot black represents the kernel density estimate of the data, grey dashed line the model implied density, and the colored dotted lines the regime wise densities.

Value

Returns an object of class `'gsmar'` defining the specified GMAR, StMAR, or G-StMAR model. If data is supplied, the returned object contains (by default) empirical mixing weights, some conditional and unconditional moments, and quantile residuals. Note that the first p observations are taken as the initial values so the mixing weights, conditional moments, and quantile residuals start from the $p+1$:th observation (interpreted as $t=1$).

Methods (by generic)

- `logLik`: Log-likelihood method
- `residuals`: residuals method to extract quantile residuals
- `summary`: summary method, standard errors in brackets
- `plot`: Plot method for class `'gsmar'`
- `print`: print method

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t -distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t -distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [iterate_more](#), [add_data](#), [stmar_to_gstmar](#), [swap_parametrization](#), [get_gradient](#), [simulate.gsmar](#), [predict.gsmar](#), [cond_moments](#), [uncond_moments](#), [LR_test](#), [Wald_test](#)

Examples

```

# GMAR model without data
params22 <- c(0.9, 0.4, 0.2, 0.5, 0.7, 0.5, -0.2, 0.7, 0.7)
gmar22 <- GSMAR(p=2, M=2, params=params22, model="GMAR")
gmar22

# StMAR model, without data
params12t <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 300, 3.6)
stmar12t <- GSMAR(p=1, M=2, params=params12t, model="StMAR")
stmar12t

# G-StMAR model with data
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
               0.2, -0.15, 0.04, 0.19, 9.75)
gstmar42 <- GSMAR(data=M10Y1Y, p=4, M=c(1, 1), params=params42gs,
                  model="G-StMAR")
gstmar42

# Restricted G-StMAR model with data
params42gsr <- c(0.13, 0.03, 1.29, -0.4, 0.25, -0.2, 0.03, 0.05, 0.51, 2.76)
gstmar42r <- GSMAR(data=M10Y1Y, p=4, M=c(1, 1), params=params42gsr,
                   model="G-StMAR", restricted=TRUE)
gstmar42r

```

isStationary

DEPRECATED, USE is_stationary INSTEAD! Check the stationary condition of specified GMAR, StMAR, or G-StMAR model.

Description

isStationary checks the stationarity condition of the specified GMAR, StMAR, or G-StMAR model. DEPRECATED, USE is_stationary INSTEAD!

Usage

```

isStationary(
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL
)

```

Arguments

p a positive integer specifying the autoregressive order of the model.

M **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.

	<p>For G-StMAR models: a size (2×1) integer vector specifying the number of <i>GMAR type</i> components $M1$ in the first element and <i>StMAR type</i> components $M2$ in the second element. The total number of mixture components is $M=M1+M2$.</p>
params	<p>a real valued parameter vector specifying the model.</p> <p>For non-restricted models: Size $(M(p+3)+M-M1-1 \times 1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where</p> <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes. <p>In the GMAR model, $M1 = M$ and the parameter ν dropped. In the StMAR model, $M1 = 0$.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).</p> <p>For restricted models: Size $(3M+M-M1+p-1 \times 1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi_1^2, \dots, \phi_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).</p> <p>Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>. Note that in the case $M=1$, the mixing weight parameters α are dropped, and in the case of StMAR or G-StMAR model, the degrees of freedom parameters ν have to be larger than 2.</p>
model	<p>is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>.</p>
restricted	<p>a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.</p>
constraints	<p>specifies linear constraints imposed to each regime's autoregressive parameters separately.</p> <p>For non-restricted models: a list of size $(p \times q_m)$ constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.</p> <p>For restricted models: a size $(p \times q)$ constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.</p> <p>The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.</p>

Details

DEPRECATED, USE is_stationary INSTEAD! This function falsely returns FALSE for stationary models when the parameter is extremely close to the boundary of the stationarity region.

Value

Returns TRUE or FALSE accordingly.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

is_stationary	<i>Check the stationary condition of specified GMAR, StMAR, or G-StMAR model.</i>
---------------	---

Description

is_stationary checks the stationarity condition of the specified GMAR, StMAR, or G-StMAR model.

Usage

```
is_stationary(
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL
)
```

Arguments

- p a positive integer specifying the autoregressive order of the model.
- M **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.
For G-StMAR models: a size (2x1) integer vector specifying the number of *GMAR type* components M1 in the first element and *StMAR type* components M2 in the second element. The total number of mixture components is M=M1+M2.

params	<p>a real valued parameter vector specifying the model.</p> <p>For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where</p> <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes. <p>In the GMAR model, $M1 = M$ and the parameter ν dropped. In the StMAR model, $M1 = 0$.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).</p> <p>For restricted models: Size $(3M+M-M1+p-1x1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).</p> <p>Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0}/(1 - \sum \phi_{i,m})$. In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>. Note that in the case M=1, the mixing weight parameters α are dropped, and in the case of StMAR or G-StMAR model, the degrees of freedom parameters ν have to be larger than 2.</p>
model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	<p>specifies linear constraints imposed to each regime's autoregressive parameters separately.</p> <p>For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.</p> <p>For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.</p> <p>The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.</p>

Details

This function falsely returns FALSE for stationary models when the parameter is extremely close to the boundary of the stationarity region.

Value

Returns TRUE or FALSE accordingly.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

Examples

```
# GMAR model
params22 <- c(0.4, 0.39, 0.6, 0.3, 0.4, 0.1, 0.6, 0.3, 0.8)
is_stationary(p=2, M=2, params=params22)

# StMAR model
params12t <- c(-0.3, 1, 0.9, 0.1, 0.8, 0.6, 0.7, 10, 12)
is_stationary(p=1, M=2, params=params12t, model="StMAR")

# G-StMAR model
params12gs <- c(1, 0.1, 1, 2, 0.2, 2, 0.8, 20)
is_stationary(p=1, M=c(1, 1), params=params12gs, model="G-StMAR")

# Restricted GMAR model
params13r <- c(0.1, 0.2, 0.3, -0.99, 0.1, 0.2, 0.3, 0.5, 0.3)
is_stationary(p=1, M=3, params=params13r, restricted=TRUE)

# Such StMAR(3, 2) that the AR coefficients are restricted to be the
# same for both regimes and that the second AR coefficients are
# constrained to zero.
params32trc <- c(1, 2, 0.8, -0.3, 1, 2, 0.7, 11, 12)
is_stationary(p=3, M=2, params=params32trc, model="StMAR", restricted=TRUE,
              constraints=matrix(c(1, 0, 0, 0, 0, 1), ncol=2))
```

iterate_more

*Maximum likelihood estimation of GMAR, StMAR, or G-StMAR model
with preliminary estimates*

Description

iterate_more uses a variable metric algorithm to finalize maximum likelihood estimation of a GMAR, StMAR or G-StMAR model (object of class 'gsmar') which already has preliminary estimates.

Usage

```
iterate_more(gsmar, maxit = 100, custom_h = NULL, calc_std_errors = TRUE)
```

Arguments

gsmar	a class 'gsmar' object, typically generated by <code>fitGSMAR</code> or <code>GSMAR</code> .
maxit	the maximum number of iterations for the variable metric algorithm.
custom_h	A numeric vector with same the length as the parameter vector: <i>i</i> :th element of <code>custom_h</code> is the difference used in central difference approximation for partial differentials of the log-likelihood function for the <i>i</i> :th parameter. If <code>NULL</code> (default), then the difference used for differentiating overly large degrees of freedom parameters is adjusted to avoid numerical problems, and the difference is $6e-6$ for the other parameters.
calc_std_errors	should approximate standard errors be calculated?

Details

The main purpose of `iterate_more` is to provide a simple and convenient tool to finalize the estimation when the maximum number of iterations is reached when estimating a model with the main estimation function `fitGSMAR`. `iterate_more` is essentially a wrapper for the functions `optim` from the package `stats` and `GSMAR` from the package `uGSMAR`.

Value

Returns an object of class 'gsmar' defining the estimated model.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [GSMAR](#), [stmar_to_gstmar](#), [profile_logliks](#), [optim](#)

Examples

```
# Estimate GMAR model with on only 1 iteration in variable metric algorithm
fit12 <- fitGSMAR(simudata, p=1, M=2, maxit=1, ncalls=1, seeds=1)
fit12

# Iterate more since iteration limit was reached
```



```
fit12 <- iterate_more(fit12)
fit12
```

loglikelihood

Compute the log-likelihood of GMAR, StMAR, or G-StMAR model

Description

loglikelihood computes the log-likelihood of the specified GMAR, StMAR, or G-StMAR model. Exists for convenience if one wants to for example plot profile log-likelihoods or employ other estimation algorithms. Use minval to control what happens when the parameter vector is outside the parameter space.

Usage

```
loglikelihood(
  data,
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  conditional = TRUE,
  parametrization = c("intercept", "mean"),
  return_terms = FALSE,
  minval = NA
)
```

Arguments

- | | |
|--------|---|
| data | a numeric vector or class 'ts' object containing the data. NA values are not supported. |
| p | a positive integer specifying the autoregressive order of the model. |
| M | <p>For GMAR and StMAR models: a positive integer specifying the number of mixture components.</p> <p>For G-StMAR models: a size (2x1) integer vector specifying the number of <i>GMAR type</i> components M1 in the first element and <i>StMAR type</i> components M2 in the second element. The total number of mixture components is $M=M1+M2$.</p> |
| params | <p>a real valued parameter vector specifying the model.</p> <p>For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where</p> <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ |

- $\nu = (\nu_{M1+1}, \dots, \nu_M)$
- $M1$ is the number of GMAR type regimes.

In the **GMAR** model, $M1 = M$ and the parameter ν dropped. In the **StMAR** model, $M1 = 0$.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).

For restricted models: Size $(3M + M - M1 + p - 1 \times 1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).

Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first $M1$ components are *GMAR type* and the rest $M2$ components are *StMAR type*. Note that in the case **M=1**, the mixing weight parameters α are dropped, and in the case of **StMAR** or **G-StMAR** model, the degrees of freedom parameters ν have to be larger than 2.

model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	specifies linear constraints imposed to each regime's autoregressive parameters separately. For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$. For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$. The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.
conditional	a logical argument specifying whether the conditional or exact log-likelihood function should be used.
parametrization	is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$?
return_terms	should the terms $l_t : t = 1, \dots, T$ in the log-likelihood function (see <i>KMS 2015, eq.(13)</i> or <i>MPS 2018, eq.(15)</i>) be returned instead of the log-likelihood value?
minval	this will be returned when the parameter vector is outside the parameter space and boundaries==TRUE.

Value

Returns the log-likelihood value or the terms described in return_terms.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [GSMAR](#), [quantile_residuals](#), [mixing_weights](#), [calc_gradient](#)

Examples

```
# GMAR model
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
loglikelihood(simudata, p=1, M=2, params=params12, model="GMAR")

# G-StMAR-model
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
               0.2, -0.15, 0.04, 0.19, 9.75)
loglikelihood(M10Y1Y, p=4, M=c(1, 1), params=params42gs, model="G-StMAR")
```

LR_test

Perform likelihood ratio test

Description

LR_test performs a likelihood ratio test for a GMAR, StMAR, or G-StMAR model.

Usage

```
LR_test(gsmar1, gsmar2)
```

Arguments

gsmar1 an object of class 'gsmar' generated by fitGSMAR or GSMAR, containing the **unconstrained** model.

gsmar2 an object of class 'gsmar' generated by fitGSMAR or GSMAR, containing the **constrained** model.

Details

Performs a likelihood ratio test, testing the null hypothesis that the true parameter value lies in the constrained parameter space specified by constraints imposed to the model `gsmar2`. Under the null, the test statistic is asymptotically χ^2 -distributed with k degrees of freedom, k being the difference in the dimensions of the unconstrained and constrained parameter spaces.

Note that this function does **not** verify that the two models are actually nested. Notably, GSMAR models with different autoregressive orders are not nested, whereas testing models with different numbers of regimes induce an identification problem and thereby unreliable test results (see the discussion related to Theorem 2 in Virolainen, 2021).

Value

A list with class "htest" containing the following components:

<code>statistic</code>	the value of the likelihood ratio statistics.
<code>parameter</code>	the degrees of freedom of the likelihood ratio statistic.
<code>p.value</code>	the p-value of the test.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>method</code>	a character string indicating the type of the test (likelihood ratio test).
<code>data.name</code>	a character string giving the names of the supplied models, <code>gsmar1</code> and <code>gsmar2</code> .
<code>gsmar1</code>	the supplied argument <code>gsmar1</code>
<code>gsmar2</code>	the supplied argument <code>gsmar2</code>

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[Wald_test](#), [fitGSMAR](#), [GSMAR](#), [diagnostic_plot](#), [profile_logliks](#), [quantile_residual_tests](#), [cond_moment_plot](#)

Examples

```
# GMAR p=1, M=2 model:
fit12 <- fitGSMAR(simudata, p=1, M=2, model="GMAR", ncalls=1, seeds=1)

# GMAR p=1, M=2 model with AR parameters restricted to be the same in both
# regimes:
fit12r <- fitGSMAR(simudata, p=1, M=2, model="GMAR", restricted=TRUE,
                  ncalls=1, seeds=1)
```

```
# Test with likelihood ratio test whether the AR parameters are the same in
# both regimes:
LR_test(fit12, fit12r)
```

M10Y1Y

Spread between 10-Year and 1-Year Treasury rates: M10Y1Y

Description

A dataset containing monthly U.S. interest rate spread between the 10-Year Treasury constant maturity rate and 1-Year Treasury constant maturity rate from 1982 January to 2020 December.

Usage

```
M10Y1Y
```

Format

A class 'ts' time series object containing 468 observations.

Source

<https://fred.stlouisfed.org/series/GS10> <https://fred.stlouisfed.org/series/GS1>

mixingWeights

DEPRECATED, USE mixing_weights INSTEAD! Calculate mixing weights of GMAR, StMAR or G-StMAR model

Description

mixingWeights calculates the mixing weights of the specified GMAR, StMAR or G-StMAR model and returns them as a matrix. DEPRECATED, USE mixing_weights INSTEAD!

Usage

```
mixingWeights(
  data,
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  parametrization = c("intercept", "mean")
)
```

Arguments

data	a numeric vector or class 'ts' object containing the data. NA values are not supported.
p	a positive integer specifying the autoregressive order of the model.
M	For GMAR and StMAR models: a positive integer specifying the number of mixture components. For G-StMAR models: a size (2x1) integer vector specifying the number of <i>GMAR type</i> components M1 in the first element and <i>StMAR type</i> components M2 in the second element. The total number of mixture components is $M=M1+M2$.
params	a real valued parameter vector specifying the model. For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes. In the GMAR model, $M1 = M$ and the parameter ν dropped. In the StMAR model, $M1 = 0$. If the model imposes linear constraints on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints). For restricted models: Size $(3M+M-M1+p-1x1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes. If the model imposes linear constraints on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints). Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> . Note that in the case M=1 , the mixing weight parameters α are dropped, and in the case of StMAR or G-StMAR model, the degrees of freedom parameters ν have to be larger than 2.
model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	specifies linear constraints imposed to each regime's autoregressive parameters separately. For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.

For restricted models: a size $(p \times q)$ constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.

The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.

parametrization

is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$?

Details

DEPRECATED, USE `mixing_weights` INSTEAD!

Value

If `to_return=="mw"`: a size $((n_obs-p) \times M)$ matrix containing the mixing weights: for m :th component in m :th column.

If `to_return=="mw_tplus1"`: a size $((n_obs-p+1) \times M)$ matrix containing the mixing weights: for m :th component in m :th column. The last row is for $\alpha_{m,T+1}$.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

mixing_weights

Calculate mixing weights of GMAR, StMAR or G-StMAR model

Description

`mixing_weights` calculates the mixing weights of the specified GMAR, StMAR or G-StMAR model and returns them as a matrix.

Usage

```

mixing_weights(
  data,
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  parametrization = c("intercept", "mean")
)

```

Arguments

- data** a numeric vector or class 'ts' object containing the data. NA values are not supported.
- p** a positive integer specifying the autoregressive order of the model.
- M** **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.
For G-StMAR models: a size (2x1) integer vector specifying the number of *GMAR type* components M1 in the first element and *StMAR type* components M2 in the second element. The total number of mixture components is $M=M1+M2$.
- params** a real valued parameter vector specifying the model.
For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where
 - $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$
 - $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$
 - $\nu = (\nu_{M1+1}, \dots, \nu_M)$
 - $M1$ is the number of GMAR type regimes.
In the **GMAR** model, $M1 = M$ and the parameter ν dropped. In the **StMAR** model, $M1 = 0$.
If the model imposes **linear constraints** on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).
For restricted models: Size $(3M+M-M1+p-1x1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.
If the model imposes **linear constraints** on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).
Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first M1 components are *GMAR type* and the rest M2 components are *StMAR type*. Note that in the case **M=1**, the mixing weight

parameters α are dropped, and in the case of **StMAR** or **G-StMAR** model, the degrees of freedom parameters ν have to be larger than 2.

model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	specifies linear constraints imposed to each regime's autoregressive parameters separately. For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$. For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$. The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.
parametrization	is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0}/(1 - \sum \phi_{i,m})$?

Details

The first p observations are taken to be the initial values.

Value

If to_return=="mw": a size $((n_obs-p) \times M)$ matrix containing the mixing weights: for m :th component in m :th column.

If to_return=="mw_tplus1": a size $((n_obs-p+1) \times M)$ matrix containing the mixing weights: for m :th component in m :th column. The last row is for $\alpha_{m,T+1}$.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

Examples

```
# GMAR model
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
mixing_weights(simudata, p=1, M=2, params=params12, model="GMAR")

# G-StMAR-model
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
               0.2, -0.15, 0.04, 0.19, 9.75)
mixing_weights(M10Y1Y, p=4, M=c(1, 1), params=params42gs, model="G-StMAR")
```

pick_pars	<i>Pick ϕ_0 (or μ), AR-coefficients, and variance parameters from a parameter vector</i>
-----------	---

Description

pick_pars picks ϕ_0/μ , AR-coefficients, and variance parameters from the given parameter vector.

Usage

```
pick_pars(
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL
)
```

Arguments

p	a positive integer specifying the autoregressive order of the model.
M	<p>For GMAR and StMAR models: a positive integer specifying the number of mixture components.</p> <p>For G-StMAR models: a size (2x1) integer vector specifying the number of <i>GMAR type</i> components M1 in the first element and <i>StMAR type</i> components M2 in the second element. The total number of mixture components is $M=M1+M2$.</p>
params	<p>a real valued parameter vector specifying the model.</p> <p>For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where</p> <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes.

In the **GMAR** model, $M1 = M$ and the parameter ν dropped. In the **StMAR** model, $M1 = 0$.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).

For restricted models: Size $(3M + M - M1 + p - 1 \times 1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi_1, \dots, \phi_p, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).

Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first $M1$ components are *GMAR type* and the rest $M2$ components are *StMAR type*. Note that in the case **M=1**, the mixing weight parameters α are dropped, and in the case of **StMAR** or **G-StMAR** model, the degrees of freedom parameters ν have to be larger than 2.

model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	specifies linear constraints imposed to each regime's autoregressive parameters separately. For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$. For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$. The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.

Value

Returns a $((p + 2) \times M)$ matrix containing the parameters, column for each component. The first row for ϕ_0 or μ depending on the parametrization, the second row for ϕ_1, \dots , the second to last row for ϕ_p , and the last row for σ^2 . @keywords internal

plot.gsmarpred

Plot method for class 'gsmarpred' objects

Description

plot.gsmarpred is plot method for class 'gsmarpred' objects

Usage

```
## S3 method for class 'gsmarpred'
plot(x, ..., nt, mix_weights = TRUE, add_grid = TRUE)
```

Arguments

x	object of class 'gsmarpred' created with predict.gsmar.
...	arguments passed to function grid.
nt	a positive integer specifying the number of observations to be plotted along with the prediction. Default is round(length(data)*0.15).
mix_weights	TRUE if forecasts for mixing weights should be plotted, FALSE in not.
add_grid	should grid a be added to the plots?

Details

This method is intended for plotting forecasts of GSMAR processes.

plot.qrtest

Quantile residual tests for GMAR, StMAR , and G-StMAR models

Description

quantile_residual_tests performs quantile residual tests for GMAR, StMAR, and G-StMAR models, testing normality, autocorrelation, and conditional heteroscedasticity of the quantile residuals.

Usage

```
## S3 method for class 'qrtest'
plot(x, ...)

## S3 method for class 'qrtest'
print(x, ..., digits = 3)

quantile_residual_tests(
  gsmar,
  lags_ac = c(1, 3, 6, 12),
  lags_ch = lags_ac,
  nsimu = 1,
  print_res = TRUE
)
```

Arguments

x	object of class 'qrtest' created with the function <code>quantile_residual_tests</code> .
...	graphical parameters passed to <code>segments</code> in <code>plot.qrtest</code> . Currently not used in <code>print.qrtest</code>
digits	the number of digits to be print
gsmar	a class 'gsmar' object, typically generated by <code>fitGSMAR</code> or <code>GSMAR</code> .
lags_ac	a numeric vector of positive integers specifying the lags for which autocorrelation is tested.
lags_ch	a numeric vector of positive integers specifying the lags for which conditional heteroscedasticity is tested.
nsimu	a positive integer specifying to how many simulated observations the covariance matrix Omega (see Kalliovirta (2012)) should be based on. If smaller than data size, then omega will be based on the given data and not on simulated data. Having the covariance matrix omega based on a large simulated sample might improve the tests size properties.
print_res	a logical argument defining whether the results should be printed or not.

Details

For a correctly specified GSMAR model employing the maximum likelihood estimator, the quantile residuals are asymptotically independent with standard normal distribution. They can hence be used in a similar manner to conventional Pearson's residuals. For more details about quantile residual based diagnostics, and in particular, about the quantile residual tests, see the cited article by Kalliovirta (2012).

Value

Returns an object of class 'qrtest' containing the test results in data frames. In the cases of autocorrelation and conditional heteroscedasticity tests, the returned object also contains the associated individual statistics and their standard errors, discussed in Kalliovirta (2012) at the pages 369-370.

Methods (by generic)

- `plot`: Plot p-values of the autocorrelation and conditional heteroskedasticity tests.
- `print`: Print method for class 'qrtest' objects

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531

- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. Studies in Nonlinear Dynamics & Econometrics, doi: 10.1515/snde-2020-0060

See Also

[profile_logliks](#), [fitGSMAR](#), [GSMAR](#), [diagnostic_plot](#), [predict.gsmar](#), [get_test_Omega](#),

Examples

```
## The below examples take approximately 30 seconds to run.

# G-StMAR model with one GMAR type and one StMAR type regime
fit42gs <- fitGSMAR(data=M10Y1Y, p=4, M=c(1, 1), model="G-StMAR",
                   ncalls=1, seeds=4)

# Tests based on the observed data (without simulation procedure) with the
# default lags:
qrt1 <- quantile_residual_tests(fit42gs)

# Tests based on the simulation procedure using sample size 10000 and with
# the lags specified by hand:
set.seed(1)
qrt2 <- quantile_residual_tests(fit42gs, lags_ac=c(1, 6), nsimu=10000)

# GMAR model
fit12 <- fitGSMAR(data=simudata, p=1, M=2, model="GMAR", ncalls=1, seeds=1)
qrt3 <- quantile_residual_tests(fit12, lags_ac=c(1, 5, 10, 15))
```

predict.gsmar

Forecast GMAR, StMAR, or G-StMAR process

Description

predict.gsmar forecasts the specified GMAR, StMAR, or G-StMAR process by using the given data to simulate its possible future values. For one-step forecasts using the exact formula for conditional mean is supported.

Usage

```
## S3 method for class 'gsmar'
predict(
  object,
  ...,
  n_ahead,
  nsimu = 10000,
  pi = c(0.95, 0.8),
  pred_type = c("median", "mean", "cond_mean"),
```

```

    pi_type = c("two-sided", "upper", "lower", "none"),
    plot_res = TRUE,
    mix_weights = TRUE,
    nt
  )

```

Arguments

object	object of class 'gsmar' created with function fitGSMAR or GSMAR.
...	additional arguments passed to grid (ignored if plot_res==FALSE).
n_ahead	a positive integer specifying how many steps in the future should be forecasted.
nsimu	a positive integer specifying to how many simulations the forecast should be based on.
pi	a numeric vector specifying confidence levels for the prediction intervals.
pred_type	should the prediction be based on sample "median" or "mean"? Or should it be one-step-ahead forecast based on the exact conditional mean ("cond_mean")? prediction intervals won't be calculated if the exact conditional mean is used.
pi_type	should the prediction intervals be "two-sided", "upper", or "lower"?
plot_res	a logical argument defining whether the forecast should be plotted or not.
mix_weights	TRUE if forecasts for mixing weights should be plotted, FALSE in not.
nt	a positive integer specifying the number of observations to be plotted along with the prediction. Default is round(length(data)*0.15).

Details

predict.gsmar uses the last p values of the data to simulate nsimu possible future values for each step-ahead. The point prediction is then obtained by calculating the sample median or mean for each step and the prediction intervals are obtained from the empirical fractiles.

The function simulate.gsmar can also be used directly for quantile based forecasting.

Value

Returns a class 'gsmarpred' object containing, among the specifications,...

\$pred	Point forecasts
\$pred_ints	Prediction intervals
\$mix_pred	Point forecasts for mixing weights
mix_pred_ints	Individual prediction intervals for mixing weights, as $[, , m]$, $m=1, \dots, M$.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/sn-de-2020-0060

See Also

[simulate.gsmar](#), [cond_moments](#), [fitGSMAR](#), [GSMAR](#), [quantile_residual_tests](#), [diagnostic_plot](#)

Examples

```
## These examples take approximately 30 seconds to run.

# G-StMAR model with one GMAR type and one StMAR type regime
fit42gs <- fitGSMAR(M10Y1Y, p=4, M=c(1, 1), model="G-StMAR",
                  ncalls=1, seeds=4)

# Forecast 12 steps ahead based on 10000 simulated sample paths, prediction
# interval confidence levels 0.95 and 0.8, prediction based on sample median,
# and two-sided prediction intervals:
mypred <- predict(fit42gs, n_ahead=12, nsimu=10000, pi=c(0.95, 0.8),
                 pred_type="median", pi_type="two-sided")

mypred
plot(mypred)

# Forecast 24 steps ahead based on 1000 simulated sample paths, prediction
# interval confidence level 0.99 and 0.9, prediction based on sample mean,
# and upper prediction intervals:
mypred2 <- predict(fit42gs, n_ahead=24, nsimu=1000, pi=c(0.99, 0.9),
                  pred_type="mean", pi_type="upper")

# Forecast 24 steps ahead based on 1000 simulated sample paths, prediction
# interval confidence level 0.99, 0.95, 0.9 and 0.8, prediction based on
# sample median, and lower prediction intervals:
mypred3 <- predict(fit42gs, n_ahead=24, nsimu=1000, pi=c(0.99, 0.95, 0.9, 0.8),
                  pred_type="median", pi_type="lower")

# GMAR model
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
gmar12 <- GSMAR(data=simudata, p=1, M=2, params=params12, model="GMAR")
pred12 <- predict(gmar12, n_ahead=10, nsimu=1000, pi=c(0.95, 0.9, 0.8),
                 pred_type="median", pi_type="two-sided")

pred12
plot(pred12)

# One-step prediction based on the exact conditional mean:
predict(gmar12, n_ahead=1, pred_type="cond_mean", plot_res=FALSE)
```

print.gsmarpred	<i>Print method for class 'gsmarpred' objects</i>
-----------------	---

Description

print.gsmarpred is a print method for call 'gsmarpred' objects created with predict.gsmar.

Usage

```
## S3 method for class 'gsmarpred'  
print(x, ..., digits = 2)
```

Arguments

x	object of class 'gsmarpred' generated by predict.gsmar.
...	currently not in use.
digits	the number of digits to be printed

print.gsmarsum	<i>Print method from objects of class 'gsmarsum'</i>
----------------	--

Description

print.gsmarsum is a print method for objects of class 'gsmarsum' created with the summary method summary.gsmar. Approximate standard errors are printed in brackets.

Usage

```
## S3 method for class 'gsmarsum'  
print(x, ..., digits)
```

Arguments

x	object of class 'gsmarsum' generated by summary.gsmar.
...	currently not in use.
digits	the number of digits to be printed

profile_logliks	<i>Plot profile log-likelihoods around the estimates</i>
-----------------	--

Description

profile_logliks plots profile log-likelihoods around the estimates.

Usage

```
profile_logliks(gsmar, scale = 0.02, nrows, ncols, precision = 200)
```

Arguments

gsmar	a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.
scale	a numeric scalar specifying the interval plotted for each estimate: the estimate plus-minus $\text{abs}(\text{scale} \times \text{estimate})$.
nrows	how many rows should be in the plot-matrix? The default is $\text{max}(\text{ceiling}(\log_2(\text{nparams}) - 1), 1)$.
ncols	how many columns should be in the plot-matrix? The default is $\text{ceiling}(\text{nparams}/\text{nrows})$. Note that $\text{nrows} \times \text{ncols}$ should not be smaller than the number of parameters.
precision	at how many points should each profile log-likelihood be evaluated at?

Details

The red vertical line points the estimate.

Be aware that the profile log-likelihood function is subject to a numerical error due to limited float-point precision when considering extremely large parameter values, say, overly large degrees freedom estimates.

Value

Only plots to a graphical device and doesn't return anything.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[quantile_residual_plot](#), [diagnostic_plot](#), [cond_moment_plot](#), [GSMAR](#), [quantile_residual_tests](#), [simulate.gsmar](#)

Examples

```
## The below examples take approximately 15 seconds to run.

# G-StMAR model with one GMAR type and one StMAR type regime
fit42gs <- fitGSMAR(M10Y1Y, p=4, M=c(1, 1), model="G-StMAR",
                  ncalls=1, seeds=4)
profile_logliks(fit42gs)

# GMAR model, graphs zoomed in closer.
fit12 <- fitGSMAR(data=simudata, p=1, M=2, model="GMAR", ncalls=1, seeds=1)
profile_logliks(fit12, scale=0.001)
```

quantileResidualPlot *DEPRECATED, USE quantile_residual_plot INSTEAD! Plot
quantile residual time series and histogram*

Description

quantileResidualsPlot plots quantile residual time series and histogram. DEPRECATED, USE [quantile_residual_plot](#) INSTEAD!

Usage

```
quantileResidualPlot(gsmar)
```

Arguments

gsmar a class 'gsmar' object, typically generated by [fitGSMAR](#) or [GSMAR](#).

Details

DEPRECATED, USE [quantile_residual_plot](#) INSTEAD!

Value

Only plots to a graphical device and doesn't return anything.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[profile_logliks](#), [diagnostic_plot](#), [fitGSMAR](#), [GSMAR](#), [quantile_residual_tests](#), [simulate.gsmar](#)

quantileResiduals *DEPRECATED, USE quantile_residuals INSTEAD! Compute quantile residuals of GMAR, StMAR, or G-StMAR model*

Description

quantileResiduals computes the quantile residuals of the specified GMAR, StMAR, or G-StMAR model. DEPRECATED, USE quantile_residuals INSTEAD!

Usage

```
quantileResiduals(
  data,
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  parametrization = c("intercept", "mean")
)
```

Arguments

data a numeric vector or class 'ts' object containing the data. NA values are not supported.

p a positive integer specifying the autoregressive order of the model.

M **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.

For G-StMAR models: a size (2×1) integer vector specifying the number of *GMAR type* components $M1$ in the first element and *StMAR type* components $M2$ in the second element. The total number of mixture components is $M=M1+M2$.

params

a real valued parameter vector specifying the model.

For non-restricted models: Size $(M(p+3)+M-M1-1 \times 1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where

- $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$
- $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$
- $\nu = (\nu_{M1+1}, \dots, \nu_M)$
- $M1$ is the number of GMAR type regimes.

In the **GMAR** model, $M1 = M$ and the parameter ν dropped. In the **StMAR** model, $M1 = 0$.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).

For restricted models: Size $(3M+M-M1+p-1 \times 1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi_1^2, \dots, \phi_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).

Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first $M1$ components are *GMAR type* and the rest $M2$ components are *StMAR type*. Note that in the case **M=1**, the mixing weight parameters α are dropped, and in the case of **StMAR** or **G-StMAR** model, the degrees of freedom parameters ν have to be larger than 2.

model

is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first $M1$ components are *GMAR type* and the rest $M2$ components are *StMAR type*.

restricted

a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.

constraints

specifies linear constraints imposed to each regime's autoregressive parameters separately.

For non-restricted models: a list of size $(p \times q_m)$ constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.

For restricted models: a size $(p \times q)$ constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.

The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.

parametrization

is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0}/(1 - \sum \phi_{i,m})$?

Details

DEPRECATED, USE `quantile_residuals` INSTEAD!

Value

Returns a $(Tx1)$ numeric vector containing the quantile residuals of the specified GMAR, StMAR or G-StMAR model. Note that there are no quantile residuals for the first p observations as they are the initial values.

Suggested packages

Install the suggested package "gsl" for faster evaluation of the quantile residuals of StMAR and G-StMAR models.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

quantileResidualTests *DEPRECATED, USE `quantile_residual_tests` INSTEAD! Quantile residual tests for GMAR, StMAR, and G-StMAR models*

Description

quantileResidualTests performs quantile residual tests for GMAR, StMAR, and G-StMAR models, testing normality, autocorrelation, and conditional heteroscedasticity of the quantile residuals. DEPRECATED, USE `quantile_residual_tests` INSTEAD!

Usage

```

quantileResidualTests(
  gsmar,
  lags_ac = c(1, 3, 6, 12),
  lags_ch = lags_ac,
  nsimu = 1,
  print_res = TRUE,
  lagsAC = NULL,
  lagsCH = NULL,
  printRes = NULL
)

```

Arguments

<code>gsmar</code>	a class 'gsmar' object, typically generated by <code>fitGSMAR</code> or <code>GSMAR</code> .
<code>lags_ac</code>	a numeric vector of positive integers specifying the lags for which autocorrelation is tested.
<code>lags_ch</code>	a numeric vector of positive integers specifying the lags for which conditional heteroscedasticity is tested.
<code>nsimu</code>	a positive integer specifying to how many simulated observations the covariance matrix Ω (see Kalliovirta (2012)) should be based on. If smaller than data size, then ω will be based on the given data and not on simulated data. Having the covariance matrix ω based on a large simulated sample might improve the tests size properties.
<code>print_res</code>	a logical argument defining whether the results should be printed or not.
<code>lagsAC</code>	deprecated! Use <code>lags_ac</code> instead.
<code>lagsCH</code>	deprecated! Use <code>lags_ch</code> instead.
<code>printRes</code>	deprecated! Use <code>print_res</code> instead.

Details

DEPRECATED! USE `quantile_residual_tests` INSTEAD!

For a correctly specified GSMAR model employing the maximum likelihood estimator, the quantile residuals are asymptotically independent with standard normal distribution. They can hence be used in a similar manner to conventional Pearson's residuals. For more details about quantile residual based diagnostics, and in particular, about the quantile residual tests, see the cited article by *Kalliovirta (2012)*.

Value

Returns an object of class 'qrtest' containing the test results in data frames. In the cases of autocorrelation and conditional heteroscedasticity tests, the returned object also contains the associated individual statistics and their standard errors, discussed in *Kalliovirta (2012)* at the pages 369-370.

Suggested packages

Install the suggested package "gsl" for faster evaluations in the cases of StMAR and G-StMAR models. For large StMAR and G-StMAR models with large data, the evaluations may take significantly long time without the package "gsl".

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[profile_logliks](#), [fitGSMAR](#), [GSMAR](#), [diagnostic_plot](#), [predict.gsmar](#), [get_test_Omega](#),

quantile_residuals *Compute quantile residuals of GMAR, StMAR, or G-StMAR model*

Description

quantile_residuals computes the quantile residuals of the specified GMAR, StMAR, or G-StMAR model.

Usage

```
quantile_residuals(
  data,
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  parametrization = c("intercept", "mean")
)
```


Arguments

data	a numeric vector or class 'ts' object containing the data. NA values are not supported.
p	a positive integer specifying the autoregressive order of the model.
M	For GMAR and StMAR models: a positive integer specifying the number of mixture components. For G-StMAR models: a size (2x1) integer vector specifying the number of <i>GMAR type</i> components M1 in the first element and <i>StMAR type</i> components M2 in the second element. The total number of mixture components is $M=M1+M2$.
params	a real valued parameter vector specifying the model. For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes. In the GMAR model, $M1 = M$ and the parameter ν dropped. In the StMAR model, $M1 = 0$. If the model imposes linear constraints on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints). For restricted models: Size $(3M+M-M1+p-1x1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes. If the model imposes linear constraints on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints). Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> . Note that in the case M=1 , the mixing weight parameters α are dropped, and in the case of StMAR or G-StMAR model, the degrees of freedom parameters ν have to be larger than 2.
model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	specifies linear constraints imposed to each regime's autoregressive parameters separately. For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.

For restricted models: a size $(p \times q)$ constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.

The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.

parametrization

is the model parametrized with the "intercepts" $\phi_{m,0}$ or "means" $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$?

Details

Numerical integration is employed if the quantile residuals cannot be obtained analytically with the hypergeometric function using the package 'gsl'.

Value

Returns a $(Tx1)$ numeric vector containing the quantile residuals of the specified GMAR, StMAR or G-StMAR model. Note that there are no quantile residuals for the first p observations as they are the initial values.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

Examples

```
# GMAR model
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
quantile_residuals(simudata, p=1, M=2, params=params12, model="GMAR")

# G-StMAR-model
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
               0.2, -0.15, 0.04, 0.19, 9.75)
quantile_residuals(M10Y1Y, p=4, M=c(1, 1), params=params42gs, model="G-StMAR")
```

`quantile_residual_plot`*Plot quantile residual time series and histogram*

Description

`quantile_residualsPlot` plots quantile residual time series and histogram.

Usage

```
quantile_residual_plot(gsmar)
```

Arguments

`gsmar` a class 'gsmar' object, typically generated by `fitGSMAR` or `GSMAR`.

Value

Only plots to a graphical device and doesn't return anything.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[profile_logliks](#), [diagnostic_plot](#), [fitGSMAR](#), [GSMAR](#), [quantile_residual_tests](#), [simulate.gsmar](#)

Examples

```
## The below examples take approximately 15 seconds to run.  
  
# G-StMAR model with one GMAR type and one StMAR type regime  
fit42gs <- fitGSMAR(M10Y1Y, p=4, M=c(1, 1), model="G-StMAR",  
                  ncalls=1, seeds=4)  
quantile_residual_plot(fit42gs)
```

```
# GMAR model
fit12 <- fitGSMAR(data=simudata, p=1, M=2, model="GMAR", ncalls=1, seeds=1)
quantile_residual_plot(fit12)
```

randomIndividual	<i>DEPRECATED, USE random_ind OR smart_ind INSTEAD! Create random GMAR, StMAR, or G-StMAR model compatible parameter vector</i>
------------------	---

Description

randomIndividual creates a random GMAR, StMAR, or G-StMAR model compatible mean-parametrized parameter vector. **DEPRECATED, USE random_ind INSTEAD!**

smartIndividual creates a random GMAR, StMAR, or G-StMAR model compatible parameter vector close to argument params. Sometimes returns exactly the given parameter vector. **DEPRECATED, USE smart_ind INSTEAD!**

Usage

```
randomIndividual(
  p,
  M,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  mu_scale,
  sigma_scale,
  forcastat = FALSE,
  meanscale = NULL,
  sigmascale = NULL
)
```

```
smartIndividual(
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  mu_scale,
  sigma_scale,
  accuracy,
  which_random = numeric(0),
  forcastat = FALSE,
  whichRandom = NULL,
  meanscale = NULL,
```

```

    sigmascale = NULL
)

```

Arguments

p	a positive integer specifying the autoregressive order of the model.
M	<p>For GMAR and StMAR models: a positive integer specifying the number of mixture components.</p> <p>For G-StMAR models: a size (2x1) integer vector specifying the number of <i>GMAR type</i> components M1 in the first element and <i>StMAR type</i> components M2 in the second element. The total number of mixture components is $M=M1+M2$.</p>
model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	<p>specifies linear constraints imposed to each regime's autoregressive parameters separately.</p> <p>For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.</p> <p>For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.</p> <p>The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.</p>
mu_scale	a real valued vector of length two specifying the mean (the first element) and standard deviation (the second element) of the normal distribution from which the $\phi_{m,0}$ or μ_m (depending on the desired parametrization) parameters (for random regimes) should be generated.
sigma_scale	a positive real number specifying the standard deviation of the (zero mean, positive only by taking absolute value) normal distribution from which the component variance parameters (for random regimes) should be generated.
forcestat	use the algorithm by Monahan (1984) to force stationarity on the AR parameters (slower) for random regimes? Not supported for constrained models.
meanscale	deprecated! Use mu_scale instead!
sigmascale	deprecated! Use sigma_scale instead!
params	<p>a real valued parameter vector specifying the model.</p> <p>For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta = (v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where</p> <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$

- $M1$ is the number of GMAR type regimes.

In the **GMAR** model, $M1 = M$ and the parameter ν dropped. In the **StMAR** model, $M1 = 0$.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).

For restricted models: Size $(3M + M - M1 + p - 1 \times 1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi_1^2, \dots, \phi_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.

If the model imposes **linear constraints** on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).

Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first $M1$ components are *GMAR type* and the rest $M2$ components are *StMAR type*. Note that in the case **M=1**, the mixing weight parameters α are dropped, and in the case of **StMAR** or **G-StMAR** model, the degrees of freedom parameters ν have to be larger than 2.

accuracy	a real number larger than zero specifying how close to params the generated parameter vector should be. Standard deviation of the normal distribution from which new parameter values are drawn from will be corresponding parameter value divided by accuracy.
which_random	a numeric vector of maximum length M specifying which regimes should be random instead of "smart" when using smart_ind. Does not affect mixing weight parameters. Default in none.
whichRandom	deprecated! Use which_random instead!

Details

DEPRECATED, USE random_ind OR smart_ind INSTEAD!

These functions can be used, for example, to create initial populations for the genetic algorithm. Mean-parametrization (instead of intercept terms $\phi_{m,0}$) is assumed.

Value

Returns estimated parameter vector with the form described in initpop.

References

- Monahan J.F. 1984. A Note on Enforcing Stationarity in Autoregressive-Moving Average Models. *Biometrika* **71**, 403-404.

random_ind	<i>Create random GMAR, StMAR, or G-StMAR model compatible parameter vector</i>
------------	--

Description

random_ind creates a random GMAR, StMAR, or G-StMAR model compatible mean-parametrized parameter vector.

smart_ind creates a random GMAR, StMAR, or G-StMAR model compatible parameter vector close to argument params. Sometimes returns exactly the given parameter vector.

Usage

```
random_ind(
  p,
  M,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  mu_scale,
  sigma_scale,
  forcastat = FALSE
)
```

```
smart_ind(
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  mu_scale,
  sigma_scale,
  accuracy,
  which_random = numeric(0),
  forcastat = FALSE
)
```

Arguments

p a positive integer specifying the autoregressive order of the model.

M **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.
For G-StMAR models: a size (2x1) integer vector specifying the number of *GMAR type* components M1 in the first element and *StMAR type* components M2 in the second element. The total number of mixture components is $M=M1+M2$.

model	is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first M1 components are <i>GMAR type</i> and the rest M2 components are <i>StMAR type</i> .
restricted	a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.
constraints	specifies linear constraints imposed to each regime's autoregressive parameters separately. For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$. For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$. The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.
mu_scale	a real valued vector of length two specifying the mean (the first element) and standard deviation (the second element) of the normal distribution from which the $\phi_{m,0}$ or μ_m (depending on the desired parametrization) parameters (for random regimes) should be generated.
sigma_scale	a positive real number specifying the standard deviation of the (zero mean, positive only by taking absolute value) normal distribution from which the component variance parameters (for random regimes) should be generated.
forcastat	use the algorithm by Monahan (1984) to force stationarity on the AR parameters (slower) for random regimes? Not supported for constrained models.
params	a real valued parameter vector specifying the model. For non-restricted models: Size $(M(p+3)+M-M1-1x1)$ vector $\theta = (v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes. In the GMAR model, $M1 = M$ and the parameter ν dropped. In the StMAR model, $M1 = 0$. If the model imposes linear constraints on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints). For restricted models: Size $(3M+M-M1+p-1x1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes. If the model imposes linear constraints on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints). Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace

each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0}/(1 - \sum \phi_{i,m})$. In the **G-StMAR** model, the first M1 components are *GMAR type* and the rest M2 components are *StMAR type*. Note that in the case **M=1**, the mixing weight parameters α are dropped, and in the case of **StMAR** or **G-StMAR** model, the degrees of freedom parameters ν have to be larger than 2.

accuracy	a real number larger than zero specifying how close to params the generated parameter vector should be. Standard deviation of the normal distribution from which new parameter values are drawn from will be corresponding parameter value divided by accuracy.
which_random	a numeric vector of maximum length M specifying which regimes should be random instead of "smart" when using smart_ind. Does not affect mixing weight parameters. Default in none.

Details

These functions can be used, for example, to create initial populations for the genetic algorithm. Mean-parametrization (instead of intercept terms $\phi_{m,0}$) is assumed.

Value

Returns estimated parameter vector with the form described in `initpop`.

References

- Monahan J.F. 1984. A Note on Enforcing Stationarity in Autoregressive-Moving Average Models. *Biometrika* **71**, 403-404.

Examples

```
set.seed(1)

# GMAR model parameter vector
params22 <- random_ind(p=2, M=2, mu_scale=c(0, 1), sigma_scale=1)
smart22 <- smart_ind(p=2, M=2, params22, accuracy=10)
cbind(params22, smart22)

# Restricted GMAR parameter vector
params12r <- random_ind(p=1, M=2, restricted=TRUE, mu_scale=c(-2, 2), sigma_scale=2)
smart12r <- smart_ind(p=1, M=2, params12r, restricted=TRUE, accuracy=20)
cbind(params12r, smart12r)

# StMAR parameter vector: first regime is random in the "smart individual"
params13t <- random_ind(p=1, M=3, model="StMAR", mu_scale=c(3, 1), sigma_scale=3)
smart13t <- smart_ind(p=1, M=3, params13t, model="StMAR", accuracy=15,
  mu_scale=c(3, 3), sigma_scale=3, which_random=1)
cbind(params13t, smart13t)

# Restricted StMAR parameter vector
params22tr <- random_ind(p=2, M=2, model="StMAR", restricted=TRUE,
  mu_scale=c(3, 2), sigma_scale=0.5)
smart22tr <- smart_ind(p=2, M=2, params22tr, model="StMAR", restricted=TRUE,
```

```

                                accuracy=30)
cbind(params22tr, smart22tr)

# G-StMAR parameter vector
params12gs <- random_ind(p=1, M=c(1, 1), model="G-StMAR", mu_scale=c(0, 1),
                        sigma_scale=1)
smart12gs <- smart_ind(p=1, M=c(1, 1), params12gs, model="G-StMAR",
                      accuracy=20)
cbind(params12gs, smart12gs)

# Such StMAR(3,2) that the AR coefficients are restricted to be
# the same for both regimes and that the second AR coefficients are
# constrained to zero. Second regime is random in the "smart individual".
params32trc <- random_ind(p=3, M=2, model="StMAR", restricted=TRUE,
                        constraints=matrix(c(1, 0, 0, 0, 0, 1), ncol=2),
                        mu_scale=c(-2, 0.5), sigma_scale=4)
smart32trc <- smart_ind(p=3, M=2, params32trc, model="StMAR", restricted=TRUE,
                      constraints=matrix(c(1, 0, 0, 0, 0, 1), ncol=2),
                      mu_scale=c(0, 0.1), sigma_scale=0.1, which_random=2,
                      accuracy=20)
cbind(params32trc, smart32trc)

```

reform_parameters

Reform any parameter vector into standard form.

Description

reform_parameters takes a parameter vector of any (non-constrained) GMAR, StMAR, or G-StMAR model and returns a list with the parameter vector in the standard form, parameter matrix containing AR coefficients and component variances, mixing weights alphas, and in case of StMAR or G-StMAR model also degrees of freedom parameters.

Usage

```

reform_parameters(
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE
)

```

Arguments

p a positive integer specifying the autoregressive order of the model.

M **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.

	<p>For G-StMAR models: a size (2×1) integer vector specifying the number of <i>GMAR type</i> components $M1$ in the first element and <i>StMAR type</i> components $M2$ in the second element. The total number of mixture components is $M=M1+M2$.</p>
params	<p>a real valued parameter vector specifying the model.</p> <p>For non-restricted models: Size $(M(p+3)+M-M1-1 \times 1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where</p> <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes. <p>In the GMAR model, $M1 = M$ and the parameter ν dropped. In the StMAR model, $M1 = 0$.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).</p> <p>For restricted models: Size $(3M+M-M1+p-1 \times 1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi, \sigma_1^2, \dots, \sigma_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).</p> <p>Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization=="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>. Note that in the case M=1, the mixing weight parameters α are dropped, and in the case of StMAR or G-StMAR model, the degrees of freedom parameters ν have to be larger than 2.</p>
model	<p>is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>.</p>
restricted	<p>a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.</p>

Details

This function does not support models imposing linear constraints. No argument checks in this function.

Value

Returns a list with...

`$params` parameter vector in the standard form.

`$pars` corresponding parameter matrix containing AR coefficients and component variances. First row for ϕ_0 or means depending on the parametrization. Column for each component.

`$alphas` numeric vector containing mixing weight parameters for all of the components (also for the last one).

`$dfs` numeric vector containing degrees of freedom parameters for all of components. Returned only if `model == "StMAR"` or `model == "G-StMAR"`.

@keywords internal

simudata	<i>Simulated data</i>
----------	-----------------------

Description

A dataset containing 200 observations simulated from a GMAR $p=1$, $M=2$ process.

Usage

```
simudata
```

Format

A numeric vector of length 200.

Source

Simulated

simulate.gsmar	<i>Simulate observations from GMAR, StMAR, and G-StMAR processes</i>
----------------	--

Description

`simulate.gsmar` simulates observations from the specified GMAR, StMAR, or G-StMAR process. Can be utilized for forecasting future values of the process.

Usage

```
## S3 method for class 'gsmar'
simulate(
  object,
  nsim = 1,
  seed = NULL,
  ...,
  init_values = NULL,
  ntimes = 1,
  drop = TRUE
)
```

Arguments

object	object of class 'gsmar', typically created with the function fitGSMAR or GSMAR.
nsim	a positive integer specifying how many values (ahead from init_values) will be simulated.
seed	an integer that specifies the seed for the random number generator. Ignored if NULL.
...	currently not in use.
init_values	a numeric vector with length $\geq p$ specifying the initial values for the simulation. The last element will be used as the initial value for the first lag, the second last element will be initial value for the second lag, etc. If NULL, initial values will be simulated from the process's stationary distribution.
ntimes	a positive integer specifying how many sets of simulations should be performed.
drop	if TRUE (default) then the components of the returned list are coerced to lower dimension if ntimes==1, i.e., \$sample and \$component will be vectors and \$mixing_weights will be matrix.

Details

The argument ntimes is intended for forecasting: a GSMAR process can be forecasted by simulating its possible future values. One can perform a large number of sets of simulations and calculate the sample quantiles from the simulated values to obtain prediction intervals. See the forecasting example below for a hand-on demonstration.

Value

If drop==TRUE and ntimes==1 (default): \$sample and \$component are vectors and \$mixing_weights is a (nsim \times M) matrix. Otherwise, returns a list with...

\$sample a size (nsim \times ntimes) matrix containing the simulated values.

\$component a size (nsim \times ntimes) matrix containing the information from which mixture component each value was generated from.

\$mixing_weights a size (nsim \times M \times ntimes) array containing the mixing weights corresponding to the sample: the dimension [i, ,] is the time index, the dimension [, i,] indicates the regime, and the dimension [, , i] indicates the i:th set of simulations.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [GSMAR](#), [predict.gsmar](#), [add_data](#), [cond_moments](#), [mixing_weights](#)

Examples

```
set.seed(1)

# GMAR model:
params22 <- c(0.9, 0.4, 0.2, 0.5, 0.7, 0.5, -0.2, 0.7, 0.7)
mod22 <- GSMAR(p=2, M=2, params=params22, model="GMAR")
mysim <- simulate(mod22, nsim=500)
ts.plot(mysim$sample)
ts.plot(mysim$component)
ts.plot(mysim$mixing_weights, col=rainbow(2), lty=2)

# G-StMAR model, with initial values:
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
               0.2, -0.15, 0.04, 0.19, 9.75)
gstmar42 <- GSMAR(data=M10Y1Y, p=4, M=c(1, 1), params=params42gs,
                  model="G-StMAR")
sim42gs <- simulate(gstmar42, nsim=500, init_values=1:4)
ts.plot(sim42gs$sample)
ts.plot(sim42gs$component)
ts.plot(sim42gs$mixing_weights, col=rainbow(2), lty=2)

# FORECASTING EXAMPLE:
# GMAR model, 1000 sets of simulations with initial values from the data:
params12 <- c(1.70, 0.85, 0.30, 4.12, 0.73, 1.98, 0.63)
gmar12 <- GSMAR(data=simudata, p=1, M=2, params=params12, model="GMAR")
sim12 <- simulate(gmar12, nsim=5, init_val=gmar12$data, ntimes=1000)
apply(sim12$sample, MARGIN=1, FUN=median) # Point prediction
apply(sim12$sample, MARGIN=1, FUN=quantile, probs=c(0.025, 0.975)) # 95% pi
apply(sim12$mixing_weights, MARGIN=1:2, FUN=median) # mix.weight point pred
apply(sim12$mixing_weights, MARGIN=1:2, FUN=quantile,
      probs=c(0.025, 0.975)) # mix.weight 95% prediction intervals
```

simulateGSMAR

DEPRECATED, USE simulate.gsmar INSTEAD! Simulate observations from GMAR, StMAR, and G-StMAR processes

Description

simulateGSMAR simulates observations from the specified GMAR, StMAR, or G-StMAR process. Can be utilized for forecasting future values of the process. DEPRECATED, USE simulate.gsmar INSTEAD!

Usage

```
simulateGSMAR(
  object,
  nsim,
  init_values = NULL,
  ntimes = 1,
  drop = TRUE,
  gsmar = NULL,
  nsimu = NULL
)
```

Arguments

<code>object</code>	object of class 'gsmar', typically created with the function <code>fitGSMAR</code> or <code>GSMAR</code> .
<code>nsim</code>	a positive integer specifying how many values (ahead from <code>init_values</code>) will be simulated.
<code>init_values</code>	a numeric vector with length $\geq p$ specifying the initial values for the simulation. The last element will be used as the initial value for the first lag, the second last element will be initial value for the second lag, etc. If <code>NULL</code> , initial values will be simulated from the process's stationary distribution.
<code>ntimes</code>	a positive integer specifying how many sets of simulations should be performed.
<code>drop</code>	if <code>TRUE</code> (default) then the components of the returned list are coerced to lower dimension if <code>ntimes==1</code> , i.e., <code>\$sample</code> and <code>\$component</code> will be vectors and <code>\$mixing_weights</code> will be matrix.
<code>gsmar</code>	a class 'gsmar' object, typically generated by <code>fitGSMAR</code> or <code>GSMAR</code> .
<code>nsimu</code>	a positive integer specifying how many values (ahead from <code>init_values</code>) will be simulated.

Details

DEPRECATED, USE `simulate.gsmar` INSTEAD!

The argument `ntimes` is intended for forecasting: a GSMAR process can be forecasted by simulating its possible future values. One can perform a large number of sets of simulations and calculate the sample quantiles from the simulated values to obtain prediction intervals. See the forecasting example below for a hand-on demonstration.

Value

If `drop==TRUE` and `ntimes==1` (default): `$sample` and `$component` are vectors and `$mixing_weights` is a $(nsim \times M)$ matrix. Otherwise, returns a list with...

`$sample` a size $(nsim \times ntimes)$ matrix containing the simulated values.

`$component` a size $(nsim \times ntimes)$ matrix containing the information from which mixture component each value was generated from.

`$mixing_weights` a size $(nsim \times M \times ntimes)$ array containing the mixing weights corresponding to the sample: the dimension $[i, ,]$ is the time index, the dimension $[, i,]$ indicates the regime, and the dimension $[, , i]$ indicates the i :th set of simulations.

References

- Galbraith, R., Galbraith, J. 1974. On the inverses of some patterned matrices arising in the theory of stationary time series. *Journal of Applied Probability* **11**, 63-71.
- Kalliovirta L. (2012) Misspecification tests based on quantile residuals. *The Econometrics Journal*, **15**, 358-393.
- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [GSMAR](#), [predict.gsmar](#), [add_data](#), [cond_moments](#), [mixing_weights](#)

stmarpars_to_gstmar	<i>Transform a StMAR or G-StMAR model parameter vector to a corresponding G-StMAR model parameter vector with large dfs parameters reduced.</i>
---------------------	---

Description

stmarpars_to_gstmar transforms a StMAR model parameter vector to a corresponding G-StMAR model parameter vector with large dfs parameters reduced by switching the related regimes to be GMAR type.

Usage

```
stmarpars_to_gstmar(
  p,
  M,
  params,
  model = c("GMAR", "StMAR", "G-StMAR"),
  restricted = FALSE,
  constraints = NULL,
  maxdf = 100
)
```

Arguments

p a positive integer specifying the autoregressive order of the model.

M **For GMAR and StMAR models:** a positive integer specifying the number of mixture components.

	<p>For G-StMAR models: a size (2×1) integer vector specifying the number of <i>GMAR type</i> components $M1$ in the first element and <i>StMAR type</i> components $M2$ in the second element. The total number of mixture components is $M=M1+M2$.</p>
params	<p>a real valued parameter vector specifying the model.</p> <p>For non-restricted models: Size $(M(p+3)+M-M1-1 \times 1)$ vector $\theta=(v_1, \dots, v_M, \alpha_1, \dots, \alpha_{M-1}, \nu)$ where</p> <ul style="list-style-type: none"> • $v_m = (\phi_{m,0}, \phi_m, \sigma_m^2)$ • $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p}), m = 1, \dots, M$ • $\nu = (\nu_{M1+1}, \dots, \nu_M)$ • $M1$ is the number of GMAR type regimes. <p>In the GMAR model, $M1 = M$ and the parameter ν dropped. In the StMAR model, $M1 = 0$.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vectors ϕ_m with the vectors ψ_m that satisfy $\phi_m = C_m \psi_m$ (see the argument constraints).</p> <p>For restricted models: Size $(3M+M-M1+p-1 \times 1)$ vector $\theta = (\phi_{1,0}, \dots, \phi_{M,0}, \phi_1^2, \dots, \phi_M^2, \alpha_1, \dots, \alpha_{M-1}, \nu)$, where $\phi = (\phi_1, \dots, \phi_p)$ contains the AR coefficients, which are common for all regimes.</p> <p>If the model imposes linear constraints on the autoregressive parameters: Replace the vector ϕ with the vector ψ that satisfies $\phi = C\psi$ (see the argument constraints).</p> <p>Symbol ϕ denotes an AR coefficient, σ^2 a variance, α a mixing weight, and ν a degrees of freedom parameter. If parametrization="mean", just replace each intercept term $\phi_{m,0}$ with the regimewise mean $\mu_m = \phi_{m,0} / (1 - \sum \phi_{i,m})$. In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>. Note that in the case M=1, the mixing weight parameters α are dropped, and in the case of StMAR or G-StMAR model, the degrees of freedom parameters ν have to be larger than 2.</p>
model	<p>is "GMAR", "StMAR", or "G-StMAR" model considered? In the G-StMAR model, the first $M1$ components are <i>GMAR type</i> and the rest $M2$ components are <i>StMAR type</i>.</p>
restricted	<p>a logical argument stating whether the AR coefficients $\phi_{m,1}, \dots, \phi_{m,p}$ are restricted to be the same for all regimes.</p>
constraints	<p>specifies linear constraints imposed to each regime's autoregressive parameters separately.</p> <p>For non-restricted models: a list of size (pxq_m) constraint matrices C_m of full column rank satisfying $\phi_m = C_m \psi_m$ for all $m = 1, \dots, M$, where $\phi_m = (\phi_{m,1}, \dots, \phi_{m,p})$ and $\psi_m = (\psi_{m,1}, \dots, \psi_{m,q_m})$.</p> <p>For restricted models: a size (pxq) constraint matrix C of full column rank satisfying $\phi = C\psi$, where $\phi = (\phi_1, \dots, \phi_p)$ and $\psi = (\psi_1, \dots, \psi_q)$.</p> <p>The symbol ϕ denotes an AR coefficient. Note that regardless of any constraints, the autoregressive order is always p for all regimes. Ignore or set to NULL if applying linear constraints is not desired.</p>
maxdf	<p>regimes with degrees of freedom parameter value larger than this will be turned into GMAR type.</p>

Value

Returns a list with three elements: `$params` contains the corresponding G-StMAR model parameter vector, `$reg_order` contains the permutation that was applied to the regimes (GMAR type components first, and decreasing ordering by mixing weight parameters), and `$M` a vector of length two containing the number of GMAR type regimes in the first element and the number of StMAR type regimes in the second.

Examples

```
params12 <- c(2, 0.9, 0.1, 0.8, 0.5, 0.5, 0.4, 12, 300)
stmarpars_to_gstmar(p=1, M=2, params=params12, model="StMAR", maxdf=100)
```

stmar_to_gstmar	<i>Estimate a G-StMAR model based on a StMAR model with large degrees of freedom parameters</i>
-----------------	---

Description

`stmar_to_gstmar` estimates a G-StMAR model based on a StMAR model with large degree of freedom parameters.

Usage

```
stmar_to_gstmar(
  gsmar,
  maxdf = 100,
  estimate,
  calc_std_errors,
  maxit = 100,
  custom_h = NULL
)
```

Arguments

<code>gsmar</code>	a class 'gsmar' object, typically generated by <code>fitGSMAR</code> or <code>GSMAR</code> .
<code>maxdf</code>	regimes with degrees of freedom parameter value larger than this will be turned into GMAR type.
<code>estimate</code>	set TRUE if the new model should be estimated with a variable metric algorithm using the StMAR model parameter value as the initial value. By default TRUE iff the model contains data.
<code>calc_std_errors</code>	set TRUE if the approximate standard errors should be calculated. By default TRUE iff the model contains data.
<code>maxit</code>	the maximum number of iterations for the variable metric algorithm. Ignored if <code>estimate==FALSE</code> .

`custom_h` A numeric vector with same the length as the parameter vector: i :th element of `custom_h` is the difference used in central difference approximation for partial differentials of the log-likelihood function for the i :th parameter. If NULL (default), then the difference used for differentiating overly large degrees of freedom parameters is adjusted to avoid numerical problems, and the difference is $6e-6$ for the other parameters.

Details

If a StMAR model contains large estimates for the degrees of freedom parameters, one should consider switching to the corresponding G-StMAR model that lets the corresponding regimes to be GMAR type. `stmar_to_gstmar` does this switch conveniently.

Value

Returns an object of class 'gsmar' defining the specified GMAR, StMAR, or G-StMAR model. If data is supplied, the returned object contains (by default) empirical mixing weights, some conditional and unconditional moments, and quantile residuals. Note that the first p observations are taken as the initial values so the mixing weights, conditional moments, and quantile residuals start from the $p+1$:th observation (interpreted as $t=1$).

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [GSMAR](#), [iterate_more](#), [get_gradient](#), [get_regime_means](#), [swap_parametrization](#), [stmar_to_gstmar](#)

Examples

```
# These are long running example that take approximately 15 seconds to run.
fit42t <- fitGSMAR(data=M10Y1Y, p=4, M=2, model="StMAR", ncalls=1, seeds=6)
fit42t # Overly large degrees of freedom estimate!

# Switch to the appropriate G-StMAR model:
fit42gs <- stmar_to_gstmar(fit42t)
fit42gs
```

swap_parametrization *Swap the parametrization of object of class 'gsmar' defining a GMAR, StMAR, or G-StMAR model*

Description

swap_parametrization swaps the parametrization of object of class 'gsmar' to "mean" if the current parametrization is "intercept", and vice versa.

Usage

```
swap_parametrization(gsmar, calc_std_errors = TRUE, custom_h = NULL)
```

Arguments

gsmar	a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.
calc_std_errors	should approximate standard errors be calculated?
custom_h	A numeric vector with same the length as the parameter vector: i:th element of custom_h is the difference used in central difference approximation for partial differentials of the log-likelihood function for the i:th parameter. If NULL (default), then the difference used for differentiating overly large degrees of freedom parameters is adjusted to avoid numerical problems, and the difference is 6e-6 for the other parameters.

Details

swap_parametrization is a convenient tool if you have estimated the model in "intercept"-parametrization but wish to work with "mean"-parametrization in the future, or vice versa. For example, approximate standard errors are readily available for parametrized parameters only.

Value

Returns an object of class 'gsmar' defining the specified GMAR, StMAR, or G-StMAR model. If data is supplied, the returned object contains (by default) empirical mixing weights, some conditional and unconditional moments, and quantile residuals. Note that the first p observations are taken as the initial values so the mixing weights, conditional moments, and quantile residuals start from the $p+1$:th observation (interpreted as $t=1$).

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[fitGSMAR](#), [GSMAR](#), [iterate_more](#), [get_gradient](#), [get_regime_means](#), [swap_parametrization](#), [stmar_to_gstmar](#)

Examples

```
# G-StMAR model with intercept parametrization
params42gs <- c(0.04, 1.34, -0.59, 0.54, -0.36, 0.01, 0.06, 1.28, -0.36,
               0.2, -0.15, 0.04, 0.19, 9.75)
gstmar42 <- GSMAR(data=M10Y1Y, p=4, M=c(1, 1), params=params42gs,
                 model="G-StMAR")
summary(gstmar42)

# Swap to mean parametrization
gstmar42 <- swap_parametrization(gstmar42)
summary(gstmar42)
```

T10Y1Y

Spread between 10-Year and 1-Year Treasury rates: T10Y1Y

Description

A dataset containing monthly U.S. interest rate spread between the 10-Year Treasury constant maturity rate and 1-Year Treasury constant maturity rate from 1953IV to 2020II.

Usage

```
T10Y1Y
```

Format

A class 'ts' time series object containing 803 observations.

Source

<https://fred.stlouisfed.org/series/GS10> <https://fred.stlouisfed.org/series/GS1>

TBFF	<i>Spread between the 3-month Treasury bill rate and the effective federal funds rate: TBFF</i>
------	---

Description

A dataset containing the monthly U.S. interest rate spread between the 3-month Treasury bill secondary market rate and the effective federal funds rate from 1954 July to 2019 July (781 observations). This series was studied in the empirical application of Virolainen (2021) introducing the G-StMAR model.

Usage

TBFF

Format

A class 'ts' time series object containing 781 observations.

Source

<https://fred.stlouisfed.org/series/TB3SMFFM>

References

- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

uGMAR	<i>uGMAR: Estimate Univariate Gaussian and Student's t Mixture Autoregressive Models</i>
-------	--

Description

uGMAR is a package for estimating univariate Gaussian mixture autoregressive (GMAR), Student's t mixture autoregressive (StMAR), and Gaussian and Student's t mixture autoregressive (G-StMAR) models. In addition to unconstrained and constrained estimation, uGMAR provides tools for quantile residual based model diagnostics, forecasting, simulation, and more.

The readme file or the vignette is a good place to start.

uncond_moments	<i>Calculate unconditional mean, variance, first p autocovariances and autocorrelations of the GSMAR process.</i>
----------------	---

Description

uncond_moments calculates the unconditional mean, variance, and the first p autocovariances and autocorrelations of the GSMAR process.

Usage

```
uncond_moments(gsmar)
```

Arguments

gsmar a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.

Value

Returns a list containing the unconditional mean, variance, and the first p autocovariances and autocorrelations. Note that the lag-zero autocovariance/correlation is not included in the "first p" but is given in the uncond_variance component separately.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060
- Lütkepohl H. 2005. *New Introduction to Multiple Time Series Analysis*. Springer.

See Also

Other moment functions: [cond_moments\(\)](#), [get_regime_autocovs\(\)](#), [get_regime_means\(\)](#), [get_regime_vars\(\)](#)

Examples

```
# GMAR model
params13 <- c(1.4, 0.88, 0.26, 2.46, 0.82, 0.74, 5.0, 0.68, 5.2, 0.72, 0.2)
gmar13 <- GSMAR(p=1, M=3, params=params13, model="GMAR")
uncond_moments(gmar13)

# StMAR model
params12t <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 100, 3.6)
stmar12t <- GSMAR(p=1, M=2, params=params12t, model="StMAR")
uncond_moments(stmar12t)
```

```
# G-StMAR model (similar to the StMAR model above)
params12gs <- c(1.38, 0.88, 0.27, 3.8, 0.74, 3.15, 0.8, 3.6)
gstmar12 <- GSMAR(p=1, M=c(1, 1), params=params12gs, model="G-StMAR")
uncond_moments(gstmar12)
```

Wald_test

Perform Wald test

Description

Wald_test performs a Wald test for a GMAR, StMAR, or G-StMAR model.

Usage

```
Wald_test(gsmar, A, c, h = 6e-06)
```

Arguments

gsmar	a class 'gsmar' object, typically generated by fitGSMAR or GSMAR.
A	a size $(k \times n_{params})$ matrix with full row rank specifying a part of the null hypothesis, where n_{params} is the number of parameters in the (unconstrained) model. See details for more information.
c	a length k vector specifying a part of the null hypothesis. See details for more information.
h	the difference used to approximate the derivatives.

Details

Denoting the true parameter value by θ_0 , we test the null hypothesis $A\theta_0 = c$. Under the null, the test statistic is asymptotically χ^2 -distributed with k ($=\text{nrow}(A)$) degrees of freedom. The parameter θ_0 is assumed to have the same form as in the model supplied in the argument gsmar and it is presented in the documentation of the argument params in the function GSMAR (see ?GSMAR).

Note that this function does **not** check whether the specified constraints are feasible (e.g., whether the implied constrained model would be stationary or have positive definite error term covariance matrices).

Value

A list with class "htest" containing the following components:

statistic	the value of the Wald statistics.
parameter	the degrees of freedom of the Wald statistic.
p.value	the p-value of the test.
alternative	a character string describing the alternative hypothesis.
method	a character string indicating the type of the test (Wald test).

data.name	a character string giving the names of the supplied model, constraint matrix A, and vector c.
gsmar	the supplied argument gsmar.
A	the supplied argument A.
c	the supplied argument c.
h	the supplied argument h.

References

- Kalliovirta L., Meitz M. and Saikkonen P. 2015. Gaussian Mixture Autoregressive model for univariate time series. *Journal of Time Series Analysis*, **36**, 247-266.
- Meitz M., Preve D., Saikkonen P. 2021. A mixture autoregressive model based on Student's t-distribution. *Communications in Statistics - Theory and Methods*, doi: 10.1080/03610926.2021.1916531
- Virolainen S. 2021. A mixture autoregressive model based on Gaussian and Student's t-distributions. *Studies in Nonlinear Dynamics & Econometrics*, doi: 10.1515/snde-2020-0060

See Also

[LR_test](#), [fitGSMAR](#), [GSMAR](#), [diagnostic_plot](#), [profile_logliks](#), [quantile_residual_tests](#), [cond_moment_plot](#)

Examples

```
# GMAR p=1, M=2 model:
fit12 <- fitGSMAR(simudata, p=1, M=2, model="GMAR", ncalls=1, seeds=1)

# Test with Wald test whether the AR coefficients are the same in both
# regimes:
# There are 7 parameters in the model and the AR coefficient of the
# first regime is the 2nd element, whereas the AR coefficient of the second
# regime is in the 5th element.
A <- matrix(c(0, 1, 0, 0, -1, 0, 0), nrow=1, ncol=7)
c <- 0
Wald_test(fit12, A=A, c=c)
```

Index

* datasets

M10Y1Y, 45
simudata, 76
T10Y1Y, 85
TBFF, 86

* moment functions

cond_moments, 11
get_regime_autocovs, 28
get_regime_means, 29
get_regime_vars, 30
uncond_moments, 87

add_data, 3, 22, 34, 78, 80

alt_gsmar, 4

calc_gradient, 6, 43
calc_hessian (calc_gradient), 6
cond_moment_plot, 14, 17, 18, 44, 59, 89
cond_moments, 11, 22, 28, 29, 31, 34, 56, 78, 80, 87

condmomentPlot, 8
condMoments, 9

diagnostic_plot, 9, 15, 17, 22, 44, 54, 56, 59, 60, 64, 67, 89

diagnosticPlot, 15

fitGSMAR, 4, 6, 9, 15, 17, 18, 19, 34, 40, 43, 44, 54, 56, 60, 64, 67, 78, 80, 83, 85, 89

GAFit, 23

get_ar_roots, 27
get_foc, 17, 18
get_foc (calc_gradient), 6
get_gradient, 4, 6, 22, 34, 83, 85
get_gradient (calc_gradient), 6
get_hessian (calc_gradient), 6
get_regime_autocovs, 14, 28, 29, 31, 87
get_regime_means, 4, 6, 14, 28, 29, 31, 83, 85, 87

get_regime_vars, 14, 28, 29, 30, 87
get_soc (calc_gradient), 6
get_test_Omega, 54, 64
GSMAR, 4, 6, 9, 15, 22, 31, 40, 43, 44, 54, 56, 59, 60, 64, 67, 78, 80, 83, 85, 89

is_stationary, 37
isStationary, 35
iterate_more, 4, 6, 22, 34, 39, 83, 85

logLik.gsmar (GSMAR), 31
loglikelihood, 41
LR_test, 17, 18, 22, 34, 43, 89

M10Y1Y, 45
mixing_weights, 43, 47, 78, 80
mixingWeights, 45

optim, 40

pick_pars, 50
plot.gsmar (GSMAR), 31
plot.gsmarpred, 51
plot.qrtest, 52
predict.gsmar, 22, 34, 54, 54, 64, 78, 80
print.gsmar (GSMAR), 31
print.gsmarpred, 57
print.gsmarsum, 57
print.qrtest (plot.qrtest), 52
profile_logliks, 7, 9, 15, 17, 18, 22, 40, 44, 54, 58, 60, 64, 67, 89

quantile_residual_plot, 15, 17, 18, 59, 67
quantile_residual_tests, 9, 15, 17, 18, 22, 44, 56, 59, 60, 67, 89

quantile_residual_tests (plot.qrtest), 52

quantile_residuals, 43, 64
quantileResidualPlot, 9, 59
quantileResiduals, 60
quantileResidualTests, 62

random_ind, 71
randomIndividual, 68
reform_parameters, 74
residuals.gsmar (GSMAR), 31

simudata, 76
simulate.gsmar, 17, 18, 22, 34, 56, 59, 60,
67, 76
simulateGSMAR, 78
smart_ind (random_ind), 71
smartIndividual (randomIndividual), 68
stmar_to_gstmar, 4, 6, 22, 34, 40, 82, 83, 85
stmarpars_to_gstmar, 80
summary.gsmar (GSMAR), 31
swap_parametrization, 4, 6, 22, 34, 83, 84,
85

T10Y1Y, 85
TBFF, 86

uGMAR, 86
uncond_moments, 14, 22, 28, 29, 31, 34, 87

Wald_test, 17, 18, 22, 34, 44, 88